

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**OPC Unified Architecture –
Part 4: Services**

**Architecture Unifiée OPC –
Partie 4: Services**

Withdrawn



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC Unified Architecture –
Part 4: Services**

**Architecture Unifiée OPC –
Partie 4: Services**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100

ISBN 978-2-8322-2369-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	12
1 Scope.....	14
2 Normative references	14
3 Terms, definitions and conventions.....	15
3.1 Terms and definitions.....	15
3.2 Abbreviations and symbols	15
3.3 Conventions for Service definitions	16
4 Overview	17
4.1 Service Set model.....	17
4.2 Request/response Service procedures	21
5 Service Sets.....	21
5.1 General.....	21
5.2 Service request and response header	21
5.3 Service results	21
5.4 Discovery Service Set.....	23
5.4.1 Overview	23
5.4.2 FindServers	24
5.4.3 GetEndpoints.....	25
5.4.4 RegisterServer.....	28
5.5 SecureChannel Service Set	31
5.5.1 Overview	31
5.5.2 OpenSecureChannel.....	32
5.5.3 CloseSecureChannel	35
5.6 Session Service Set.....	36
5.6.1 Overview	36
5.6.2 CreateSession.....	36
5.6.3 ActivateSession.....	40
5.6.4 CloseSession.....	43
5.6.5 Cancel	43
5.7 NodeManagement Service Set.....	44
5.7.1 Overview	44
5.7.2 AddNodes.....	44
5.7.3 AddReferences	46
5.7.4 DeleteNodes.....	47
5.7.5 DeleteReferences	48
5.8 View Service Set.....	49
5.8.1 Overview	49
5.8.2 Browse	50
5.8.3 BrowseNext	52
5.8.4 TranslateBrowsePathsToNodeIds	54
5.8.5 RegisterNodes	56
5.8.6 UnregisterNodes	57
5.9 Query Service Set.....	57
5.9.1 Overview	57
5.9.2 Querying Views.....	58
5.9.3 QueryFirst.....	58

5.9.4	QueryNext	62
5.10	Attribute Service Set	63
5.10.1	Overview	63
5.10.2	Read	63
5.10.3	HistoryRead	65
5.10.4	Write	67
5.10.5	HistoryUpdate	69
5.11	Method Service Set	70
5.11.1	Overview	70
5.11.2	Call	71
5.12	MonitoredItem Service Set	73
5.12.1	MonitoredItem model	73
5.12.2	CreateMonitoredItems	79
5.12.3	ModifyMonitoredItems	81
5.12.4	SetMonitoringMode	83
5.12.5	SetTriggering	84
5.12.6	DeleteMonitoredItems	85
5.13	Subscription Service Set	86
5.13.1	Subscription model	86
5.13.2	CreateSubscription	93
5.13.3	ModifySubscription	94
5.13.4	SetPublishingMode	95
5.13.5	Publish	96
5.13.6	Republish	98
5.13.7	TransferSubscriptions	98
5.13.8	DeleteSubscriptions	100
6	Service behaviours	101
6.1	Security	101
6.1.1	Overview	101
6.1.2	Obtaining and Installing an Application Instance Certificate	101
6.1.3	Determining if a Certificate is Trusted	102
6.1.4	Creating a SecureChannel	104
6.1.5	Creating a Session	106
6.1.6	Impersonating a User	107
6.2	Software Certificates	107
6.2.1	Overview	107
6.2.2	Obtaining and Installing a Software Certificate	107
6.2.3	Validating a Software Certificate	109
6.3	Auditing	109
6.3.1	Overview	109
6.3.2	General audit logs	109
6.3.3	General audit Events	109
6.3.4	Auditing for Discovery Service Set	110
6.3.5	Auditing for SecureChannel Service Set	110
6.3.6	Auditing for Session Service Set	110
6.3.7	Auditing for NodeManagement Service Set	111
6.3.8	Auditing for Attribute Service Set	111
6.3.9	Auditing for Method Service Set	111
6.3.10	Auditing for View, Query, MonitoredItem and Subscription Service Set	112

6.4	Redundancy.....	112
6.4.1	Redundancy overview.....	112
6.4.2	Server redundancy overview.....	112
6.4.3	Client redundancy.....	116
6.4.4	Network redundancy.....	116
6.5	Re-establishing connections.....	117
7	Common parameter type definitions.....	118
7.1	ApplicationDescription.....	118
7.2	ApplicationInstanceCertificate.....	118
7.3	BrowseResult.....	119
7.4	ContentFilter.....	119
7.4.1	ContentFilter structure.....	119
7.4.2	ContentFilterResult.....	120
7.4.3	FilterOperator.....	121
7.4.4	FilterOperand parameters.....	127
7.5	Counter.....	128
7.6	ContinuationPoint.....	129
7.7	DataValue.....	129
7.7.1	General.....	129
7.7.2	PicoSeconds.....	130
7.7.3	SourceTimestamp.....	130
7.7.4	ServerTimestamp.....	130
7.7.5	StatusCode assigned to a value.....	131
7.8	DiagnosticInfo.....	131
7.9	EndpointDescription.....	132
7.10	ExpandedNodeId.....	133
7.11	ExtensibleParameter.....	133
7.12	Index.....	134
7.13	IntegerId.....	134
7.14	MessageSecurityMode.....	134
7.15	MonitoringParameters.....	134
7.16	MonitoringFilter parameters.....	135
7.16.1	Overview.....	135
7.16.2	DataChangeFilter.....	136
7.16.3	EventFilter.....	136
7.16.4	AggregateFilter.....	139
7.17	MonitoringMode.....	140
7.18	NodeAttributes parameters.....	140
7.18.1	Overview.....	140
7.18.2	ObjectAttributes parameter.....	141
7.18.3	VariableAttributes parameter.....	141
7.18.4	MethodAttributes parameter.....	142
7.18.5	ObjectTypeAttributes parameter.....	142
7.18.6	VariableTypeAttributes parameter.....	142
7.18.7	ReferenceTypeAttributes parameter.....	143
7.18.8	DataTypeAttributes parameter.....	143
7.18.9	ViewAttributes parameter.....	143
7.19	NotificationData parameters.....	144
7.19.1	Overview.....	144

7.19.2	DataChangeNotification parameter	144
7.19.3	EventNotificationList parameter	145
7.19.4	StatusChangeNotification parameter	145
7.20	NotificationMessage	145
7.21	NumericRange	146
7.22	QueryDataSet	147
7.23	ReadValueId	147
7.24	ReferenceDescription	148
7.25	RelativePath	149
7.26	RequestHeader	149
7.27	ResponseHeader	151
7.28	ServiceFault	151
7.29	SessionAuthenticationToken	151
7.30	SignatureData	153
7.31	SignedSoftwareCertificate	153
7.32	SoftwareCertificate	153
7.33	StatusCode	154
7.33.1	General	154
7.33.2	Common StatusCodes	156
7.34	TimestampsToReturn	159
7.35	UserIdentityToken parameters	159
7.35.1	Overview	159
7.35.2	AnonymousIdentityToken	160
7.35.3	UserNameIdentityToken	160
7.35.4	X509IdentityTokens	161
7.35.5	IssuedIdentityToken	161
7.36	UserTokenPolicy	162
7.37	ViewDescription	163
Annex A	(informative) BNF definitions	164
A.1	Overview over BNF	164
A.2	BNF of RelativePath	164
A.3	BNF of NumericRange	165
Annex B	(informative) Content Filter and Query Examples	166
B.1	Simple ContentFilter examples	166
B.1.1	Overview	166
B.1.2	Example 1	166
B.1.3	Example 2	167
B.2	Complex Examples of Query Filters	167
B.2.1	Overview	167
B.2.2	Used type model	168
B.2.3	Example Notes	170
B.2.4	Example 1	171
B.2.5	Example 2	172
B.2.6	Example 3	173
B.2.7	Example 4	175
B.2.8	Example 5	176
B.2.9	Example 6	178
B.2.10	Example 7	179
B.2.11	Example 8	181

B.2.12 Example 9..... 182

Figure 1 – Discovery Service Set 17

Figure 2 – SecureChannel Service Set..... 18

Figure 3 – Session Service Set 18

Figure 4 – NodeManagement Service Set 18

Figure 5 – View Service Set..... 19

Figure 6 – Attribute Service Set 19

Figure 7 – Method Service Set..... 20

Figure 8 – MonitoredItem and Subscription Service Sets 20

Figure 9 – Discovery process..... 23

Figure 10 – Using a Gateway Server..... 27

Figure 11 – The Registration Process – Manually Launched Servers..... 28

Figure 12 – The Registration Process – Automatically Launched Servers..... 29

Figure 13 – SecureChannel and Session Services 32

Figure 14 – Multiplexing Users on a Session..... 38

Figure 15 – MonitoredItem Model..... 74

Figure 16 – Typical delay in change detection..... 75

Figure 17 – Queue overflow handling..... 77

Figure 18 – Triggering Model 78

Figure 19 – Obtaining and Installing an Application Instance Certificate..... 102

Figure 20 – Determining if a Application Instance Certificate is Trusted 104

Figure 21 – Establishing a SecureChannel..... 105

Figure 22 – Establishing a Session..... 106

Figure 23 – Impersonating a User 107

Figure 24 – Obtaining and Installing a Software Certificate 108

Figure 25 – Transparent Redundancy setup..... 113

Figure 26 – Non-Transparent Redundancy setup 113

Figure 27 – Server proxy for redundancy 116

Figure 28 – Reconnect Sequence 117

Figure 29 – Logical layers of a Server..... 152

Figure 30 – Obtaining a SessionAuthenticationToken 152

Figure B.1 – Filter Logic Tree Example 166

Figure B.2 – Filter Logic Tree Example 167

Figure B.3 – Example Type Nodes 169

Figure B.4 – Example Instance Nodes 170

Figure B.5 – Example 1 Filter..... 171

Figure B.6 – Example 2 Filter Logic Tree 172

Figure B.7 – Example 3 Filter Logic Tree 174

Figure B.8 – Example 4 Filter Logic Tree 176

Figure B.9 – Example 5 Filter Logic Tree 177

Figure B.10 – Example 6 Filter Logic Tree 178

Figure B.11 – Example 7 Filter Logic Tree 180

Figure B.12 – Example 8 Filter Logic Tree	181
Figure B.13 – Example 9 Filter Logic Tree	183
Table 1 – Service Definition Table	16
Table 2 – Parameter Types defined in IEC 62541-3	17
Table 3 – FindServers Service Parameters	25
Table 4 – GetEndpoints Service Parameters	27
Table 5 – RegisterServer Service Parameters	30
Table 6 – RegisterServer Service Result Codes	30
Table 7 – OpenSecureChannel Service Parameters	34
Table 8 – OpenSecureChannel Service Result Codes	35
Table 9 – CloseSecureChannel Service Parameters	35
Table 10 – CloseSecureChannel Service Result Codes	35
Table 11 – CreateSession Service Parameters	38
Table 12 – CreateSession Service Result Codes	40
Table 13 – ActivateSession Service Parameters	42
Table 14 – ActivateSession Service Result Codes	43
Table 15 – CloseSession Service Parameters	43
Table 16 – CloseSession Service Result Codes	43
Table 17 – Cancel Service Parameters	44
Table 18 – AddNodes Service Parameters	45
Table 19 – AddNodes Service Result Codes	45
Table 20 – AddNodes Operation Level Result Codes	46
Table 21 – AddReferences Service Parameters	46
Table 22 – AddReferences Service Result Codes	47
Table 23 – AddReferences Operation Level Result Codes	47
Table 24 – DeleteNodes Service Parameters	48
Table 25 – DeleteNodes Service Result Codes	48
Table 26 – DeleteNodes Operation Level Result Codes	48
Table 27 – DeleteReferences Service Parameters	49
Table 28 – DeleteReferences Service Result Codes	49
Table 29 – DeleteReferences Operation Level Result Codes	49
Table 30 – Browse Service Parameters	51
Table 31 – Browse Service Result Codes	52
Table 32 – Browse Operation Level Result Codes	52
Table 33 – BrowseNext Service Parameters	53
Table 34 – BrowseNext Service Result Codes	53
Table 35 – BrowseNext Operation Level Result Codes	54
Table 36 – TranslateBrowsePathsToNodeIds Service Parameters	55
Table 37 – TranslateBrowsePathsToNodeIds Service Result Codes	55
Table 38 – TranslateBrowsePathsToNodeIds Operation Level Result Codes	56
Table 39 – RegisterNodes Service Parameters	56
Table 40 – RegisterNodes Service Result Codes	57

Table 41 – UnregisterNodes Service Parameters	57
Table 42 – UnregisterNodes Service Result Codes	57
Table 43 – QueryFirst Request Parameters	60
Table 44 – QueryFirst Response Parameters	61
Table 45 – QueryFirst Service Result Codes	62
Table 46 – QueryFirst Operation Level Result Codes	62
Table 47 – QueryNext Service Parameters	63
Table 48 – QueryNext Service Result Codes	63
Table 49 – Read Service Parameters	64
Table 50 – Read Service Result Codes	64
Table 51 – Read Operation Level Result Codes	65
Table 52 – HistoryRead Service Parameters	66
Table 53 – HistoryRead Service Result Codes	67
Table 54 – HistoryRead Operation Level Result Codes	67
Table 55 – Write Service Parameters	68
Table 56 – Write Service Result Codes	69
Table 57 – Write Operation Level Result Codes	69
Table 58 – HistoryUpdate Service Parameters	70
Table 59 – HistoryUpdate Service Result Codes	70
Table 60 – HistoryUpdate Operation Level Result Codes	70
Table 61 – Call Service Parameters	72
Table 62 – Call Service Result Codes	72
Table 63 – Call Operation Level Result Codes	73
Table 64 – CreateMonitoredItems Service Parameters	80
Table 65 – CreateMonitoredItems Service Result Codes	80
Table 66 – CreateMonitoredItems Operation Level Result Codes	81
Table 67 – ModifyMonitoredItems Service Parameters	82
Table 68 – ModifyMonitoredItems Service Result Codes	82
Table 69 – ModifyMonitoredItems Operation Level Result Codes	83
Table 70 – SetMonitoringMode Service Parameters	83
Table 71 – SetMonitoringMode Service Result Codes	83
Table 72 – SetMonitoringMode Operation Level Result Codes	84
Table 73 – SetTriggering Service Parameters	84
Table 74 – SetTriggering Service Result Codes	85
Table 75 – SetTriggering Operation Level Result Codes	85
Table 76 – DeleteMonitoredItems Service Parameters	85
Table 77 – DeleteMonitoredItems Service Result Codes	86
Table 78 – DeleteMonitoredItems Operation Level Result Codes	86
Table 79 – Subscription States	88
Table 80 – Subscription State Table	89
Table 81 – State variables and parameters	91
Table 82 – Functions	92
Table 83 – CreateSubscription Service Parameters	93

Table 84 – CreateSubscription Service Result Codes	94
Table 85 – ModifySubscription Service Parameters	94
Table 86 – ModifySubscription Service Result Codes	95
Table 87 – SetPublishingMode Service Parameters	95
Table 88 – SetPublishingMode Service Result Codes	96
Table 89 – SetPublishingMode Operation Level Result Codes	96
Table 90 – Publish Service Parameters	97
Table 91 – Publish Service Result Codes	97
Table 92 – Publish Operation Level Result Codes	98
Table 93 – Republish Service Parameters	98
Table 94 – Republish Service Result Codes	98
Table 95 – TransferSubscriptions Service Parameters	99
Table 96 – TransferSubscriptions Service Result Codes	99
Table 97 – TransferSubscriptions Operation Level Result Codes	100
Table 98 – DeleteSubscriptions Service Parameters	100
Table 99 – DeleteSubscriptions Service Result Codes	100
Table 100 – DeleteSubscriptions Operation Level Result Codes	101
Table 101 – Certificate Validation Steps	103
Table 102 – Redundancy failover actions	114
Table 103 – ApplicationDescription	118
Table 104 – ApplicationInstanceCertificate	119
Table 105 – BrowseResult	119
Table 106 – ContentFilter Structure	120
Table 107 – ContentFilterResult Structure	120
Table 108 – ContentFilterResult Result Codes	120
Table 109 – ContentFilterResult Operand Result Codes	121
Table 110 – Basic FilterOperator Definition	121
Table 111 – Complex FilterOperator Definition	123
Table 112 – Wildcard characters	124
Table 113 – Conversion Rules	125
Table 114 – Data Precedence Rules	126
Table 115 – Logical AND Truth Table	126
Table 116 – Logical OR Truth Table	127
Table 117 – FilterOperand parameter Typelds	127
Table 118 – ElementOperand	127
Table 119 – LiteralOperand	127
Table 120 – AttributeOperand	128
Table 121 – SimpleAttributeOperand	128
Table 122 – DataValue	129
Table 123 – DiagnosticInfo	132
Table 124 – EndpointDescription	133
Table 125 – ExpandedNodeIid	133
Table 126 – ExtensibleParameter Base Type	134

Table 127 – MessageSecurityMode Values	134
Table 128 – MonitoringParameters	135
Table 129 – MonitoringFilter parameterTypelds	136
Table 130 – DataChangeFilter	136
Table 131 – EventFilter structure	138
Table 132 – EventFilterResult structure	138
Table 133 – EventFilterResult Result Codes	138
Table 134 – AggregateFilter structure	139
Table 135 – AggregateFilterResult structure	140
Table 136 – MonitoringMode Values	140
Table 137 – NodeAttributes parameterTypelds	140
Table 138 – Bit mask for specified Attributes	141
Table 139 – ObjectAttributes	141
Table 140 – VariableAttributes	142
Table 141 – MethodAttributes	142
Table 142 – ObjectTypeAttributes	142
Table 143 – VariableTypeAttributes	143
Table 144 – ReferenceTypeAttributes	143
Table 145 – DataTypeAttributes	143
Table 146 – ViewAttributes	144
Table 147 – NotificationData parameterTypelds	144
Table 148 – DataChangeNotification	145
Table 149 – EventNotificationList	145
Table 150 – StatusChangeNotification	145
Table 151 – NotificationMessage	146
Table 152 – NumericRange	147
Table 153 – QueryDataSet	147
Table 154 – ReadValueId	148
Table 155 – ReferenceDescription	148
Table 156 – RelativePath	149
Table 157 – RequestHeader	150
Table 158 – ResponseHeader	151
Table 159 – ServiceFault	151
Table 160 – SignatureData	153
Table 161 – SignedSoftwareCertificate	153
Table 162 – SoftwareCertificate	154
Table 163 – StatusCode Bit Assignments	155
Table 164 – DataValue InfoBits	156
Table 165 – Common Service Result Codes	157
Table 166 – Common Operation Level Result Codes	158
Table 167 – TimestampsToReturn Values	159
Table 168 – UserIdentityToken parameterTypelds	159
Table 169 – UserIdentityToken Encrypted Token Format	160

Table 170 – AnonymousIdentityToken	160
Table 171 – UserNameIdentityToken	161
Table 172 – EncryptionAlgorithm selection.....	161
Table 173 – X509 Identity Token.....	161
Table 174 – IssuedIdentityToken	162
Table 175 – UserTokenPolicy	162
Table 176 – ViewDescription.....	163
Table A.1 – RelativePath	164
Table A.2 – <i>RelativePath</i> Examples	165
Table B.1 – ContentFilter Example.....	167
Table B.2 – ContentFilter Example.....	167
Table B.3 – Example 1 NodeTypeDescription	171
Table B.4 – Example 1 ContentFilter.....	171
Table B.5 – Example 1 QueryDataSets	172
Table B.6 – Example 2 NodeTypeDescription	172
Table B.7 – Example 2 ContentFilter.....	173
Table B.8 – Example 2 QueryDataSets	173
Table B.9 – Example 3 – NodeTypeDescription	173
Table B.10 – Example 3 ContentFilter.....	175
Table B.11 – Example 3 QueryDataSets	175
Table B.12 – Example 4 NodeTypeDescription.....	176
Table B.13 – Example 4 ContentFilter.....	176
Table B.14 – Example 4 QueryDataSets	176
Table B.15 – Example 5 NodeTypeDescription.....	177
Table B.16 – Example 5 ContentFilter.....	177
Table B.17 – Example 5 QueryDataSets	177
Table B.18 – Example 6 NodeTypeDescription.....	178
Table B.19 – Example 6 ContentFilter.....	178
Table B.20 – Example 6 QueryDataSets	179
Table B.21 – Example 6 QueryDataSets without Additional Information	179
Table B.22 – Example 7 NodeTypeDescription.....	180
Table B.23 – Example 7 ContentFilter.....	180
Table B.24 – Example 7 QueryDataSets	181
Table B.25 – Example 8 NodeTypeDescription.....	181
Table B.26 – Example 8 ContentFilter.....	182
Table B.27 – Example 8 QueryDataSets	182
Table B.28 – Example 9 NodeTypeDescription.....	182
Table B.29 – Example 9 ContentFilter.....	183
Table B.30 – Example 9 QueryDataSets	183

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC Unified Architecture –

Part 4: Services

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Update for 6.4 Redundancy.
Added non-transparent redundancy option HotAndMirrored and reworked most of the redundancy description.
- b) Clarifications for Publish and Reconnect scenarios.
Reworked different parts of the specification to make sure no data is lost during short communication interruptions and clients can always detect for how long they lost

information during connection interruption. Added new clause 6.5 Re-establishing connections that describes the exact reconnect sequence for clients losing connection to a server. Changed the minimum requirement for the retransmission queue of sent NotificationMessages from one keep-alive interval to minimum two times the minimum number of Publish requests per Session. Added clarification in which data value the overflow bit is set depending on the discard oldest setting. Changed discard handling for discardOldest is FALSE. The new value is replacing the last value put into the queue for FALSE. Added exception that the overflow bit is not set if the queue size one.

- c) Handling of MonitoredItem changes in short network interruption scenarios.
Added new method GetMonitoredItems in Part 5. This method can be used to get the list of monitored items in a subscription if CreateMonitoredItems failed due to a network interruption and the client does not know if the creation succeeded in the server.
- d) Update for 6.1.3 Determining if a Certificate is Trusted
Revised rules for certificate validation.
- e) Revised definition of parameters semaphoreFile and isOnline in Service RegisterServer
- f) Services ModifySubscription and ModifyMonitoredItems
Clarified that changes are applied directly and will take effect as soon as practical but not later than twice the new time interval.
- g) There is a long list of minor changes to eliminate ambiguity.

The text of this standard is based on the following documents:

CDV	Report on voting
65E/375/CDV	65E/403/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.