

INTERNATIONAL STANDARD

**Specification for the testing of balanced and coaxial information technology cabling –
Part 1: Installed balanced cabling as specified in ISO/IEC 11801 and related standards**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

**Specification for the testing of balanced and coaxial information technology cabling –
Part 1: Installed balanced cabling as specified in ISO/IEC 11801 and related standards**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XE**

ICS 33.120.10

ISBN 978-2-88910-588-5

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
2 Normative references	12
3 Terms and definitions	13
4 Reference measurement procedures for electrical properties	15
4.1 General.....	15
4.2 Test equipment considerations	15
4.2.1 General	15
4.2.2 Network analyzer test requirements.....	15
4.2.3 Termination of conductor pairs	16
4.2.4 Reference loads for calibration	17
4.2.5 Test configurations	17
4.2.6 Coaxial cables and test leads for network analyzers.....	18
4.2.7 Balun requirements	19
4.2.8 Network analyzer measurement precautions.....	20
4.2.9 Data reporting and accuracy.....	21
4.3 DC loop resistance	21
4.3.1 Objective	21
4.3.2 Test method	22
4.3.3 Test equipment and set-up.....	22
4.3.4 Procedure.....	22
4.3.5 Test report.....	22
4.3.6 Uncertainty.....	23
4.4 Direct current (d.c.) resistance unbalance	23
4.4.1 Objective	23
4.4.2 Test method	23
4.4.3 Test equipment and set-up	23
4.4.4 Procedure.....	23
4.4.5 Test report.....	24
4.4.6 Uncertainty.....	24
4.5 Insertion loss.....	24
4.5.1 Objective	24
4.5.2 Test method	24
4.5.3 Test equipment and set-up	25
4.5.4 Procedure.....	25
4.5.5 Test report.....	26
4.5.6 Temperature correction	26
4.5.7 Uncertainty.....	26
4.6 Propagation delay and delay skew	26
4.6.1 Objective	26
4.6.2 Test method	26
4.6.3 Test equipment and set-up	27
4.6.4 Procedure.....	27
4.6.5 Test report.....	27
4.6.6 Uncertainty.....	27

4.7	Near-end cross-talk (NEXT) and power sum NEXT	28
4.7.1	Objective	28
4.7.2	Test method	28
4.7.3	Test equipment and set-up	28
4.7.4	Procedure.....	28
4.7.5	Test report.....	29
4.7.6	Uncertainty.....	30
4.8	Attenuation to crosstalk ratio, near end (ACR-N) and power sum ACR-N.....	30
4.8.1	Objective	30
4.8.2	Test method	30
4.8.3	Test equipment and set-up	30
4.8.4	Procedure.....	30
4.8.5	Test report.....	30
4.8.6	Uncertainty.....	30
4.9	Far-end cross-talk (FEXT) and power sum FEXT.....	31
4.9.1	Objective	31
4.9.2	Test method	31
4.9.3	Test equipment and set-up	31
4.9.4	Procedure.....	32
4.9.5	Test report.....	32
4.9.6	Uncertainty of FEXT measurements	32
4.10	Equal level far end crosstalk (ELFEXT) and attenuation to crosstalk ratio, far end (ACR-F).....	32
4.10.1	Objective.....	32
4.10.2	Calculation	33
4.10.3	Test report.....	33
4.10.4	Uncertainty.....	33
4.11	Return loss.....	33
4.11.1	Objective.....	33
4.11.2	Test method	33
4.11.3	Test equipment and set-up	34
4.11.4	Procedure.....	34
4.11.5	Test report.....	35
4.11.6	Uncertainty.....	35
4.12	PS alien near end crosstalk (PS ANEXT – Exogenous crosstalk).....	35
4.12.1	Objective	35
4.12.2	Test method	35
4.12.3	Test equipment and set-up	35
4.12.4	Procedure.....	36
4.13	PS attenuation to alien crosstalk ratio, far end crosstalk (PS AACR-F – Exogenous crosstalk)	38
4.13.1	Objective	38
4.13.2	Test method	38
4.13.3	Test equipment and set-up	38
4.13.4	Procedure.....	40
4.14	Unbalance attenuation, near end.....	42
4.14.1	Objective	42
4.14.2	Test method	42
4.14.3	Test equipment and set-up	42

4.14.4	Procedure.....	43
4.14.5	Test report.....	45
4.14.6	Uncertainty.....	46
4.15	Unbalance attenuation, far end.....	46
4.15.1	Objective.....	46
4.15.2	Test method.....	46
4.15.3	Test equipment and set-up.....	46
4.15.4	Procedure.....	47
4.15.5	Test report.....	48
4.15.6	Uncertainty.....	48
4.16	Coupling attenuation.....	48
5	Field test measurement requirements for electrical properties.....	48
5.1	General.....	48
5.2	Cabling configurations tested.....	49
5.3	Field test parameters.....	49
5.3.1	General.....	49
5.3.2	Inspection of workmanship and connectivity testing.....	50
5.3.3	Propagation delay and delay skew.....	51
5.3.4	Length.....	51
5.3.5	Insertion loss.....	52
5.3.6	NEXT, power sum NEXT.....	52
5.3.7	ACR-N and power sum ACR-N.....	53
5.3.8	ELFEXT, power sum ELFEXT, ACR-F, power sum ACR-F.....	54
5.3.9	Return loss.....	55
5.3.10	Direct current (d.c.) loop resistance.....	55
5.4	Power sum alien crosstalk.....	55
5.4.1	Objective.....	55
5.4.2	Test method.....	56
5.4.3	Test equipment and set-up.....	56
5.4.4	Measuring ANEXT loss.....	56
5.4.5	Measuring AFEXT loss.....	57
5.4.6	Procedure.....	57
5.4.7	Calculation of PS ANEXT and PS AACR-F from measured data.....	57
5.4.8	Selection of test ports.....	60
5.4.9	Test report.....	62
5.4.10	Uncertainty of PS alien crosstalk measurements.....	62
5.5	Data reporting and accuracy.....	62
5.5.1	General.....	62
5.5.2	Detailed results.....	64
5.5.3	Summary results.....	64
5.5.4	Reporting requirements for power sum alien crosstalk.....	68
5.5.5	General.....	68
5.5.6	Consistency checks for field testers.....	68
5.5.7	Evaluation of consistency tests.....	69
5.5.8	Administration system applicability.....	69
5.5.9	Test equipment adapter cords for link testing.....	69
5.5.10	User cords and channel testing.....	69
6	Field tester measurement accuracy requirements.....	69
6.1	General.....	69

6.2	Measurement accuracy specifications common to level IIE, level III, level IIIE, and level IV field testers.....	73
6.3	Accuracy performance requirements for level IIE field testers.....	73
6.4	Accuracy performance requirements for level III field testers.....	75
6.5	Accuracy performance requirements for level IIIE field testers.....	77
6.6	Accuracy performance requirements for level IV field testers.....	79
6.7	Accuracy performance requirements for level IV field testers over 600 MHz.....	81
6.8	Field tester requirements applicable to alien crosstalk measurements.....	81
6.9	Procedures for determining field tester parameters.....	81
6.9.1	General.....	81
6.9.2	Output signal balance (<i>OSB</i>).....	82
6.9.3	Common mode rejection (<i>CMR</i>).....	82
6.9.4	Residual NEXT.....	83
6.9.5	Dynamic accuracy.....	84
6.9.6	Source/load return loss.....	85
6.9.7	Random noise floor.....	85
6.9.8	Residual FEXT.....	85
6.9.9	Directivity.....	86
6.9.10	Tracking.....	87
6.9.11	Source match.....	87
6.9.12	Return loss of remote termination.....	87
6.9.13	Constant error term of the propagation delay measurement function.....	88
6.9.14	Error constant term proportional to propagation delay of the propagation delay measurement function.....	88
6.9.15	Constant error term of the delay skew measurement function.....	88
6.9.16	Constant error term of the length measurement function.....	88
6.9.17	Error constant proportional to length of the length measurement function.....	88
6.9.18	Constant error term of the d.c. resistance measurement function.....	88
6.9.19	Error constant term proportional to d.c. resistance of the d.c. resistance measurement function.....	89
6.9.20	Measurement floor for alien crosstalk testing during field testing.....	89
6.9.21	Measurement floor of the test device for the channel test configuration.....	89
6.10	Measurement error models.....	90
6.10.1	General.....	90
6.10.2	Error model for the insertion loss measurement function.....	90
6.10.3	Error model for the NEXT measurement function.....	91
6.10.4	Error model for the power sum NEXT measurement function.....	91
6.10.5	Error model for the ACR-N measurement function.....	91
6.10.6	Error model for the power sum ACR-N measurement function.....	92
6.10.7	Error model for the ELFEXT or ACR-F measurement function.....	92
6.10.8	Error model for the power sum ELFEXT and PS ACR-F measurement functions.....	93
6.10.9	Error model for the return loss measurement function.....	93
6.10.10	Error model for the propagation delay measurement function.....	94
6.10.11	Error model for the delay skew measurement function.....	95
6.10.12	Error model for the length measurement function.....	95
6.10.13	Error model for the d.c. loop resistance measurement function.....	95
6.11	Network analyzer measurement comparisons.....	95

6.11.1 General	95
6.11.2 Adapters.....	95
6.11.3 Comparison methods.....	98
Annex A (informative) Uncertainty and variability of field test results.....	102
Annex B (normative) Reference laboratory test configuration for alien crosstalk testing	106
Annex C (informative) General information on power sum alien crosstalk performance of installations	109
Bibliography.....	110
Figure 1 – Resistor load.....	16
Figure 2 – Reference planes for permanent link and channel	18
Figure 3 – 180° hybrid used as a balun.....	19
Figure 4 – Loop resistance measurement	22
Figure 5 – DC resistance unbalance measurement	24
Figure 6 – Insertion loss test configuration.....	25
Figure 7 – NEXT test configuration	28
Figure 8 – FEXT test configuration.....	31
Figure 9 – Return loss test configuration.....	34
Figure 10 – ANEXT measurement.....	36
Figure 11 – Alien far end crosstalk measurement.....	39
Figure 12 – Unbalance attenuation, near end test configuration	43
Figure 13 – Back-to-back balun differential mode insertion loss measurement.....	44
Figure 14 – Back-to-back balun common mode insertion loss measurement	44
Figure 15 – Unbalance performance test of the measurement balun	45
Figure 16 – Unbalance attenuation far end test configuration.....	47
Figure 17 – Correct pairing.....	50
Figure 18 – Incorrect pairing.....	51
Figure 19 – Schematic diagram to measure channel ANEXT loss	56
Figure 20 – AFEXT loss measurement test configuration	57
Figure 21 – Flow chart of the alien crosstalk test procedure.....	61
Figure 22 – Example of equipment tolerance region (NEXT)	63
Figure 23 – Block diagram for measuring output signal balance	82
Figure 24 – Block diagram to measure common mode rejection.....	83
Figure 25 – Block diagram for measuring residual NEXT.....	84
Figure 26 – Block diagram for measuring dynamic accuracy	84
Figure 27 – Principle of measurement of residual NEXT	86
Figure 28 – Principle of alternate measurement of residual FEXT	86
Figure 29 – Alien crosstalk measurement floor test for the channel test configuration	89
Figure 30 – Alien crosstalk measurement floor test for the link test configurations	90
Figure 31 – Construction details of special patch cord adapter.....	96
Figure 32 – Interfaces to channel by field test and laboratory equipment to compare test results.....	97
Figure 33 – Interfaces to link test configuration by field test and laboratory equipment to compare test results	98