

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures – Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)**

**Exposition humaine aux champs radiofréquence produits par les dispositifs de communications sans fils tenus à la main ou portés près du corps – Modèles de corps humain, instrumentation et procédures – Partie 2: Procédure de détermination du débit d'absorption spécifique produit par les appareils de communications sans fil utilisés très près du corps humain (gamme de fréquences de 30 MHz à 6 GHz)**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures – Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)**

**Exposition humaine aux champs radiofréquence produits par les dispositifs de communications sans fils tenus à la main ou portés près du corps – Modèles de corps humain, instrumentation et procédures – Partie 2: Procédure de détermination du débit d'absorption spécifique produit par les appareils de communications sans fil utilisés très près du corps humain (gamme de fréquences de 30 MHz à 6 GHz)**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

**XE**

## CONTENTS

|   |    |
|---|----|
| FOREWORD.....   | 5  |
| INTRODUCTION.....   | 7  |
| 1 Scope.....  | 8  |
| 2 Normative references.....   | 8  |
| 3 Terms and definitions.....  | 9  |
| 4 Symbols and abbreviated terms.....  | 12 |
| 4.1 Physical quantities.....  | 12 |
| 4.2 Constants.....  | 12 |
| 4.3 Abbreviations.....  | 12 |
| 5 Measurement system specifications.....  | 13 |
| 5.1 General requirements.....   | 13 |
| 5.2 Phantom specifications – shell and liquid.....                                  | 14 |
| 5.2.1 General requirements.....   | 14 |
| 5.2.2 Phantom material, shape and size.....   | 14 |
| 5.2.3 Tissue-equivalent liquid material properties.....                             | 15 |
| 5.3 Measurement instrumentation system specifications.....                          | 17 |
| 5.3.1 General requirements.....   | 17 |
| 5.3.2 Scanning system.....  | 17 |
| 5.3.3 Probes.....   | 17 |
| 5.3.4 Probe calibration.....  | 17 |
| 5.3.5 Specifications for fixture(s) to hold the DUT in the test position.....       | 17 |
| 6 Protocol for SAR evaluation.....  | 18 |
| 6.1 Measurement preparation.....  | 18 |
| 6.1.1 General preparation.....  | 18 |
| 6.1.2 System check.....   | 18 |
| 6.1.3 Preparation of the device under test.....                                     | 18 |
| 6.1.4 Position of the device under test in relation to the phantom.....             | 20 |
| 6.1.5 Test frequencies.....   | 30 |
| 6.2 Tests to be performed.....  | 30 |
| 6.2.1 General requirements.....   | 30 |
| 6.2.2 Test reductions.....  | 30 |
| 6.2.3 General test procedure.....   | 31 |
| 6.2.4 Fast SAR evaluations.....   | 32 |
| 6.3 Measurement procedure.....  | 34 |
| 6.3.1 General procedure.....  | 34 |
| 6.3.2 Procedures for testing of DUTs with simultaneous multi-band transmission..... | 35 |
| 6.4 Post-processing.....  | 37 |
| 6.4.1 Interpolation.....  | 37 |
| 6.4.2 Probe offset extrapolation.....   | 37 |
| 6.4.3 Definition of averaging volume.....   | 37 |
| 6.4.4 Searching for the maxima.....   | 38 |
| 7 Uncertainty estimation.....   | 38 |
| 7.1 General considerations.....   | 38 |
| 7.1.1 Concept of uncertainty estimation.....  | 38 |
| 7.1.2 Type A and type B evaluations.....  | 38 |

|              |   |     |
|--------------|---|-----|
| 7.1.3        | Degrees of freedom and coverage factor .....  | 39  |
| 7.2          | Components contributing to uncertainty .....  | 40  |
| 7.2.1        | General .....   | 40  |
| 7.2.2        | Contribution of the measurement system (probe and associated electronics).....                                      | 40  |
| 7.2.3        | Contribution of mechanical constraints .....  | 46  |
| 7.2.4        | Contribution of physical parameters.....  | 49  |
| 7.2.5        | Contribution of post-processing .....   | 53  |
| 7.2.6        | Standard source offset and tolerance .....  | 57  |
| 7.3          | Uncertainty estimation.....   | 58  |
| 7.3.1        | Combined and expanded uncertainties .....   | 58  |
| 7.3.2        | Maximum expanded uncertainty .....  | 58  |
| 8            | Measurement report .....  | 64  |
| 8.1          | General.....  | 64  |
| 8.2          | Items to be recorded in the measurement report.....   | 64  |
| Annex A      | (informative) Phantom rationale .....   | 66  |
| Annex B      | (normative) SAR measurement system verification .....   | 69  |
| Annex C      | (informative) Fast SAR testing .....  | 78  |
| Annex D      | (informative) Standard sources and phantoms for system validation .....   | 80  |
| Annex E      | (informative) Example recipes for phantom tissue-equivalent liquids.....  | 86  |
| Annex F      | (normative) SAR correction for deviations of complex permittivity from targets.....                                 | 89  |
| Annex G      | (informative) Hands-free kit testing.....   | 91  |
| Annex H      | (informative) Skin enhancement factor.....  | 94  |
| Annex I      | (informative) Tissue-equivalent liquid dielectric property measurements and measurement uncertainty estimation..... | 98  |
| Annex J      | (informative) Testing compliance for the exposure of the hand .....   | 100 |
| Annex K      | (informative) Test reduction .....  | 102 |
| Annex L      | (normative) Power scaling procedure .....   | 104 |
| Annex M      | (informative) Rationale for probe parameters .....  | 106 |
| Bibliography | .....   | 108 |
| Figure 1     | – Dimensions of the elliptical phantom .....  | 15  |
| Figure 2     | – Definition of reference points .....  | 21  |
| Figure 3     | – Measurements by shifting of the device at the phantom .....   | 22  |
| Figure 4     | – Test positions for a generic device .....   | 23  |
| Figure 5     | – Test positions for body-worn devices .....  | 24  |
| Figure 6     | – Device with swivel antenna (example of desktop device).....   | 24  |
| Figure 7     | – Test positions for body supported devices.....  | 26  |
| Figure 8     | – Test positions for desktop devices .....  | 27  |
| Figure 9     | – Test positions for front-of-face devices.....   | 28  |
| Figure 10    | – Test position for limb-worn devices .....   | 29  |
| Figure 11    | – Test position for clothing-integrated wireless devices .....  | 30  |
| Figure 12    | – Block diagram of the tests to be performed .....  | 33  |
| Figure 13    | – Orientation of the probe with respect to the normal of the phantom surface.....                                   | 35  |
| Figure B.1   | – Set-up for the system check.....  | 71  |

Figure D.1 – Mechanical details of the reference dipole ..... 82

Figure D.2 – Dimensions of the flat phantom set-up used for deriving the minimal dimensions for  $W$  and  $L$  ..... 83

Figure D.3 – FDTD predicted uncertainty in the 10 g peak spatial-average SAR as a function of the dimensions of the flat phantom compared with an infinite flat phantom ..... 84

Figure D.4 – Standard waveguide source..... 85

Figure G.1 – Configuration of a wired personal hands-free headset ..... 91

Figure G.2 – Configuration without a wired personal hands-free headset ..... 92

Figure H.1 – SAR and temperature increase ( $\Delta T$ ) distributions simulated for a three-layer (skin, fat, muscle) planar torso model..... 94

Figure H.2 –Statistical approach to protect 90 % of the population..... 95

Figure H.3 – Spatial-average SAR skin enhancement factors..... 96

Figure J.1 – Test position for hand-held devices, not used at the head or torso ..... 100

  

Table 1 – Dielectric properties of the tissue-equivalent liquid material ..... 16

Table 2 – Example uncertainty template and example numerical values for relative permittivity ( $\epsilon'_r$ ) and conductivity ( $\sigma$ ) measurement; separate tables may be needed for each  $\epsilon'_r$  and  $\sigma$ ..... 50

Table 3 – Parameters for reference function  $f_1$  ..... 54

Table 4 – Reference SAR values in watts per kilogram used for estimating post-processing uncertainties ..... 55

Table 5 – Measurement uncertainty evaluation template for DUT SAR test ..... 59

Table 6 – Measurement uncertainty evaluation template for system validation ..... 61

Table 7 – Measurement uncertainty evaluation template for system repeatability ..... 63

Table B.1 – Numerical reference SAR values for reference dipoles and flat phantom – All values are normalized to a forward power of 1 W ..... 76

Table B.2 – Numerical reference SAR values for reference matched waveguides in contact with flat phantom (from reference [53]) ..... 77

Table D.1 – Mechanical dimensions of the reference dipoles ..... 81

Table D.2 – Parameters used for calculation of reference SAR values in Table B.1 ..... 84

Table D.3 – Mechanical dimensions of the standard waveguide ..... 85

Table E.1 – Suggested recipes for achieving target dielectric parameters ..... 87

Table F.1 – Root-mean-squared error of Equations (F.1) to (F.3) as a function of the maximum change in permittivity or conductivity [13]..... 90

Table H.1 – Spatial-average SAR correction factors..... 96

Table I.1 – Parameters for calculating the dielectric properties of various reference liquids..... 98

Table I.2 – Dielectric properties of reference liquids at 20 °C ..... 99

Table M.1 – Minimum probe requirements as a function of frequency and parameters of the tissue equivalent liquid..... 106

Table M.2 – Extrapolation and integration uncertainty of the 10 g peak spatial average SAR ( $k=2$ ) for homogeneous and graded meshes ..... 107

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HUMAN EXPOSURE TO RADIO FREQUENCY FIELDS FROM HAND-HELD AND BODY-MOUNTED WIRELESS COMMUNICATION DEVICES – HUMAN MODELS, INSTRUMENTATION, AND PROCEDURES –

### Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62209-2 has been prepared by IEC technical committee 106: Methods for the assessment of electric, magnetic and electromagnetic fields associated with human exposure.

The text of this standard is based on the following documents:

|              |                  |
|--------------|------------------|
| FDIS         | Report on voting |
| 106/195/FDIS | 106/200/RVD      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62209 series, published under the general title *Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of June 2010 have been included in this copy.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

Withhold

## INTRODUCTION

The IEC work item “Evaluation of the Human Exposure to Radio Fields from Hand-Held and Body-Mounted Wireless Communication Devices in the Frequency range 30 MHz to 6 GHz (Human Models, Instrumentation, Procedures),” has the objective to measure the human exposure from devices intended to be used at a position near the human body. This standard was developed to provide procedures to evaluate exposures due to any electromagnetic field (EMF) transmitting device when held in the hand or in front of the face, mounted on the body, combined with other transmitters within a product, or embedded in garments. The types of devices dealt with include but are not limited to mobile telephones, cordless telephones, cordless microphones, auxiliary broadcast devices and radio transmitters in personal computers. For transmitters used in close proximity to the human ear, specific absorption rate (SAR) measurements should be performed using the procedures of IEC 62209-1:2005.

TC 106 has the scope to prepare international standards on measurement and calculation methods used to assess human exposure to electric, magnetic and electromagnetic fields. The task includes assessment methods for the exposure produced by specific sources. It applies to basic restrictions and reference levels. Although the establishment of exposure limits is not within the scope of TC 106, the results of assessments performed in accordance with TC 106 standards can be compared with the basic restrictions of relevant standards and guidelines. Conformity assessment depends on the policy of national regulatory bodies.

A Category D liaison in IEC involves organizations that can make an effective technical contribution and participate at the working group level or specific project level of the IEC technical committees or subcommittees. Obvious goals are standards harmonization and minimizing duplication of effort. The work of IEC technical committee 106 (TC 106) and IEEE International Committee on Electromagnetic Safety (ICES SCC39), technical committee 34 (TC 34), is an example where two international committees worked together informally through common membership to achieve the goal of harmonization, specifically between IEC Project Team 62209 (PT 62209) on the “Procedure to Measure the Specific Absorption Rate (SAR) for Hand-Held Mobile Telephones” and IEEE/SCC39-ICES/TC34 on IEEE Std 1528-2003 “IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques” [32]<sup>1</sup>

IEEE/SCC39-ICES/TC34 has a similar project. Because the project is more advanced in IEC, a Category D liaison was sought in order to avoid divergence of standards and duplication of work. Thus, rather than developing two separate standards (IEC and IEEE), the IEEE committee felt it would be more efficient to develop a single IEC standard with direct input from the members of IEEE/SCC39-ICES/TC34, many of whom are also members of PT 62209 or are from the same organizations that send delegates to participate in the work of PT 62209. The Category D liaison is limited only to this project (Part 2 of IEC 62209 series).

---

<sup>1</sup> Figures in square brackets refer to the Bibliography.