

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Field Device Integration (FDI) –  
Part 2: FDI Client**

**Intégration des appareils de terrain (FDI) –  
Partie 2: Client FDI**

Withdrawing



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Field Device Integration (FDI) –  
Part 2: FDI Client**

**Intégration des appareils de terrain (FDI) –  
Partie 2: Client FDI**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 25.040.40; 35.100

ISBN 978-2-8322-2632-2

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	13
2 Normative references .....	13
3 Terms, definitions, abbreviated terms, acronyms and conventions.....	14
3.1 Terms and definitions.....	14
3.1.1 Terms used for Services.....	14
3.1.2 Terms used for Device Access Services .....	15
3.2 Abbreviated terms and acronyms .....	15
3.3 Conventions.....	15
4 Overview .....	16
5 FDI Client.....	17
5.1 Device Access Services .....	17
5.1.1 General .....	17
5.1.2 Device Model.....	17
5.1.3 Node model .....	19
5.1.4 Services .....	23
5.1.5 Base Property Services .....	27
5.1.6 Device Model Services .....	28
5.1.7 Locking Services .....	38
5.1.8 Direct Access Services.....	40
5.1.9 Data types .....	42
5.2 Hosting Services.....	47
5.2.1 General .....	47
5.2.2 Services .....	47
5.2.3 Parameter Type Definitions .....	53
6 UIP.....	54
6.1 UIP Services .....	54
6.1.1 Services .....	54
6.1.2 Parameter type definitions .....	58
6.2 UIP instantiation rules.....	59
6.3 UIP state machine.....	59
6.3.1 States.....	59
6.3.2 State transitions .....	60
6.4 UIP permissions.....	60
6.5 UIP downloads from FDI Server .....	61
7 Actions .....	62
7.1 General.....	62
7.2 Sequence diagram .....	63
7.3 FDI Action schema definition.....	66
8 User Interface Description (UID).....	67
8.1 Overview.....	67
8.2 UID execution .....	69
Annex A (normative) XML schema .....	72
A.1 General.....	72

A.2	AbortRequestT	72
A.3	AccessT	72
A.4	AcknowledgementRequestT	73
A.5	ActionListT	73
A.6	AbortingNotificationT	74
A.7	ActionRequestT	74
A.8	ActionResponseT	75
A.9	ActionT	76
A.10	AxisListT	76
A.11	AxisT	76
A.12	BitEnumerationItemListT	77
A.13	BitEnumerationItemT	78
A.14	ButtonListT	78
A.15	ChartT	79
A.16	ChartTypeT	79
A.17	ColorNameT	80
A.18	ColorT	81
A.19	ColorValueT	81
A.20	ColumnBreakT	82
A.21	DateTimeDataT	82
A.22	DelayMessageRequestT	82
A.23	DiagramLineT	83
A.24	EnumerationItemListT	84
A.25	EnumerationItemT	84
A.26	FormatSpecifierT	85
A.27	GraphT	85
A.28	GridT	86
A.29	HandlingT	86
A.30	ImageT	87
A.31	InfoRequestT	88
A.32	InputRequestT	88
A.33	InputResponseT	89
A.34	InputValueT	89
A.35	InputValueTypeT	90
A.36	LabelHelpT	90
A.37	LabelT	91
A.38	LineTypeT	91
A.39	MenuT	92
A.40	MenuReferenceT	93
A.41	MenuStyleT	94
A.42	NumericDataT	95
A.43	NumericTemplateT	95
A.44	OptionListT	96
A.45	OrientationT	96
A.46	ParameterInputRequestT	97
A.47	ParameterListT	97
A.48	ParameterT	98
A.49	PluginT	99
A.50	RangeListT	100

A.51	RangeT	100
A.52	ResponseT	101
A.53	RowBreakT	101
A.54	ScalingT	101
A.55	SelectionRequestT	101
A.56	SelectionResponseT	102
A.57	SeparatorT	102
A.58	SizeT	103
A.59	ParameterClassT	103
A.60	ActionClassT	105
A.61	SourceListT	106
A.62	SourceT	107
A.63	StringDataT	107
A.64	StringTemplateT	108
A.65	StringOptionListT	109
A.66	StringOptionT	109
A.67	StringT	109
A.68	TimeScaleT	110
A.69	UidLayoutInformation	110
A.70	UidRequestT	111
A.71	UidResponseT	111
A.72	UiElementSizeableT	112
A.73	UiElementT	112
A.74	UiTemplateT	113
A.75	VariantT	114
A.76	VariantOptionListT	115
A.77	VariantOptionT	115
A.78	VectorListT	116
A.79	VectorT	116
A.80	WaveformListT	117
A.81	WaveformT	117
A.82	WaveformTypeT	118
A.83	WaveformTypeHorizontalT	118
A.84	WaveformTypeVerticalT	118
A.85	WaveformTypeYTT	119
A.86	WaveformTypeXYT	120
A.87	WaveformKeyPointListT	121
A.88	WaveformVectorT	121
A.89	WaveformVectorElementListT	122
A.90	WaveformVectorElementT	122
Annex B	(informative) Action example	124
Annex C	(informative) Typical FDI Client use cases	133
C.1	General	133
C.2	Bulk operations	133
C.3	Progress bar support	133
Bibliography		135
Figure 1	– FDI architecture diagram	13

Figure 2 – Overall structure of a Device .....	18
Figure 3 – Structure of Blocks .....	18
Figure 4 – Device Model NodeClasses .....	19
Figure 5 – Example: Variable hierarchy representing a RECORD .....	22
Figure 6 – Variable hierarchy representing a VALUE_ARRAY of RECORDs .....	23
Figure 7 – UIP state machine .....	60
Figure 8 – FDI Action sequence diagram .....	64
Figure 9 – User Interface Descriptions .....	68
Figure 10 – User Interface Description sequence diagram .....	70
Figure B.1 – Action example (step 1) .....	127
Figure B.2 – Action example (step 2) .....	128
Figure B.3 – Action example (step 3) .....	129
Figure B.4 – Action example (step 4) .....	130
Figure B.5 – Action example (step 5) .....	131
Figure B.6 – Action example (step 6) .....	132
Figure C.1 – Progress bar support .....	134
Table 1 – BaseNodeClass Attributes .....	19
Table 2 – Object NodeClass Attributes .....	20
Table 3 – Variable NodeClass Attributes .....	20
Table 4 – Service Definition Table .....	24
Table 5 – StatusCode Bit Assignments .....	25
Table 6 – DataValue InfoBits .....	26
Table 7 – Service result codes .....	26
Table 8 – Operation level result codes .....	27
Table 9 – GetDeviceAccessInterfaceVersion Service parameters .....	28
Table 10 – GetOnlineAccessAvailability Service parameters .....	28
Table 11 – Browse Service parameters .....	29
Table 12 – CancelBrowse Service parameters .....	29
Table 13 – Read Service parameters .....	30
Table 14 – Read Service result codes .....	30
Table 15 – Read operation result codes .....	31
Table 16 – CancelRead Service parameters .....	31
Table 17 – Write Service parameters .....	32
Table 18 – Write operation result codes .....	33
Table 19 – CancelWrite Service parameters .....	33
Table 20 – CreateSubscription Service parameters .....	34
Table 21 – CreateSubscription Service result codes .....	34
Table 22 – Subscribe Service parameters .....	35
Table 23 – Subscribe operation result codes .....	36
Table 24 – Unsubscribe Service Parameters .....	37
Table 25 – Unsubscribe operation result codes .....	37
Table 26 – DeleteSubscription Service parameters .....	37

Table 27 – DataChangeCallback Service parameters.....	38
Table 28 – DataChangeCallback result codes.....	38
Table 29 – InitLock Service parameters.....	39
Table 30 – InitLock Service result codes.....	39
Table 31 – ExitLock Service parameters.....	40
Table 32 – ExitLock Service result codes.....	40
Table 33 – InitDirectAccess Service parameters.....	41
Table 34 – InitDirectAccess Service result codes.....	41
Table 35 – ExitDirectAccess Service parameters.....	41
Table 36 – ExitDirectAccess Service result codes.....	41
Table 37 – Transfer Service parameters.....	42
Table 38 – Transfer Service result codes.....	42
Table 39 – Base data types.....	43
Table 40 – Identifiers assigned to Attributes.....	43
Table 41 – NodeSpecifier.....	44
Table 42 – DataValue.....	44
Table 43 – InnerErrorInfo.....	45
Table 44 – LocalizedText Definition.....	45
Table 45 – LocaleId Examples.....	46
Table 46 – Range Data Type Structure.....	46
Table 47 – EUInformation Data Type Structure.....	47
Table 48 – EnumValueType Definition.....	47
Table 49 – GetClientTechnologyVersion Service parameters.....	48
Table 50 – OpenUserInterface Service parameters.....	48
Table 51 – LogAuditTrailMessage Service parameters.....	49
Table 52 – SaveUserSettings Service parameters.....	49
Table 53 – LoadUserSettings Service parameters.....	50
Table 54 – Trace Service parameters.....	50
Table 55 – ShowMessageBox Service parameters.....	51
Table 56 – ShowProgressBar Service parameters.....	51
Table 57 – UpdateShowProgressBar Service parameters.....	52
Table 58 – EndShowProgressBar Service parameters.....	52
Table 59 – StandardUIActionItemsChange Service parameters.....	53
Table 60 – SpecificUIActionItemsChange Service parameters.....	53
Table 61 – DefaultResult definition.....	53
Table 62 – ButtonSet definition.....	54
Table 63 – AcknStyle definition.....	54
Table 64 – Activate Service parameters.....	55
Table 65 – Deactivate Service parameters.....	55
Table 66 – SetSystemLabel Service parameters.....	56
Table 67 – SetTraceLevel Service parameters.....	56
Table 68 – GetStandardUIActionItems Service parameters.....	57
Table 69 – GetSpecificUIActionItems Service parameters.....	57

Table 70 – InvokeStandardUIAction Service parameters .....	57
Table 71 – InvokeSpecificUIAction Service parameters .....	58
Table 72 – TraceLevel definition .....	58
Table 73 – StandardUIAction definition .....	59
Table 74 – StandardUIActionItem definition .....	59
Table 75 – SpecificUIActionItem definition .....	59
Table 76 – UIP states .....	60
Table 77 – UIP state transitions .....	60
Table A.1 – Elements of AbortRequestT .....	72
Table A.2 – Enumerations of AccessT .....	73
Table A.3 – Elements of AcknowledgementRequestT .....	73
Table A.4 – Elements of ActionListT .....	73
Table A.5 – Elements of ActionRequestT .....	74
Table A.6 – Elements of ActionResponseT .....	75
Table A.7 – Elements of ActionT .....	76
Table A.8 – Elements of AxisListT .....	76
Table A.9 – Attributes of AxisT .....	77
Table A.10 – Elements of AxisT .....	77
Table A.11 – Elements of BitEnumerationItemListT .....	78
Table A.12 – Elements of BitEnumerationItemT .....	78
Table A.13 – Elements of ButtonListT .....	79
Table A.14 – Elements of ChartT .....	79
Table A.15 – Enumerations of ChartTypeT .....	80
Table A.16 – Enumerations of ColorNameT .....	81
Table A.17 – Enumerations of DateTimeDataT .....	82
Table A.18 – Elements of DelayMessageRequestT .....	83
Table A.19 – Attributes of DiagramLineT .....	83
Table A.20 – Elements of DiagramLineT .....	84
Table A.21 – Elements of EnumerationItemListT .....	84
Table A.22 – Elements of EnumerationItemT .....	85
Table A.23 – Elements of GraphT .....	86
Table A.24 – Elements of GridT .....	86
Table A.25 – Enumerations of HandlingT .....	87
Table A.26 – Attributes of ImageT .....	87
Table A.27 – Elements of ImageT .....	88
Table A.28 – Elements of InfoRequestT .....	88
Table A.29 – Elements of InputRequestT .....	89
Table A.30 – Elements of InputResponseT .....	89
Table A.31 – Elements of InputValueT .....	90
Table A.32 – Elements of InputValueTypeT .....	90
Table A.33 – Elements of LabelHelpT .....	91
Table A.34 – Elements of LabelT .....	91
Table A.35 – Enumerations of LineTypeT .....	92

Table A.36 – Attributes of MenuT .....	93
Table A.37 – Elements of MenuT .....	93
Table A.38 – Attributes of MenuReferenceT .....	94
Table A.39 – Elements of MenuReferenceT .....	94
Table A.40 – Enumerations of MenuStyleT .....	95
Table A.41 – Enumerations of NumericDataT .....	95
Table A.42 – Elements of NumericTemplateT .....	96
Table A.43 – Elements of OptionListT .....	96
Table A.44 – Enumerations of OrientationT .....	97
Table A.45 – Elements of ParameterInputRequestT .....	97
Table A.46 – Elements of ParameterListT .....	97
Table A.47 – Elements of ParameterT .....	99
Table A.48 – Elements of PluginT .....	100
Table A.49 – Elements of RangeListT .....	100
Table A.50 – Elements of RangeT .....	101
Table A.51 – Enumerations of ScalingT .....	101
Table A.52 – Elements of SelectionRequestT .....	102
Table A.53 – Elements of SelectionResponseT .....	102
Table A.54 – Enumerations of SizeT .....	103
Table A.55 – Enumerations of ParameterClassT .....	104
Table A.56 – Enumerations of ActionClassT .....	106
Table A.57 – Elements of SourceListT .....	106
Table A.58 – Elements of SourceT .....	107
Table A.59 – Enumerations of StringDataT .....	108
Table A.60 – Elements of StringTemplateT .....	108
Table A.61 – Elements of StringOptionListT .....	109
Table A.62 – Elements of StringOptionT .....	109
Table A.63 – Elements of StringT .....	110
Table A.64 – Enumerations of TimeScaleT .....	110
Table A.65 – Elements of UidLayoutInformation .....	111
Table A.66 – Elements of UidRequestT .....	111
Table A.67 – Elements of UidResponseT .....	112
Table A.68 – Attributes of UiElementSizeableT .....	112
Table A.69 – Elements of UiElementSizeableT .....	112
Table A.70 – Elements of UiElementT .....	113
Table A.71 – Elements of UiTemplateT .....	114
Table A.72 – Elements of VariantT .....	115
Table A.73 – Elements of VariantOptionListT .....	115
Table A.74 – Elements of VariantOptionT .....	116
Table A.75 – Elements of VectorListT .....	116
Table A.76 – Elements of VectorT .....	117
Table A.77 – Elements of WaveformListT .....	117
Table A.78 – Elements of WaveformT .....	118

Table A.79 – Elements of WaveformTypeHorizontalT .....	118
Table A.80 – Elements of WaveformTypeVerticalT .....	119
Table A.81 – Elements of WaveformTypeYTT .....	120
Table A.82 – Elements of WaveformTypeXYT .....	120
Table A.83 – Elements of WaveformKeyPointListT .....	121
Table A.84 – Attributes of WaveformVectorT .....	122
Table A.85 – Elements of WaveformVectorT .....	122
Table A.86 – Elements of WaveformVectorElementListT .....	122
Table A.87 – Elements of WaveformVectorElementT .....	123

Withdrawn

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## FIELD DEVICE INTEGRATION (FDI) –

### Part 2: FDI Client

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62769-2 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

CDV	Report on voting
65E/345/CDV	65E/422/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62769 series, published under the general title *Field Device Integration (FDI)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

Withdrawn

## INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning

- a) Method for the supplying and installation of device-specific functionalities, see Patent Family DE10357276;
- b) Method and device for accessing a functional module of automation system, see Patent Family EP2182418;
- c) Methods and apparatus to reduce memory requirements for process control system software applications, see Patent Family US2013232186;
- d) extensible device object model, see Patent Family US12/893,680.

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holders of these patent rights have assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

- a) ABB Research Ltd  
Claes Ryttoft  
Affolterstrasse 4  
Zurich, 8050  
Switzerland
- b) Phoenix Contact GmbH & Co KG  
Intellectual Property, Licenses & Standards  
Flachsmarktstrasse 8, 32825 Blomberg  
Germany
- c) Fisher Controls International LLC  
John Dilger, Emerson Process Management LLLP  
301 S. 1<sup>st</sup> Avenue, Marshalltown, Iowa 50158  
USA
- d) Rockwell Automation Technologies, Inc.  
1 Allen-Bradley Drive  
Mayfield Heights, Ohio 44124  
USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO ([www.iso.org/patents](http://www.iso.org/patents)) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.