

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**High-voltage switchgear and controlgear –
Part 101: Synthetic testing**

**Appareillage à haute tension –
Partie 101: Essais synthétiques**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 62271-101

Edition 3.0 2021-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**High-voltage switchgear and controlgear –
Part 101: Synthetic testing**

**Appareillage à haute tension –
Partie 101: Essais synthétiques**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.130.10

ISBN 978-2-8322-1004-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	9
1 Scope.....	11
2 Normative references.....	11
3 Terms and definitions	11
4 Synthetic testing techniques and methods for short-circuit breaking tests.....	13
4.1 Basic principles and general requirements for synthetic breaking test methods.....	13
4.1.1 General	13
4.1.2 High-current interval.....	14
4.1.3 Interaction interval	15
4.1.4 High-voltage interval	15
4.2 Synthetic test circuits and related specific requirements for breaking tests	18
4.2.1 Current injection methods.....	18
4.2.2 Voltage injection method	19
4.2.3 Duplicate circuit method (transformer or Skeats circuit).....	20
4.2.4 Other synthetic test methods	20
4.3 Three-phase synthetic test methods	20
5 Synthetic testing techniques and methods for short-circuit making tests.....	24
5.1 Basic principles and general requirements for synthetic making test methods	24
5.1.1 General	24
5.1.2 High-voltage interval	27
5.1.3 Pre-arcing interval.....	27
5.1.4 Latching interval and fully closed position	27
5.2 Synthetic test circuit and related specific requirements for making tests	27
5.2.1 General	27
5.2.2 Test circuit and test requirements.....	27
5.2.3 Alternative test method with reduced voltage	32
7 Type tests	33
7.102 General.....	33
7.104 Demonstration of arcing times	34
7.107 Terminal fault tests.....	45
7.109 Short-line fault tests	49
7.110 Out-of-phase making and breaking tests	50
7.111 Capacitive current tests.....	50
Annex A (normative) Correction of di/dt and TRV for test duty T100a	53
A.1 General.....	53
A.2 Reduction in di/dt	53
A.3 Corrected TRV for the first-pole-to-clear with required asymmetry	53
A.4 Correction of the di/dt and TRV of the first-pole-to-clear for tests with intermediate asymmetry	60
A.5 Correction of the di/dt and TRV of the second- or last-pole-to-clear with major extended loop with required asymmetry during three-phase tests.....	61
A.6 Correction of the di/dt and TRV during tests with a subsequent minor loop	61
A.7 Calculation of the di/dt and TRV of the first-pole-to-clear	61
A.7.1 General	61
A.7.2 Calculation of di/dt	61

A.7.3	Calculation of TRV	62
A.7.4	Examples of calculation of di/dt and TRV.....	64
Annex B (normative)	Tolerances on test quantities for type tests.....	66
Annex C (normative)	Information to be given and results to be recorded for synthetic tests	69
C.1	General.....	69
C.2	Auxiliary circuit-breaker	69
C.3	Test conditions.....	69
C.4	Quantities to be recorded	69
C.4.1	General	69
C.4.2	Voltages	69
C.4.3	Currents	69
Annex D (normative)	Test procedure using a three-phase current circuit and one voltage circuit	70
D.1	Test circuit	70
D.2	Test method	71
D.2.1	General	71
D.2.2	Test duty T100s(b).....	71
D.2.3	Test duty T100a	80
D.2.4	Combination of first-pole-to-clear factors 1,3 and 1,5	89
Annex E (normative)	Splitting of test duties in test series taking into account the associated TRV for each pole-to-clear.....	92
E.1	General.....	92
E.2	Test-duties T10, T30, T60, T100s(b), OP1 and OP2(b).....	92
E.2.1	Test procedure for first-pole-to-clear factors 1,5 and 2,5	92
E.2.2	Test procedure for first-pole-to-clear factors 1,3 and 2,0	93
E.2.3	Test procedure for first-pole-to-clear factor 1,2	94
E.3	Test duty T100a	95
E.3.1	General	95
E.3.2	Test procedure for first-pole-to-clear factor 1,5	96
E.3.3	Test procedure for first-pole-to-clear factor 1,3	97
E.3.4	Test procedure for first-pole-to-clear factor 1,2	99
E.4	Combination of first-pole-to-clear factors	100
E.4.1	General	100
E.4.2	Combination of first-pole-to-clear factors 1,3 and 1,5 for test duties T10, T30, T60 and T100s(b).....	100
E.4.3	Combination of first-pole-to-clear factors 2,0 and 2,5 for test duties OP1 and OP2(b).....	101
E.4.4	Combination of first-pole-to-clear factors 1,3 and 1,5 for test duty T100a.....	102
Annex F (informative)	Three-phase synthetic test circuits	114
F.1	General.....	114
F.2	Three-phase synthetic combined circuit	114
F.3	Three-phase synthetic circuit with injection in all phases	117
F.4	Three-phase synthetic circuit with injection in two phases	118
Annex G (informative)	Examples of test circuits for metal-enclosed and dead tank circuit-breakers.....	122
Annex H (informative)	Step-by-step method to prolong arcing	133
Annex I (informative)	Synthetic methods for capacitive current tests	135
I.1	General.....	135

I.2	Recovery voltage	135
I.3	Combined current and voltage circuits	135
I.4	Making tests	136
I.5	Current chopping	136
I.6	Examples test circuits	136
Annex J (normative)	Synthetic test methods for circuit-breakers with opening resistors	145
J.1	General.....	145
J.2	Conditions.....	145
J.2.1	General	145
J.2.2	Transient recovery voltage interval	145
J.2.3	Power-frequency recovery voltage interval.....	145
J.3	Multiple step test procedure	145
J.3.1	General	145
J.3.2	Test to verify the re-ignition behaviour of the making and breaking unit	146
J.3.3	Test to verify the re-ignition behaviour of the making and breaking unit during short circuit test duties with any test method	147
J.3.4	Tests on resistor switch(s).....	148
J.4	Test requirements	149
J.4.1	General	149
J.4.2	Testing of the making and breaking unit.....	150
J.4.3	Testing of the resistor switch	151
J.4.4	Test of the resistor stack	151
Annex K (informative)	Combination of current injection and voltage injection methods.....	152
K.1	Current injection methods.....	152
K.2	Voltage injection methods	152
K.3	Combined current and voltage injection circuits.....	152
K.3.1	General	152
K.3.2	Combined current and voltage injection circuit with application of full test voltage to earth	152
K.3.3	Combined current and voltage injection circuit with separated application of test voltage.....	152
Bibliography	155
Figure 1	– Interrupting process – Basic time intervals	14
Figure 2	– Examples of evaluation of initial recovery voltage.....	17
Figure 3	– Equivalent surge impedance of the voltage circuit for the current injection method.....	19
Figure 4	– Reference lines of TRV with four-parameter for $k_{pp} = 1,5$	22
Figure 5	– Reference lines of TRV with four-parameter for $k_{pp} = 1,3$	23
Figure 6	– Reference lines of TRV with four-parameter for $k_{pp} = 1,2$	24
Figure 7	– Making process – Basic time intervals.....	26
Figure 8	– Example of synthetic making circuit for single-phase tests.....	29
Figure 9	– Example of synthetic making circuit for out-of-phase tests	30
Figure 10	– Example of synthetic making circuit for three-phase tests ($k_{pp} = 1,5$).....	31
Figure 11	– Comparison of arcing time settings during three-phase direct tests (left) and three-phase synthetic (right) for T100s with $k_{pp} = 1,5$	37

Figure 12 – Comparison of arcing time settings during three-phase direct tests (left) and three-phase synthetic (right) for T100s with $k_{pp} = 1,3$	38
Figure 13 – Comparison of arcing time settings during three-phase direct tests (left) and three-phase synthetic tests (right) for T100a with $k_{pp} = 1,5$	41
Figure 14 – Comparison of arcing time settings during three-phase direct tests (left) and three-phase synthetic tests (right) for T100a with $k_{pp} = 1,3$	42
Figure 15 – Evaluation of recovery voltage during synthetic capacitive current switching testing	52
Figure D.1 – Example of a three-phase current circuit with single-phase synthetic injection	71
Figure D.2 – Representation of the testing conditions of Table D.1	73
Figure D.3 – Representation of the testing conditions of Table D.2	75
Figure D.4 – Representation of the testing conditions of Table D.3	77
Figure D.5 – Representation of the testing conditions of Table D.4	79
Figure D.6 – Representation of the testing conditions of Table D.5	82
Figure D.7 – Representation of the testing conditions of Table D.6	84
Figure D.8 – Representation of the testing conditions of Table D.7	86
Figure D.9 – Representation of the testing conditions of Table D.8	88
Figure E.1 – Example of graphical representation of the tests shown in Table E.6	97
Figure E.2 – Example of graphical representation of the tests shown in Table E.7 and Table E.8	99
Figure F.1 – Three-phase synthetic combined circuit	115
Figure F.2 – Waveshapes of currents, phase-to-ground and phase-to phase voltages during a three-phase synthetic test (T100s; $k_{pp} = 1,5$) performed according to the three-phase synthetic combined circuit	116
Figure F.3 – Three-phase synthetic circuit with injection in all phases for $k_{pp} = 1,5$	117
Figure F.4 – Waveshapes of currents and phase-to-ground voltages during a three-phase synthetic test (T100s; $k_{pp} = 1,5$) performed according to the three-phase synthetic circuit with injection in all phases	118
Figure F.5 – Three-phase synthetic circuit for terminal fault tests with $k_{pp} = 1,3$ (current injection method)	119
Figure F.6 – Waveshapes of currents and phase-to-ground voltages during a three-phase synthetic test (T100s; $k_{pp} = 1,3$) performed according to the three-phase synthetic circuit shown in Figure F.5	120
Figure F.7 – TRV voltages waveshapes of the test circuit described in Figure F.5	121
Figure G.1 – Example of a test circuit for unit testing (circuit-breaker with interaction due to gas circulation)	123
Figure G.2 – Oscillogram corresponding to Figure G.1 – Example of the required TRVs to be applied between the terminals of the unit(s) under test and between the live parts and the insulated enclosure	124
Figure G.3 – Example of test circuit using two voltage circuits for breaking tests	125
Figure G.4 – Example of test circuit using two voltage circuits for breaking tests	126
Figure G.5 – Example of a synthetic test circuit for unit testing (if unit testing is allowed as per 7.102.4.2 of IEC 62271-100:2021)	127
Figure G.6 – Oscillogram corresponding to Figure G.3 – Example of the required TRVs to be applied between the terminals of the unit(s) under test and between the live parts and the insulated enclosure	128

Figure G.7 – Example of a capacitive current injection circuit with enclosure of the circuit-breaker energized	129
Figure G.8 – Example of a capacitive synthetic circuit using two power-frequency circuits and with the enclosure of the circuit-breaker energized	130
Figure G.9 – Example of a capacitive synthetic current injection circuit – Unit testing on half a pole of a circuit-breaker with two units per pole – Enclosure energized with DC voltage	131
Figure G.10 – Example of a synthetic making circuit for out-of-phase tests	132
Figure H.1 – Example of a re-ignition circuit diagram for prolonging arc-duration	133
Figure H.2 – Example of waveforms obtained during a symmetrical test using the circuit in Figure H.1	134
Figure I.1 – Power-frequency circuits in parallel	138
Figure I.2 – Current injection circuit	139
Figure I.3 – Power-frequency current injection circuit	140
Figure I.4 – Current injection circuit, recovery voltage applied to both terminals of the circuit-breaker	141
Figure I.5 – Current injection circuit with decay compensation	142
Figure I.6 – LC oscillating circuit	143
Figure I.7 – Inrush making current test circuit	144
Figure J.1 – Test circuit to verify re-ignition behaviour of the making and breaking unit using current injection method	147
Figure J.2 – Test circuit to verify re-ignition behaviour of the making and breaking unit	148
Figure J.3 – Test circuit on the resistor switch	149
Figure J.4 – Example of test circuit for capacitive current switching tests on the making and breaking unit	150
Figure J.5 – Example of test circuit for capacitive current switching tests on the resistor switch	151
Figure K.1 – Example of combined current and voltage injection circuit with application of full test voltage to earth	153
Figure K.2 – Example of combined current and voltage injection circuit with separated application of test voltage	154
Table 1 – Tolerances and limits required during the high-current interval	15
Table 2 – Test circuits for test duties T100s and T100a	21
Table 3 – Test parameters during three-phase interruption for test-duties T10, T30, T60 and T100s, $k_{pp} = 1,5$	21
Table 4 – Test parameters during three-phase interruption for test-duties T10, T30, T60 and T100s, $k_{pp} = 1,3$	22
Table 5 – Test parameters during three phase interruption for test-duties T10, T30, T60 and T100s, $k_{pp} = 1,2$	23
Table 6 – Symbols and abbreviated terms used for operation during synthetic tests	33
Table 7 – Synthetic test methods for test duties T10, T30, T60, T100s, T100a, SP, DEF, OP and SLF	46
Table A.1 – Corrected TRV values for the first-pole-to-clear for $k_{pp} = 1,3$ and $f_r = 50$ Hz	54
Table A.2 – Corrected TRV values for the first-pole-to-clear for $k_{pp} = 1,3$ and $f_r = 60$ Hz	55

Table A.3 – Corrected TRV values for the first-pole-to-clear for $k_{pp} = 1,5$ and $f_r = 50$ Hz	57
Table A.4 – Corrected TRV values for the first-pole-to-clear for $k_{pp} = 1,5$ and $f_r = 60$ Hz	58
Table A.5 – Corrected TRV values for the first-pole-to-clear for $k_{pp} = 1,2$ and $f_r = 50$ Hz	58
Table A.6 – Corrected TRV values for the first-pole-to-clear for $k_{pp} = 1,2$ and $f_r = 60$ Hz	59
Table A.7 – Percentage of DC component and di/dt at current zero for first-pole-to-clear for $f_r = 50$ Hz	59
Table A.8 – Percentage of DC component and di/dt at current zero for first-pole-to-clear for $f_r = 60$ Hz	60
Table B.1 – Tolerances on test quantities for type tests	67
Table D.1 – Demonstration of arcing times for $k_{pp} = 1,5$	72
Table D.2 – Alternative demonstration of arcing times for $k_{pp} = 1,5$	74
Table D.3 – Demonstration of arcing times for $k_{pp} = 1,3$	76
Table D.4 – Alternative demonstration of arcing times for $k_{pp} = 1,3$	78
Table D.5 – Demonstration of arcing times for $k_{pp} = 1,5$	81
Table D.6 – Alternative demonstration of arcing times for $k_{pp} = 1,5$	83
Table D.7 – Demonstration of arcing times for $k_{pp} = 1,3$	85
Table D.8 – Alternative demonstration of arcing times for $k_{pp} = 1,3$	87
Table D.9 – Procedure for combining $k_{pp} = 1,5$ and 1,3 during test-duties T10, T30, T60 and T100s(b)	89
Table D.10 – Procedure for combining $k_{pp} = 1,5$ and 1,3 during test-duty T100a	90
Table E.1 – Test procedure for $k_{pp} = 1,5$ and 2,5	92
Table E.2 – Test procedure for $k_{pp} = 1,3$ and 2,0	93
Table E.3 – Simplified test procedure for $k_{pp} = 1,3$ and 2,0	94
Table E.4 – Test procedure for $k_{pp} = 1,2$	95
Table E.5 – Simplified test procedure for $k_{pp} = 1,2$	95
Table E.6 – Test procedure for asymmetrical currents for $k_{pp} = 1,5$	96
Table E.7 – Test procedure for asymmetrical currents for $k_{pp} = 1,3$	98
Table E.8 – Test procedure for asymmetrical currents for $k_{pp} = 1,2$	100
Table E.9 – Procedure for combining $k_{pp} = 1,3$ and 1,5 for test-duties T10, T30, T60 and T100s(b)	101
Table E.10 – Procedure for combining $k_{pp} = 2,0$ and 2,5 for test-duties OP1 and OP2(b)	102
Table E.11 – Procedure for combining $k_{pp} = 1,5$ and 1,3 for test-duty T100a	103
Table E.12 – Required test parameters for different asymmetrical conditions in the case of $k_{pp} = 1,5$, $f_r = 50$ Hz	104

Table E.13 – Required test parameters for different asymmetrical conditions in the case of a $k_{pp} = 1,3, f_r = 50$ Hz 106

Table E.14 – Required test parameters for different asymmetrical conditions in the case of $k_{pp} = 1,2, f_r = 50$ Hz 108

Table E.15 – Required test parameters for different asymmetrical conditions in the case of $k_{pp} = 1,5, f_r = 60$ Hz 109

Table E.16 – Required test parameters for different asymmetrical conditions in the case of $k_{pp} = 1,3, f_r = 60$ Hz 111

Table E.17 – Required test parameters for different asymmetrical conditions in the case of $k_{pp} = 1,2, f_r = 60$ Hz 113

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 101: Synthetic testing

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-101 has been prepared by subcommittee 17A: Switching devices, of IEC technical committee 17: High-voltage switchgear and controlgear.

This third edition cancels and replaces the second edition published in 2012 and Amendment 1:2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the second edition:

- a) alignment with the third edition of IEC 62271-100:2021;
- b) update this document with the last methods and techniques used for synthetic tests;

The text of this document is based on the following documents:

FDIS	Report on voting
17A/1312/FDIS	17A/1315/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This publication shall be read in conjunction with IEC 62271-100:2021, to which it refers. The numbering of the subclauses of Clause 7 is the same as in IEC 62271-100. However, not all subclauses of IEC 62271-100 are addressed; merely those where synthetic testing has introduced changes.

A list of all the parts in the IEC 62271 series, under the general title *High-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.