

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Lead-acid starter batteries –
Part 2: Dimensions of batteries and dimensions and marking of terminals**

**Batteries d'accumulateurs de démarrage au plomb –
Partie 2: Dimensions des batteries et dimensions et marquage des bornes**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Lead-acid starter batteries –
Part 2: Dimensions of batteries and dimensions and marking of terminals**

**Batteries d'accumulateurs de démarrage au plomb –
Partie 2: Dimensions des batteries et dimensions et marquage des bornes**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.220.20; 43.040.10

ISBN 978-2-88910-055-2

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 General	6
4.1 Marking	6
4.1.1 Safety labelling.....	6
4.1.2 Marking of the polarity	7
4.2 Marking of plastic material for recycling.....	7
4.2.1 Recycling of lead	7
4.2.2 Recycling of plastic material	7
4.3 Dimensions and design	8
5 Recommended types	8
5.1 Recommended types used in Europe (EU)	8
5.1.1 General	8
5.1.2 Recommended types LN and LBN	8
5.2 Recommended types used in North America (AM).....	21
5.2.1 General	21
5.2.2 Terminals and terminal configuration.....	21
5.2.3 Standard fastening on the bottom	22
5.2.4 Main dimensions of the battery series AM.....	24
5.3 Recommended types used in East Asia (AS).....	28
5.3.1 General	28
5.3.2 Terminals and terminal configuration	28
5.3.3 Main dimensions of the battery series AS	29
6 Other battery types.....	30
6.1 Other battery types used in Europe (EU)	30
6.1.1 General	30
6.1.2 Battery series	30
6.1.3 Handles, if any	31
6.1.4 Standard fastening	31
6.1.5 Dimensions of batteries	31
6.1.6 Terminals	32
6.1.7 Handling of starter batteries by robot-equipment	33
Bibliography.....	41
Figure 1 – Marking of polarity	7
Figure 2 – Example of marking of material	8
Figure 3 – Main dimensions of batteries and arrangement of standard fastening system, the top clamping area "M", the terminals, recessed holes "K" and the integrated handles (if any)	12
Figure 4 – Main dimensions of batteries and arrangement of standard fastening system.....	13
Figure 5 – Main dimensions of batteries and arrangement of standard fastening system.....	14
Figure 6 – Details of ledges	16
Figure 7 – Dimensions of positive and negative terminal "P"	17

Figure 8 – Degassing outlet (detail “E”).....	17
Figure 9 – Recessed holes for terminal protection cover (detail “K”)	18
Figure 10 – Plugs “V” and position of sensor holes “S”	18
Figure 11 – Dimensions and positions of grips	20
Figure 12 – Terminal post dimensions in mm (1:9 taper ref.).....	21
Figure 13 – Side terminal groove description	21
Figure 14 – Side terminal groove dimensions in mm and (in)	22
Figure 15 – Design for batteries with ledges on long sides for hold-down-devices in mm and (in)	23
Figure 16 – Design for batteries with recesses in long sides for hold-down-devices in mm and (in)	23
Figure 17 – Group size 26R, 85	25
Figure 18 – Group size 27, 34, 86	25
Figure 19 – Group size 36R	26
Figure 20 – Group size 59, 65	26
Figure 21 – Group size 75	27
Figure 22 – Group size 78,100	27
Figure 23 – Tapered terminals T_1 and T_2	28
Figure 24 – Main dimensions of battery series AS	29
Figure 25 – Main dimensions of batteries and arrangement of the standard fastening system (ledges, notches) and of the terminals	34
Figure 26 – Supplementary dimensions of batteries with permissible alternative fastening, arrangement of ledges, notches and terminals	36
Figure 27 – Details of ledges and notches	37
Figure 28 – Dimensions of positive and negative terminal “P”	38
Figure 29 – Position and dimensions of robotic grips	39
Figure 30 – Robotic grips, detail “X”	39
Table 1 – Position of sensor holes of Figure 10	11
Table 2 – Main dimensions of batteries of standard series LN with standard fastenings with 5 notches at length side and 3 notches at width side (see Figures 4 and 5)	15
Table 3 – Main dimensions of batteries of standard series LBN with standard fastenings with 5 notches at length side and 3 notches at width side (see Figures 4 and 5)	15
Table 4 – Dimensions of grips in accordance with Figure 11a and 11b.....	20
Table 5 – Battery series AM.....	24
Table 6 – Dimensions and classification of terminals	28
Table 7 – Dimensions of series AS	30
Table 8 – Main dimensions of batteries with standard fastening (see Figure 25)	35
Table 9 – Supplementary dimension additional to Table 8 (dimension l_2 see Figure 26 of batteries with permissible additive fastening by ledges on the short side of the container	37
Table 10 – Dimension of grips in accordance with Figure 29a and 29b	40

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LEAD-ACID STARTER BATTERIES –**Part 2: Dimensions of batteries and
dimensions and marking of terminals**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60095-2 has been prepared by IEC technical committee 21: Secondary cells and batteries.

This fourth edition cancels and replaces the third edition of IEC 60095-2 published in 1984 and its Amendment 1 (1991) and 2 (1993). It constitutes a technical revision.

The main changes consist in a complete update of the dimensions of starter batteries for light vehicles which better reflects the current products in Europe, North America and East Asia. More details are given especially regarding shapes and dimensions of lids, handles, locations of terminals.

The text of this standard is based on the following documents:

FDIS	Report on voting
21/699/FDIS	21/702/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60095 series, published under the general title *Lead-acid starter batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

Withdrawn