

INTERNATIONAL STANDARD



BASIC EMC PUBLICATION

**Electromagnetic compatibility (EMC) –
Part 2-10: Environment – Description of HEMP environment – Conducted
disturbance**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 61000-2-10

Edition 2.0 2021-11

INTERNATIONAL STANDARD



BASIC EMC PUBLICATION

**Electromagnetic compatibility (EMC) –
Part 2-10: Environment – Description of HEMP environment – Conducted
disturbance**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.100.01

ISBN 978-2-8322-1050-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
4 General	12
5 Description of HEMP environment, conducted parameters	13
5.1 Introductory remarks	13
5.2 Early-time HEMP external conducted environment	13
5.3 Intermediate-time HEMP external conducted environment	15
5.4 Late-time HEMP external conducted environment	15
5.5 Antenna currents	17
5.6 HEMP internal conducted environments	21
Annex A (informative) Discussion of early-time HEMP coupling for long lines	23
A.1 Elevated line coupling	23
A.2 Buried line coupling	24
Annex B (informative) Discussion of intermediate-time HEMP coupling for long lines	26
B.1 General	26
B.2 Elevated line coupling	26
B.3 Buried line coupling	26
Annex C (informative) Responses of simple linear antennas to the IEC early-time HEMP environment	28
C.1 Overview	28
C.2 IEC early-time HEMP environment	28
C.3 Evaluation of the antenna responses	31
C.3.1 General	31
C.3.2 Monopole antenna	31
C.3.3 Dipole antenna	32
C.4 Calculated results	33
C.5 Summary of results	34
Annex D (informative) Measured cable currents inside telephone buildings	43
Annex E (informative) Time waveform description for the responses of simple linear antennas to the early-time HEMP environment	44
E.1 General	44
E.2 Description of the recommended waveform	44
E.3 Procedure for determining the test waveform	46
Bibliography	47
Figure 1 – Geometry for the definition of polarization and of the angles of elevation ψ and azimuth ϕ	9
Figure 2 – Geometry for the definition of the plane wave	10
Figure 3 – Geomagnetic dip angle	11
Figure 4 – Three-phase line and equivalent circuit for computing late-time HEMP conducted current	16

Figure 5 – Centre-loaded dipole antenna of length l and radius a , excited by an incident early-time HEMP field	18
Figure A.1 – Variation of peak coupled cable current versus local geomagnetic dip angle	23
Figure C.1 – Illustration of the incident HEMP field	29
Figure C.2 – HEMP tangent radius R_t defining the illuminated region, shown as a function of burst height (HOB)	29
Figure C.3 – Geometry of the monopole antenna	32
Figure C.4 – Geometry of the dipole antenna	33
Figure C.5 – Cumulative probability distributions for the peak responses for the 1 m vertical monopole antenna load currents and voltages	34
Figure C.6 – Cumulative probability distributions for the peak responses for the 3 m vertical monopole antenna load currents and voltages	35
Figure C.7 – Cumulative probability distributions for the peak responses for the 10 m vertical monopole antenna load currents and voltages	36
Figure C.8 – Cumulative probability distributions for the peak responses for the 100 m vertical monopole antenna load currents and voltages	37
Figure C.9 – Cumulative probability distributions for the peak responses for the 1 m horizontal dipole antenna load currents and voltages	38
Figure C.10 – Cumulative probability distributions for the peak responses for the 3 m horizontal dipole antenna load currents and voltages	39
Figure C.11 – Cumulative probability distributions for the peak responses for the 10 m horizontal dipole antenna load currents and voltages	40
Figure C.12 – Cumulative probability distributions for the peak responses for the 100 m horizontal dipole antenna load current and voltages	41
Figure C.13 – Plot of multiplicative correction factors for correcting the values of V_{OC} , I_{SC} , I_L and V_L for antennas having other L/a ratios	42
Figure E.1 – Comparison of a computation and an analytic formula for a 1 m wire illuminated by the E_1 HEMP with the field parallel to the wire (and no ground present) [11] ..	45
Figure E.2 – General waveform of the damped oscillatory waveform from IEC 61000-4-18 [14]	45
Table 1 – Early-time HEMP conducted common-mode short-circuit currents including the time history and peak value I_{PK} as a function of severity level, length L (in metres) and ground conductivity σ_g	14
Table 2 – Intermediate-time HEMP conducted common-mode short-circuit currents including the time history and peak value I_{PK} as a function of length L (in metres) and ground conductivity σ_g	15
Table 3 – Maximum peak electric dipole antenna load current versus frequency for antenna principal frequencies	19
Table 4 – HEMP response levels for V_{OC} for the vertical monopole antenna	19
Table 5 – HEMP response levels for I_{SC} for the vertical monopole antenna	20
Table 6 – HEMP response levels for I_L for the loaded vertical monopole antenna ^a	20
Table 7 – HEMP response levels for V_{OC} for the horizontal dipole antenna	20
Table 8 – HEMP response levels for I_{SC} for the horizontal dipole antenna	21
Table 9 – HEMP response levels for I_L for the loaded horizontal dipole antenna ^a	21

Table A.1 – Rectified impulse (*RI*) and computed effective pulse widths for vertical polarization of the early-time HEMP for an elevated conductor (*h* = 10 m)..... 24

Table A.2 – Coupled early-time HEMP currents for a buried conductor (*z* = –1 m)..... 25

Table A.3 – Waveform parameters for early-time HEMP buried conductor coupling (*z* = –1 m) 25

Table A.4 –Average waveform parameters for early-time HEMP buried conductor currents 25

Table B.1 – Coupled HEMP intermediate-time short-circuit currents for an elevated conductor (*h* = 10 m)..... 26

Table B.2 – Coupled HEMP intermediate-time short-circuit currents for a buried conductor (*h* = –1 m)..... 26

Table D.1 – Estimated internal peak-to-peak cable currents (*I_{pp}*) from direct HEMP illumination (from [8]) 43

Table D.2 – Damped sinusoid waveform characteristics for internal cable currents (measured) (from [8]) 43

Table E.1 – Waveform parameters to be used in Formula (E.1)..... 46

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 2-10: Environment – Description of HEMP environment –
Conducted disturbance**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61000-2-10 has been prepared by subcommittee 77C: High power transient phenomena, of IEC technical committee 77: Electromagnetic compatibility. It is an International Standard.

It forms Part 2-10 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This second edition cancels and replaces the first edition published in 1998. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a new Annex E has been added to describe the time waveform characteristics of the response of simple linear antennas to aid in the development of test methods;
- b) technical support for this waveform is provided in Annex E.

- c) a procedure to use the waveforms presented in Annex E along with the peak values previously provided in Annex C is provided.

The text of this International Standard is based on the following documents:

Draft	Report on voting
77C/318/FDIS	77C/321/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (insofar as these limits do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

The IEC has initiated the preparation of standardized methods to protect civilian society from the effects of high-power electromagnetic environments including the high-altitude electromagnetic pulse. Such environments could disrupt systems for communications, electric power, information technology, etc.

This part of IEC 61000 is an international standard that establishes the HEMP conducted disturbances that are the result of coupling by the radiated HEMP disturbances.