

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial networks – Coexistence of wireless systems –
Part 4: Coexistence management with central coordination of wireless
applications**

**Réseaux industriels – Coexistence des systèmes sans fil –
Partie 4: Gestion de coexistence avec coordination centralisée des applications
sans fil**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial networks – Coexistence of wireless systems –
Part 4: Coexistence management with central coordination of wireless
applications**

**Réseaux industriels – Coexistence des systèmes sans fil –
Partie 4: Gestion de coexistence avec coordination centralisée des applications
sans fil**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040

ISBN 978-2-8322-1012-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms, definitions, abbreviated terms and conventions	11
3.1 General.....	11
3.2 Terms and definitions specific for this document	11
3.3 Additional terms and definitions for the templates	12
3.4 Terms and definitions given in IEC 62657-2	14
3.5 Abbreviated terms.....	16
3.6 Conventions used for service descriptions	17
4 Area of consideration.....	18
4.1 Coexistence conceptual model.....	18
4.2 Investigation of coexistence state	18
4.3 Implementing radio resources and their utilization.....	21
4.4 Coexistence management equipment.....	22
5 Wireless coexistence management system architecture.....	22
5.1 General.....	22
5.2 System elements	26
5.2.1 Wireless systems and wireless devices for automation applications.....	26
5.2.2 Central coordination point.....	27
5.2.3 Coordination database.....	30
5.2.4 Spectrum sensing system	31
5.3 Protocol reference architecture	32
5.3.1 General	32
5.3.2 Data plane	33
5.3.3 Management and control plane.....	34
5.4 System of wireless communication applications	35
5.4.1 CCP concept for sharing with incumbent radio systems	35
5.4.2 Protection of incumbent radio systems.....	35
5.4.3 CCP concept for intra-system coexistence.....	35
5.5 Interfaces.....	37
5.5.1 CCP	37
5.5.2 CCP managed wireless communication application and wireless device	37
5.5.3 Database	37
5.5.4 Spectrum sensing system	38
6 Parameter for coexistence assessment.....	38
7 Parameter for coexistence control	38
7.1 General.....	38
7.2 Application parameter	39
7.3 Radio parameter	39
8 Management and control services	40
8.1 General.....	40
8.2 Application communication requirements management services.....	41
8.2.1 Supported services	41
8.2.2 GetGeneralPlantCharacteristic	41

8.2.3	SetGeneralPlantCharacteristic.....	43
8.2.4	GetApplicationCommunicationRequirements.....	44
8.3	Wireless communication system and device subscription services	46
8.3.1	Supported services	46
8.3.2	SubscribeDevice.....	46
8.3.3	UnsubscribeDevice	48
8.3.4	SubscribeSystem.....	50
8.3.5	UnsubscribeSystem	52
8.3.6	GetDeviceAttributes.....	53
8.4	Wireless communication system and device configuration and control services	56
8.4.1	Supported services	56
8.4.2	SetTransmitPower	56
8.4.3	SetFrequencyChannel	57
8.4.4	SetBandwidth	59
8.4.5	SetFrequencyHoppingSequence	60
8.4.6	SetBlockedFrequencyList	61
8.4.7	SetDwellTime	63
8.4.8	SetMediumAccessControlMechanism	64
8.4.9	SetDeviceStatus	65
8.4.10	GetParameter	67
8.4.11	SetParameter	69
8.5	Medium resource management services	70
8.5.1	Supported services	70
8.5.2	GetMediumResourceReport.....	71
8.5.3	SetMediumResourceReport	73
8.5.4	NotifyMediumResource	75
8.5.5	SetMediumSensingReport	77
8.5.6	NotifyMediumSensingResults	79
8.6	Database access services.....	81
8.6.1	Supported service.....	81
8.6.2	GetRadioRegulation	81
Annex A (informative) Example of a CCP controlled WCA and incumbent services/applications within the 5,8 GHz band		84
Annex B (informative) Use of IEC CDD		86
Annex C (informative) Mapping of the services to templates		88
C.1	General.....	88
C.2	Templates of the management services	88
C.3	Templates of the subscription services.....	91
C.4	Templates of the Wireless communication system and device configuration and control services	94
C.5	Templates of the Medium resource management services	97
C.6	Templates of the Database access services.....	100
Bibliography.....		101
Figure 1 – Wireless coexistence conceptual model according to IEC 62657-2.....		18
Figure 2 – Sources to determine parameters for coexistence state calculation		19
Figure 3 – Coexistence state function		21

Figure 4 – Parameters describing active influences and control parameters used to manage coexistence	22
Figure 5 – Elements of central coordinated coexistence management system	24
Figure 6 – Data exchange in central coordinated coexistence management system	25
Figure 7 – CCP managed wireless devices and CCP managed wireless systems	27
Figure 8 – Overview of CCP	28
Figure 9 – Protocol reference model of CCP managed wireless device	33
Figure 10 – CCP for intra-system coexistence	36
Figure 11 – Primitive flow of GetGeneralPlantCharacteristic	41
Figure 12 – Primitive flow of SetGeneralPlantCharacteristic	43
Figure 13 – Primitive flow of GetApplicationCommunicationRequirements	45
Figure 14 – Primitive flow of SubscribeDevice	47
Figure 15 – Primitive flow of UnsubscribeDevice	49
Figure 16 – Primitive flow of SubscribeSystem	50
Figure 17 – Primitive flow of UnsubscribeSystem	52
Figure 18 – Primitive flow of GetDeviceAttributes	54
Figure 19 – Primitive flow of SetTransmitPower service	56
Figure 20 – Primitive flow of SetFrequencyChannel service	58
Figure 21 – Primitive flow of SetBandwidth service	59
Figure 22 – Primitive flow of SetFrequencyHoppingSequence service	60
Figure 23 – Primitive flow of SetBlockedFrequencyList service	62
Figure 24 – Primitive flow of SetDwellTime service	63
Figure 25 – Primitive flow of SetMediumAccessControlMechanism service	64
Figure 26 – Primitive flow of SetDeviceStatus service	66
Figure 27 – Primitive flow of GetParameter service for CMWCA	67
Figure 28 – Primitive flow of GetParameter service for CMWD	67
Figure 29 – Primitive flow of SetParameter service for CMWCA	69
Figure 30 – Primitive flow of SetParameter service for CMWD	69
Figure 31 – Primitive flow of GetMediumResourceReport service for CMWCA	71
Figure 32 – Primitive flow of GetMediumResourceReport service for CMWD	71
Figure 33 – Primitive flow of SetMediumResourceReport service for CMWCA	73
Figure 34 – Primitive flow of SetMediumResourceReport service for CMWD	74
Figure 35 – Primitive flow of NotifyMediumResource service for CMWCA	76
Figure 36 – Primitive flow of NotifyMediumResource service for CMWD	76
Figure 37 – Primitive flow of SetMediumSensingReport service for SSN	77
Figure 38 – Primitive flow of SetMediumSensingReport service for SSF in CMWD	78
Figure 39 – Primitive flow of NotifyMediumSensingResults service for SSN	80
Figure 40 – Primitive flow of NotifyMediumSensingResults service for SSF in CMWD	80
Figure 41 – Primitive flow of GetRadioRegulation service	81
Figure A.1 – CCP controlled WCA and incumbent services and applications	84
Figure A.2 – Overview of incumbent service/applications	85
Figure B.1 – Fostering wireless coexistence management	87

Table 1 – Explanations of radio channels.....	19
Table 2 – Level of effectiveness of wireless automation.....	30
Table 3 – List of parameters for coexistence assessment.....	38
Table 4 – List of application parameters for coexistence control.....	39
Table 5 – List of radio parameters for coexistence control.....	39
Table 6 – GetGeneralPlantCharacteristic service parameters.....	42
Table 7 – SetGeneralPlantCharacteristic service parameters.....	43
Table 8 – GetApplicationCommunicationRequirements service parameters.....	45
Table 9 – SubscribeDevice service parameters.....	47
Table 10 – UnsubscribeDevice service parameters.....	49
Table 11 – SubscribeSystem service parameters.....	51
Table 12 – UnsubscribeSystem service parameters.....	52
Table 13 – GetDeviceAttributes service parameters.....	54
Table 14 – SetTransmitPower service parameter.....	57
Table 15 – SetFrequencyChannel service parameter.....	58
Table 16 – SetBandwidth service parameter.....	59
Table 17 – SetFrequencyHoppingSequence service parameter.....	61
Table 18 – SetBlockedFrequencyList service parameter.....	62
Table 19 – SetDwellTime service parameter.....	63
Table 20 – SetMediumAccessControlMechanism service parameter.....	65
Table 21 – SetDeviceStatus service parameter.....	66
Table 22 – GetParameter service parameter.....	68
Table 23 – SetParameter service parameter.....	70
Table 24 – GetMediumResourceReport service parameter.....	72
Table 25 – SetMediumResourceReport service parameter.....	74
Table 26 – NotifyMediumResource service parameter.....	76
Table 27 – SetMediumSensingReport service parameter.....	78
Table 28 – NotifyMediumSensingResults service parameter.....	80
Table 29 – GetRadioRegulation service parameter.....	82
Table A.1 – Incumbent services and applications.....	85
Table C.1 – GetGeneralPlantCharacteristic service parameter template.....	89
Table C.2 – SetGeneralPlantCharacteristic service parameter template.....	90
Table C.3 – GetApplicationCommunicationRequirements service parameter template.....	90
Table C.4 – SubscribeDevice service parameter template.....	91
Table C.5 – UnsubscribeDevice service parameter template.....	91
Table C.6 – SubscribeSystem service parameter template.....	92
Table C.7 – UnsubscribeSystem service parameter template.....	92
Table C.8 – GetDeviceAttributes service parameter template.....	93
Table C.9 – SetTransmitPower service parameter template.....	94
Table C.10 – SetFrequencyChannel service parameter template.....	94
Table C.11 – SetBandwidth service parameter template.....	95
Table C.12 – SetFrequencyHoppingSequence service parameter template.....	95
Table C.13 – SetBlockedFrequencyList service parameter template.....	95

Table C.14 – SetDwellTime service parameter template	96
Table C.15 – SetMediumAccessControlMechanism service parameter template.....	96
Table C.16 – SetDeviceStatus service parameter template	96
Table C.17 – GetParameter service parameter template	97
Table C.18 – SetParameter service parameter template	97
Table C.19 – GetMediumResourceReport service parameter template	98
Table C.20 – SetMediumResourceReport service parameter template	98
Table C.21 – NotifyMediumResource service parameter template	99
Table C.22 – SetMediumSensingReport service parameter template	99
Table C.23 – NotifyMediumSensingResults service parameter template.....	100
Table C.24 – GetRadioRegulation service parameter template.....	100

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL NETWORKS –
COEXISTENCE OF WIRELESS SYSTEMS –**
**Part 4: Coexistence management with central coordination
of wireless applications**
FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62657-4 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1164/FDIS	65C/1170/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62657 series, published under the general title *Industrial networks – Coexistence of wireless systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62657 series provides background, foundations, process and examples to achieve wireless coexistence. With a coexistence management process according to IEC 62657-2, a predictable assuredness of coexistence can be achieved for a given spectrum while ensuring that application requirements continue to be met. The present document provides an automated coexistence management.