

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Packaging of components for automatic handling –
Part 2: Tape packaging of components with unidirectional leads on continuous
tapes**

**Emballage de composants pour opérations automatisées –
Partie 2: Emballage des composants à sorties unilatérales en bandes continues**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Packaging of components for automatic handling –
Part 2: Tape packaging of components with unidirectional leads on continuous
tapes**

**Emballage de composants pour opérations automatisées –
Partie 2: Emballage des composants à sorties unilatérales en bandes continues**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.020; 31.240

ISBN 978-2-8322-6029-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Dimensions and specific requirements.....	7
4.1 General.....	7
4.2 Coordinate system	7
4.3 Lead taping dimensions	8
4.4 Specific requirements to components and sprocket hole pitches (P , P_0 , P_1 , P_2 , D_0)	11
4.5 Specific requirements to leads	12
4.5.1 General	12
4.5.2 Lead diameter (d , d_1).....	12
4.5.3 Lead spacing (F , F_1 , F_2)	12
4.6 Specific requirements to component position in taping (Δh , Δp , ΔP_1).....	12
4.7 Specific requirements to components with unguided leads.....	12
4.7.1 Distance between the abscissa and tip of unguided lead (H_2).....	12
4.7.2 Distance between the bottom of the component and the tip of the unguided lead (H_3)	13
4.7.3 Distance between the lead terminal and the unguided lead (K)	13
5 Requirements to taping.....	13
5.1 Taping dimensions.....	13
5.2 Polarity and orientation requirements of components on tape	13
5.3 Adhesion to tape and extraction force for components	14
5.4 Splices.....	14
5.5 Tape leader and trailer.....	14
6 Requirements to tape material.....	15
6.1 Tape breaking force	15
6.2 Tape material.....	15
6.3 Hold-down tape.....	15
7 Packing	16
7.1 General.....	16
7.2 Reel dimensions	16
7.2.1 General	16
7.2.2 Component tape reeling.....	17
7.2.3 Component protection.....	17
7.2.4 Reel filling	17
7.3 Maximum dimensions of the fan-fold container.....	17
7.4 Missing components	18
7.5 Marking.....	20
8 Recycling.....	20
Annex A (normative) Dimensions for two leads	21
A.1 Dimensions for two formed leads, sprocket hole between parts.....	21
A.2 Dimensions for two formed leads, sprocket hole between leads	23
A.3 Dimensions for two straight leads, sprocket hole between parts.....	25

A.4	Dimensions for two straight leads, sprocket hole between leads	27
Annex B (normative)	Dimensions for three leads	30
B.1	Dimensions for three formed leads, sprocket hole between parts	30
B.2	Dimensions for three formed leads, sprocket hole between leads	32
Bibliography	35
Figure 1	– Abscissa, ordinate, reference plane and seating plane	8
Figure 2	– Crimped or otherwise formed leads	8
Figure 3	– Lead taping dimensions (straight leads)	8
Figure 4	– Lead taping dimensions (crimped leads)	9
Figure 5	– Lead taping dimensions – unguided leads	9
Figure 6	– Front-to-back and lateral deviations	10
Figure 7	– Position of short terminal without tape	13
Figure 8	– Pull strength (extraction from taping)	14
Figure 9	– Leader and trailer of tape	15
Figure 10	– Symbols for reel dimensions	16
Figure 11	– Reeling	17
Figure 12	– Symbols for fan-fold container dimensions	18
Figure 13	– Missing components	19
Figure A.1	– Symbol references for two formed leads, sprocket hole between parts	22
Figure A.2	– Symbol references for two formed leads, sprocket hole between leads	24
Figure A.3	– Symbol references for two straight leads, sprocket hole between parts	26
Figure A.4	– Symbol references for two straight leads, sprocket hole between leads	28
Figure B.1	– Symbol references for three formed leads, sprocket hole between parts	31
Figure B.2	– Symbol references for three formed leads, sprocket hole between leads	33
Table 1	– Lead taping dimensions	10
Table 2	– Reel dimensions	16
Table 3	– Maximum outer dimensions for a fan-fold container	18
Table A.1	– Dimensions for two formed leads, sprocket hole between parts	23
Table A.2	– Dimensions for two formed leads, sprocket hole between leads	25
Table A.3	– Dimensions for two straight leads, sprocket hole between parts	27
Table A.4	– Dimensions for two straight leads, sprocket hole between leads	29
Table B.1	– Dimensions for three formed leads, sprocket hole between parts	32
Table B.2	– Dimensions for three formed leads, sprocket hole between leads	34

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING –**Part 2: Tape packaging of components with
unidirectional leads on continuous tapes**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60286-2 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) complete revision of structure;
- b) consolidation of essential parameters and requirements in Clause 4.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2974/FDIS	40/2996/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60286 series, published under the general title *Packaging of components for automatic handling*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.