

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Packaging of components for automatic handling –  
Part 2: Tape packaging of components with unidirectional leads on continuous  
tapes**

**Emballage de composants pour opérations automatisées –  
Partie 2: Emballage des composants à sorties unilatérales en bandes continues**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2015 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Packaging of components for automatic handling –  
Part 2: Tape packaging of components with unidirectional leads on continuous  
tapes**

**Emballage de composants pour opérations automatisées –  
Partie 2: Emballage des composants à sorties unilatérales en bandes continues**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 31.020; 31.240

ISBN 978-2-8322-2595-0

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions and symbols.....	7
3.1 Terms and definitions.....	7
3.2 Symbols.....	10
4 Dimensions.....	13
4.1 Tape width dimensions ( $W, W_0, W_1, W_2$ ).....	13
4.1.1 Tape width ( $W$ ).....	13
4.1.2 Hold-down tape width ( $W_0$ ).....	13
4.1.3 Distance between the upper edges of the carrier tape and the abscissa ( $W_1$ ).....	13
4.1.4 Distance between the upper edges of the carrier tape and the hold-down tape ( $W_2$ ).....	13
4.2 Components and sprocket hole pitches ( $P, P_0, P_1, P_2, D_0$ ).....	13
4.2.1 General.....	13
4.2.2 Pitch between two consecutive mutual components ( $P$ ).....	13
4.2.3 Pitch between two consecutive sprocket holes ( $P_0$ ).....	13
4.2.4 Distance between the ordinate and the first lead of the component on the drawer side (for components with two leads) ( $P_1$ ).....	14
4.2.5 Distance between the ordinate and the center lead of the component on the drawer side (for components with three leads) ( $P_2$ ).....	14
4.2.6 Sprocket hole diameter ( $D_0$ ).....	14
4.3 Dimensions for component position relative to the abscissa ( $H, H_0, H_1, H_2, H_3$ ).....	14
4.3.1 Distance between the abscissa and the bottom plane of the component body ( $H$ ).....	14
4.3.2 Distance between the abscissa and the reference plane of components with crimped leads ( $H_0$ ).....	14
4.3.3 Distance between the abscissa and the top of the body of the components ( $H_1$ ).....	14
4.3.4 Distance between the abscissa and the tip of the short terminal without tape ( $H_2$ ).....	14
4.3.5 Distance between the bottom of the component and the tip of the short terminal without tape ( $H_3$ ).....	14
4.4 Lead terminal dimensions ( $d, d_1, F, F_1, F_2, L, K$ ) and tape thickness ( $T, T_1$ ).....	15
4.4.1 Dimensions and tolerances of lead spacing for two leaded components ( $F$ ) and for three leaded components ( $F_1, F_2$ ).....	15
4.4.2 Lead terminal diameter ( $d, d_1$ ).....	15
4.4.3 Tape thickness ( $T, T_1$ ).....	15
4.4.4 Maximum permissible protrusion of the ends of the leads ( $L$ ).....	15
4.4.5 Distance between the lead terminal and the short terminal without tape ( $K$ ).....	15
4.5 Maximum permissible deviation of taped component dimensions.....	16
4.5.1 Maximum permissible deviation of taped component dimensions ( $\Delta h, \Delta p, \Delta P_1$ ).....	16
5 Taping.....	16
5.1 Taping dimensions.....	16
5.2 Splices.....	16

5.3	Tape leader and trailer .....	17
6	Tape.....	17
6.1	Polarization direction on tape .....	17
6.2	Kinks or bends on tape.....	17
6.3	Adhesion to tape and extraction force.....	17
6.4	Tape breaking force .....	18
6.5	Tape material.....	18
6.6	Hold-down tape .....	18
6.7	Missing components.....	18
7	Packing .....	19
7.1	General.....	19
7.2	Reel dimensions.....	19
7.2.1	Component tape reeling .....	20
7.2.2	Components protection .....	20
7.2.3	Reel filling.....	21
7.3	Maximum dimensions of the fan-fold container .....	21
7.4	Recycling .....	21
7.5	Marking.....	21
Annex A	(informative) Dimensions for two leads .....	22
A.1	Dimensions for two formed leads, sprocket hole between parts.....	22
A.2	Dimensions for two formed leads, sprocket hole between leads .....	24
A.3	Dimensions for two straight leads, sprocket hole between parts .....	26
A.4	Dimensions for two straight leads, sprocket hole between leads .....	28
Annex B	(informative) Dimensions for three leads.....	30
B.1	Dimensions for three formed leads, sprocket hole between parts .....	30
B.2	Dimensions for three formed leads, sprocket hole between leads.....	32
Bibliography	.....	34
Figure 1	– Short terminal without tape .....	8
Figure 2	– Crimp .....	8
Figure 3	– Abscissa, ordinate, seating plane and reference plane .....	9
Figure 4	– Symbol references of tape and taped components dimensions .....	11
Figure 5	– Symbol references of reel dimensions.....	12
Figure 6	– Symbol references of fan-fold container dimensions.....	12
Figure 7	– Position of short terminal without tape .....	16
Figure 8	– Leader and trailer of tape.....	17
Figure 9	– Pull strength from taping.....	18
Figure 10	– Missing components .....	19
Figure 11	– Reeling.....	20
Figure A.1	– Symbol references for two formed leads, sprocket hole between parts .....	22
Figure A.2	– Symbol references for two formed leads, sprocket hole between leads.....	24
Figure A.3	– Symbol references for two straight leads, sprocket hole between parts .....	26
Figure A.4	– Symbol references for two straight leads, sprocket hole between leads .....	28
Figure B.1	– Symbol references for three formed leads, sprocket hole between parts.....	30
Figure B.2	– Symbol references for three formed leads, sprocket hole between leads .....	32

Table 1 – List of symbols for tape and taped components .....	10
Table 2 – List of symbols used for packing taped components .....	12
Table 3 – Reel dimensions .....	20
Table 4 – Maximum outer dimensions for a fan-fold arrangement .....	21
Table A.1 – Dimensions for two formed leads, sprocket hole between parts .....	23
Table A.2 – Dimensions for two formed leads, sprocket hole between leads .....	25
Table A.3 – Dimensions for two straight leads, sprocket hole between parts .....	27
Table A.4 – Dimensions for two straight leads, sprocket hole between leads .....	29
Table B.1 – Dimensions for three formed leads, sprocket hole between parts .....	31
Table B.2 – Dimensions for three formed leads, sprocket hole between leads .....	33

Withdrawn

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING –****Part 2: Tape packaging of components with  
unidirectional leads on continuous tapes**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60286-2 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This fourth edition cancels and replaces the third edition, published in 2008, and constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

- A complete revision of the structure and reworked layout.
- A two page overview containing a clear overview of all symbols and references.
- Addition of annexes of known radial tape formats.
- Improved figures.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2343/FDIS	40/2374/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60286 series, published under the general title *Packaging of components for automatic handling*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Withdrawn