

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 5-4: Application layer service definition – Type 4 elements**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 61158-5-4

Edition 4.0 2023-03

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 5-4: Application layer service definition – Type 4 elements**

IEC 61158-5-4 Ed.4.0 - Preview only Copy via ILNAS e-Shop

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-6572-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
1.1 General.....	7
1.2 Specifications	8
1.3 Conformance	8
2 Normative references	8
3 Terms, definitions, symbols, abbreviated terms and conventions	9
3.1 ISO/IEC 7498-1 terms	9
3.2 ISO/IEC 8822 terms	9
3.3 ISO/IEC 9545 terms	10
3.4 ISO/IEC 8824-1 terms	10
3.5 Fieldbus data-link layer terms	10
3.6 Fieldbus application layer specific definitions	10
3.7 Abbreviations and symbols	16
3.8 Conventions.....	17
3.8.1 Overview	17
3.8.2 General conventions	18
3.8.3 Conventions for class definitions	18
3.8.4 Conventions for service definitions	19
4 Concepts	20
4.1 Overview.....	20
4.2 Architectural relationships.....	21
4.2.1 Relationship to the Application Layer of the OSI basic reference model	21
4.2.2 Relationships to other fieldbus entities.....	21
4.3 Fieldbus Application Layer structure	23
4.3.1 Overview	23
4.3.2 Fundamental concepts.....	23
4.3.3 Fieldbus application processes	23
4.3.4 Application process objects	27
4.3.5 Application entities	29
4.3.6 Fieldbus application service elements.....	30
4.3.7 Application relationships	33
4.4 Fieldbus Application Layer naming and addressing	35
4.4.1 General	35
4.4.2 Identifying objects accessed through the FAL	35
4.4.3 Addressing APs accessed through the FAL.....	36
4.5 Architecture summary	36
4.6 FAL service procedures	36
4.6.1 FAL confirmed service procedures.....	36
4.6.2 FAL unconfirmed service procedures	37
4.7 Common FAL attributes	37
4.8 Common FAL service parameters	38
4.9 APDU size	39
5 Type 4 communication model specification	39
5.1 Concepts	39

5.1.1	Overview	39
5.1.2	Application entities	39
5.1.3	Gateway and routing	41
5.1.4	Architecture summary	42
5.1.5	FAL service procedures and time sequence diagrams	43
5.2	Variable ASE	45
5.2.1	Variable types.....	45
5.2.2	Variable model class specification	47
5.2.3	Basic variable type specifications	48
5.2.4	Constructed variable type specifications	53
5.2.5	Route endpoint ASE	57
5.2.6	Route endpoint ASE service specification	60
5.3	Application relationship ASE	64
5.3.1	Overview	64
5.3.2	Application relationship class specification	64
5.3.3	Application relationship ASE service specifications	66
	Bibliography.....	71
	Figure 1 – Relationship to the OSI basic reference model.....	21
	Figure 2 – Architectural positioning of the fieldbus Application Layer	22
	Figure 3 – Client/server interactions.....	24
	Figure 4 – Pull model interactions	25
	Figure 5 – Push model interactions	26
	Figure 6 – APOs services conveyed by the FAL.....	28
	Figure 7 – Application entity structure	29
	Figure 8 – Example FAL ASEs	31
	Figure 9 – FAL management of objects	31
	Figure 10 – ASE service conveyance	32
	Figure 11 – Defined and established AREPs	35
	Figure 12 – FAL architectural components	36
	Figure 13 – FAL AE	40
	Figure 14 – Summary of the FAL architecture	42
	Figure 15 – FAL service procedure overview.....	43
	Figure 16 – Time sequence diagram for the confirmed services	44
	Figure 17 – Time sequence diagram for unconfirmed services	45
	Table 1 – REQUEST service parameters	60
	Table 2 – RESPONSE service parameters.....	61
	Table 3 – Error codes by source	62
	Table 4 – Reserve REP service parameters	62
	Table 5 – Free AREP service parameters	63
	Table 6 – Get REP attribute service parameters	63
	Table 7 – Set REP attribute service parameters	64
	Table 8 – AR send service parameters.....	68
	Table 9 – AR acknowledge service parameters	68
	Table 10 – AR get attributes service parameters	69
	Table 11 – AR set attributes service parameters	69

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 5-4: Application layer service definition –
Type 4 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 series and IEC 61784-2 series.

IEC 61158-5-4 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition:

- a) Use of extended data size in an APDU body. This extension is restricted to nodes operating on a P-NET IP network. There are no technical changes to this sub-part of the standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1203/FDIS	65C/1244/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management can exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.