

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device integration (FDI®) –
Part 2: Client**

**Intégration des appareils de terrain (FDI®) –
Partie 2: Client**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 62769-2

Edition 3.0 2023-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device integration (FDI®) –
Part 2: Client**

**Intégration des appareils de terrain (FDI®) –
Partie 2: Client**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-6442-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

- FOREWORD..... 10
- 1 Scope..... 12
- 2 Normative references 12
- 3 Terms, definitions, abbreviated terms, acronyms and conventions..... 13
 - 3.1 Terms and definitions..... 13
 - 3.1.1 Terms used for Services 14
 - 3.1.2 Terms used for Device Access Services 14
 - 3.2 Abbreviated terms and acronyms 14
 - 3.3 Conventions..... 15
- 4 Overview 15
- 5 FDI® Client 16
 - 5.1 Device Access Services 16
 - 5.1.1 General 16
 - 5.1.2 Device Model..... 17
 - 5.1.3 Node model 18
 - 5.1.4 Services 24
 - 5.1.5 Base Property Services 26
 - 5.1.6 Device Model Services 27
 - 5.1.7 Locking Services 40
 - 5.1.8 Direct Access Services 42
 - 5.1.9 Data types 45
 - 5.2 Hosting Services 50
 - 5.2.1 General 50
 - 5.2.2 Services 50
 - 5.2.3 Parameter type definitions 63
- 6 UIP..... 64
 - 6.1 UIP Services 64
 - 6.1.1 Services 64
 - 6.1.2 Parameter type definitions 68
 - 6.2 UIP instantiation rules 69
 - 6.3 UIP state machine..... 70
 - 6.3.1 States 70
 - 6.3.2 State transitions 70
 - 6.4 UIP permissions and restrictions 71
 - 6.4.1 Overview 71
 - 6.4.2 Access to local file system..... 71
 - 6.4.3 Export / Import of files 71
 - 6.4.4 Inter-Process Communication (IPC)..... 72
 - 6.4.5 Open files based on MIME Type 72
 - 6.4.6 Access to ressources..... 72
 - 6.5 UIP deployment 72
 - 6.5.1 UIP downloads from FDI® Server 72
 - 6.5.2 UIP management on FDI® Client..... 74
- 7 Actions 74
 - 7.1 General..... 74
 - 7.2 Sequence diagram 75

7.3	FDI® Action schema definition	77
7.4	Interactive transfer to device	78
8	User Interface Description (UID)	79
8.1	Overview	79
8.2	UID execution	82
Annex A	(normative) XML schema	85
A.1	General	85
A.2	AbortRequestT	85
A.3	AccessT	85
A.4	AcknowledgementRequestT	86
A.5	ActionListT	86
A.6	AbortingNotificationT	87
A.7	ActionRequestT	87
A.8	ActionResponseT	88
A.9	ActionT	89
A.10	AxisListT	90
A.11	AxisT	90
A.12	BitEnumerationItemListT	91
A.13	BitEnumerationItemT	92
A.14	ButtonListT	92
A.15	ChartT	92
A.16	ChartTypeT	93
A.17	ColorNameT	94
A.18	ColorT	95
A.19	ColorValueT	95
A.20	ColumnBreakT	95
A.21	DateTimeDataT	96
A.22	DelayMessageRequestT	96
A.23	DiagramLineT	97
A.24	EnumerationItemListT	98
A.25	EnumerationItemT	98
A.26	FormatSpecifierT	99
A.27	GraphT	99
A.28	GridT	100
A.29	HandlingT	100
A.30	ImageT	101
A.31	InfoRequestT	102
A.32	InputRequestT	102
A.33	InputResponseT	103
A.34	InputValueT	103
A.35	InputValueTypeT	104
A.36	LabelHelpT	104
A.37	LabelT	105
A.38	LineTypeT	105
A.39	ListOfActionArgumentsT	106
A.40	MenuT	107
A.41	MenuReferenceT	108
A.42	MenuStyleT	109
A.43	NumericDataT	109

A.44	NumericTemplateT	110
A.45	OptionListT	111
A.46	OrientationT	111
A.47	ParameterInputRequestT	111
A.48	ParameterListT	112
A.49	ParameterT	112
A.50	PluginT	114
A.51	RangeListT	115
A.52	RangeT	115
A.53	ResponseT	116
A.54	RowBreakT	116
A.55	ScalingT	116
A.56	SelectionRequestT	117
A.57	SelectionResponseT	117
A.58	SeparatorT	118
A.59	SizeT	118
A.60	ParameterClassT	118
A.61	ActionClassT	121
A.62	SourceListT	122
A.63	SourceT	123
A.64	StringDataT	123
A.65	StringTemplateT	124
A.66	StringOptionListT	124
A.67	StringOptionT	125
A.68	StringT	125
A.69	TimeScaleT	126
A.70	UidLayoutInformation	126
A.71	UidRequestT	127
A.72	UidResponseT	127
A.73	UiElementSizeableT	128
A.74	UiElementT	128
A.75	UiTemplateT	129
A.76	VariantT	130
A.77	VariantOptionListT	131
A.78	VariantOptionT	131
A.79	VectorListT	132
A.80	VectorT	132
A.81	WaveformListT	133
A.82	WaveformT	133
A.83	WaveformTypeT	134
A.84	WaveformTypeHorizontalT	134
A.85	WaveformTypeVerticalT	134
A.86	WaveformTypeYTT	135
A.87	WaveformTypeXYT	136
A.88	WaveformKeyPointListT	137
A.89	WaveformVectorT	137
A.90	WaveformVectorElementListT	138
A.91	WaveformVectorElementT	138
Annex B (informative)	Action example	140

Annex C (informative) Typical FDI® Client use cases	151
C.1 General.....	151
C.2 Bulk operations	151
C.3 Progress bar support	151
Bibliography.....	153
Figure 1 – FDI® architecture diagram	12
Figure 2 – Overall structure of a Device	17
Figure 3 – Structure of Blocks.....	18
Figure 4 – Device Model NodeClasses.....	18
Figure 5 – Example: Variable hierarchy representing a RECORD.....	22
Figure 6 – Variable hierarchy representing a VALUE_ARRAY of RECORDs.....	23
Figure 7 – UIP state machine.....	70
Figure 8 – FDI® Action sequence diagram.....	76
Figure 9 – Sequence diagram interactive transfer to device	79
Figure 10 – User Interface Descriptions	81
Figure 11 – User Interface Description sequence diagram	83
Figure B.1 – Action example (step 1)	145
Figure B.2 – Action example (step 2)	146
Figure B.3 – Action example (step 3)	147
Figure B.4 – Action example (step 4)	148
Figure B.5 – Action example (step 5)	149
Figure B.6 – Action example (step 6)	150
Figure C.1 – Progress bar support	152
Table 1 – BaseNodeClass Attributes	19
Table 2 – Object NodeClass Attributes.....	19
Table 3 – Variable NodeClass Attributes	20
Table 4 – Service Definition Table	24
Table 5 – Service result codes	26
Table 6 – GetDeviceAccessInterfaceVersion Service parameters.....	27
Table 7 – GetOnlineAccessAvailability Service parameters.....	27
Table 8 – Browse Service parameters.....	28
Table 9 – CancelBrowse Service parameters	29
Table 10 – Read Service parameters	30
Table 11 – Read Service result codes.....	30
Table 12 – Read operation result codes	31
Table 13 – CancelRead Service parameters	32
Table 14 – Write Service parameters	33
Table 15 – Write operation result codes.....	33
Table 16 – CancelWrite Service parameters	34
Table 17 – CreateSubscription Service parameters.....	35
Table 18 – CreateSubscription Service result codes	35

Table 19 – Subscribe Service parameters	36
Table 20 – Subscribe operation result codes.....	38
Table 21 – Unsubscribe Service Parameters.....	38
Table 22 – Unsubscribe operation result codes.....	38
Table 23 – DeleteSubscription Service parameters	39
Table 24 – DataChangeCallback Service parameters.....	40
Table 25 – DataChangeCallback result codes	40
Table 26 – InitLock Service parameters	41
Table 27 – InitLock Service result codes	41
Table 28 – ExitLock Service parameters	42
Table 29 – ExitLock Service result codes	42
Table 30 – InitDirectAccess Service parameters	43
Table 31 – InitDirectAccess Service result codes	43
Table 32 – ExitDirectAccess Service parameters	44
Table 33 – ExitDirectAccess Service result codes	44
Table 34 – Transfer Service parameters	44
Table 35 – Transfer Service result codes	45
Table 36 – Base data types	45
Table 37 – Identifiers assigned to Attributes	46
Table 38 – NodeSpecifier.....	46
Table 39 – DataValue	47
Table 40 – InnerErrorInfo.....	48
Table 41 – LocalizedText Definition	48
Table 42 – LocaleId Examples	49
Table 43 – Range Data Type Structure	49
Table 44 – EUInformation Data Type Structure	50
Table 45 – EnumValueType Definition	50
Table 46 – GetClientTechnologyVersion Service parameters	51
Table 47 – OpenUserInterface Service parameters	51
Table 48 – CloseUserInterface Service parameters.....	52
Table 49 – LogAuditTrailMessage Service parameters	52
Table 50 – SaveUserSettings Service parameters.....	53
Table 51 – LoadUserSettings Service parameters.....	53
Table 52 – Trace Service parameters	54
Table 53 – ShowMessageBox Service parameters	54
Table 54 – ShowProgressBar Service parameters	55
Table 55 – UpdateShowProgressBar Service parameters	55
Table 56 – EndShowProgressBar Service parameters	56
Table 57 – StandardUIActionItemsChange Service parameters.....	56
Table 58 – SpecificUIActionItemsChange Service parameters	57
Table 59 – InitExportFile Service parameters.....	57
Table 60 – WriteExportFile Service parameters	58
Table 61 – FinishExportFile Service parameters	58

Table 62 – InitImportFile Service parameters	59
Table 63 – ReadImportFile Service parameters.....	59
Table 64 – FinishImportFile Service parameters	60
Table 65 – InitOpenDefaultApplication Service parameters	60
Table 66 – WriteOpenDefaultApplication Service parameters.....	61
Table 67 – FinishOpenDefaultApplication Service parameters	61
Table 68 – GetHostingProperties Service parameters	62
Table 69 – GetHostingProperties Key Value Pairs	62
Table 70 – DefaultResult definition	63
Table 71 – ButtonSet definition	63
Table 72 – AcknStyle definition.....	63
Table 73 – Activate Service parameters.....	64
Table 74 – Deactivate Service parameters.....	65
Table 75 – SetSystemLabel Service parameters	66
Table 76 – SetTraceLevel Service parameters	66
Table 77 – GetStandardUIActionItems Service parameters	66
Table 78 – GetSpecificUIActionItems Service parameters.....	67
Table 79 – InvokeStandardUIAction Service parameters.....	67
Table 80 – InvokeSpecificUIAction Service parameters.....	68
Table 81 – TraceLevel definition	68
Table 82 – StandardUIAction definition	69
Table 83 – StandardUIActionItem definition	69
Table 84 – SpecificUIActionItem definition	69
Table 85 – UIP states	70
Table 86 – UIP state transitions	71
Table A.1 – Elements of AbortRequestT	85
Table A.2 – Enumerations of AccessT.....	86
Table A.3 – Elements of AcknowledgementRequestT.....	86
Table A.4 – Elements of ActionListT	86
Table A.5 – Elements of ActionRequestT	88
Table A.6 – Elements of ActionResponseT	89
Table A.7 – Elements of ActionT.....	90
Table A.8 – Elements of AxisListT	90
Table A.9 – Attributes of AxisT.....	91
Table A.10 – Elements of AxisT	91
Table A.11 – Elements of BitEnumerationItemListT.....	91
Table A.12 – Elements of BitEnumerationItemT	92
Table A.13 – Elements of ButtonListT	92
Table A.14 – Elements of ChartT	93
Table A.15 – Enumerations of ChartTypeT.....	94
Table A.16 – Enumerations of ColorNameT	95
Table A.17 – Enumerations of DateTimeDataT.....	96
Table A.18 – Elements of DelayMessageRequestT	97

Table A.19 – Attributes of DiagramLineT	97
Table A.20 – Elements of DiagramLineT	98
Table A.21 – Elements of EnumerationItemList	98
Table A.22 – Elements of EnumerationItemT	99
Table A.23 – Elements of GraphT	100
Table A.24 – Elements of GridT	100
Table A.25 – Enumerations of HandlingT	101
Table A.26 – Attributes of ImageT	102
Table A.27 – Elements of ImageT	102
Table A.28 – Elements of InfoRequestT	102
Table A.29 – Elements of InputRequestT	103
Table A.30 – Elements of InputResponseT	103
Table A.31 – Elements of InputValueT	104
Table A.32 – Elements of InputValueTypeT	104
Table A.33 – Elements of LabelHelpT	105
Table A.34 – Elements of LabelT	105
Table A.35 – Enumerations of LineTypeT	106
Table A.36 – Attributes of MenuT	108
Table A.37 – Elements of MenuT	108
Table A.38 – Attributes of MenuReferenceT	108
Table A.39 – Elements of MenuReferenceT	109
Table A.40 – Enumerations of MenuStyleT	109
Table A.41 – Enumerations of NumericDataT	110
Table A.42 – Elements of NumericTemplateT	110
Table A.43 – Elements of OptionListT	111
Table A.44 – Enumerations of OrientationT	111
Table A.45 – Elements of ParameterInputRequestT	112
Table A.46 – Elements of ParameterListT	112
Table A.47 – Elements of ParameterT	114
Table A.48 – Elements of PluginT	115
Table A.49 – Elements of RangeListT	115
Table A.50 – Elements of RangeT	116
Table A.51 – Enumerations of ScalingT	117
Table A.52 – Elements of SelectionRequestT	117
Table A.53 – Elements of SelectionResponseT	118
Table A.54 – Enumerations of SizeT	118
Table A.55 – Enumerations of ParameterClassT	120
Table A.56 – Enumerations of ActionClassT	122
Table A.57 – Elements of SourceListT	123
Table A.58 – Elements of SourceT	123
Table A.59 – Enumerations of StringDataT	124
Table A.60 – Elements of StringTemplateT	124
Table A.61 – Elements of StringOptionListT	125

Table A.62 – Elements of StringOptionT	125
Table A.63 – Elements of StringT.....	126
Table A.64 – Enumerations of TimeScaleT	126
Table A.65 – Elements of UidLayoutInformation.....	127
Table A.66 – Elements of UidRequestT.....	127
Table A.67 – Elements of UidResponseT	128
Table A.68 – Attributes of UiElementSizeableT	128
Table A.69 – Elements of UiElementSizeableT	128
Table A.70 – Elements of UiElementT.....	129
Table A.71 – Elements of UiTemplateT	130
Table A.72 – Elements of VariantT.....	131
Table A.73 – Elements of VariantOptionListT.....	131
Table A.74 – Elements of VariantOptionT	132
Table A.75 – Elements of VectorListT	132
Table A.76 – Elements of VectorT.....	133
Table A.77 – Elements of WaveformListT.....	133
Table A.78 – Elements of WaveformT	134
Table A.79 – Elements of WaveformTypeHorizontalT	134
Table A.80 – Elements of WaveformTypeVerticalT.....	135
Table A.81 – Elements of WaveformTypeYTT	136
Table A.82 – Elements of WaveformTypeXYT	136
Table A.83 – Elements of WaveformKeyPointListT.....	137
Table A.84 – Attributes of WaveformVectorT.....	138
Table A.85 – Elements of WaveformVectorT	138
Table A.86 – Elements of WaveformVectorElementListT	138
Table A.87 – Elements of WaveformVectorElementT	139

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE INTEGRATION (FDI®) –

Part 2: Client

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62769-2 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added interactive transfer to device;
- b) corrected ListOfInputArguments.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/855/CDV	65E/912/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62769 series, published under the general title *Field device integration (FDI)*[®], can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.