

INTERNATIONAL ELECTROTECHNICAL COMMISSION
COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

IEC 60939-3
Edition 1.0 2015-08

IEC 60939-3
Édition 1.0 2015-08

**PASSIVE FILTER UNITS FOR
ELECTROMAGNETIC
INTERFERENCE SUPPRESSION –**

FILTRES PASSIFS D'ANTIPARASITAGE –

**Partie 3: Filtres passifs pour lesquels des essais
de sécurité sont appropriés**

**Part 3: Passive filter units for which safety tests
are appropriate**

CORRIGENDUM 2

Corrections to the French version appear after the English text.

Les corrections apportées à la version française sont données après le texte anglais.

Table B.1 – Test schedule for safety requirements only

Add footnote 4) to Table B.1 (3 of 3) concerning Group 3B and Group 3C

Subclauses number and test ¹⁾	Conditions of test ¹⁾	Number of specimens (n) and number of non-conforming items (c)	Performance requirements ¹⁾
Group 3B	Destructive	See Table 3	
4.24 Impulse voltage ⁴⁾	3 impulses, full wave Crest voltage: see Table 1 and Table 2		See 4.24.4
4.25.4 Endurance, voltage, line terminations to case ^{3) 4)}	Duration: 1 000 h Voltage and temperature: see 4.25.4		See 4.25.7
Group 3C	Destructive	See Table 3	
4.24 Impulse voltage ⁴⁾	3 impulses, full wave Crest voltage: see Table 1 and Table 2		See 4.24.4
4.25.5 Endurance, voltage, between line terminations ⁴⁾	Duration: 1 000 h Voltage and temperature: see 4.25.5		See 4.25.7
or 4.25.6 Endurance, combined voltage/current ^{2) 4)}	Duration: 1 000 h Voltage, temperature and current: see 4.25.6		See 4.25.7
⁴⁾ The tests of this group or subgroup may be omitted if the capacitors in the filter across which the test voltages will appear have been qualified to a detailed specification under IEC60384-14 and are also of the construction where the capacitor element is separately encapsulated, provided that the capacitors fulfil the required creepage distance and clearance specified in Table 6 and Table 7.			