

# INTERNATIONAL STANDARD

# IEC 61675-2

First edition  
1998-01

---

---

**Radionuclide imaging devices –  
Characteristics and test conditions –  
Part 2:  
Single photon emission computed tomographs**

*Dispositifs d'imagerie par radionucléides –  
Caractéristiques et conditions d'essais –*

*Partie 2:  
Systèmes de tomographie d'émission à photon unique*



Reference number  
IEC 61675-2:1998(E)

## Numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series.

## Consolidated publications

Consolidated versions of some IEC publications including amendments are available. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

## Validity of this publication

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology.

Information relating to the date of the reconfirmation of the publication is available in the IEC catalogue.

Information on the revision work, the issue of revised editions and amendments may be obtained from IEC National Committees and from the following IEC sources:

- **IEC Bulletin**
- **IEC Yearbook**  
On-line access\*
- **Catalogue of IEC publications**  
Published yearly with regular updates  
(On-line access)\*

## Terminology, graphical and letter symbols

For general terminology, readers are referred to IEC 60050: *International Electrotechnical Vocabulary (IEV)*.

For graphical symbols, and letter symbols and signs approved by the IEC for general use, readers are referred to publications IEC 60027: *Letter symbols to be used in electrical technology*, IEC 60417: *Graphical symbols for use on equipment. Index, survey and compilation of the single sheets* and IEC 60617: *Graphical symbols for diagrams*.

## IEC publications prepared by the same technical committee

The attention of readers is drawn to the end pages of this publication which list the IEC publications issued by the technical committee which has prepared the present publication.

\* See web site address on title page.

# INTERNATIONAL STANDARD

# IEC 61675-2

First edition  
1998-01

---

---

## Radionuclide imaging devices – Characteristics and test conditions –

### Part 2: Single photon emission computed tomographs

*Dispositifs d'imagerie par radionucléides –  
Caractéristiques et conditions d'essais –*

*Partie 2:  
Systèmes de tomographie d'émission à photon unique*

© IEC 1998 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission  
Telefax: +41 22 919 0300

e-mail: [inmail@iec.ch](mailto:inmail@iec.ch)

3, rue de Varembé Geneva, Switzerland  
IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

CODE PRIX  
PRICE CODE

T

*Pour prix, voir catalogue en vigueur  
For price, see current catalogue*

## CONTENTS

	Page
FOREWORD .....	3
Clause	
1 General .....	4
1.1 Scope and object .....	4
1.2 Normative references .....	4
2 Terminology and definitions .....	4
3 Test methods.....	9
3.1 Calibration measurements .....	9
3.2 Measurement of COLLIMATOR hole misalignment .....	10
3.3 Measurement of SPECT system SENSITIVITY .....	11
3.4 Scatter.....	12
3.5 Measurement of SPECT non-uniformity of response .....	14
3.6 SPECT system SPATIAL RESOLUTION .....	14
4 ACCOMPANYING DOCUMENTS .....	15
Figures	
1 Geometry of PROJECTIONS.....	16
2 Cylindrical head phantom.....	17
3 Phantom insert with holders for the scatter source .....	18
4 Evaluation of SCATTER FRACTION.....	19
5 Reporting TRANSVERSE RESOLUTION .....	20
6 Evaluation of FWHM.....	21
7 Evaluation of EQUIVALENT WIDTH (EW) .....	22
Annex A – Index of defined terms .....	23

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## RADIONUCLIDE IMAGING DEVICES – CHARACTERISTICS AND TEST CONDITIONS –

### Part 2: Single photon emission computed tomographs

#### FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61675-2 has been prepared by subcommittee 62C: Equipment for radiotherapy, nuclear medicine and radiation dosimetry, of IEC technical committee 62: Electrical equipment in medical practice.

The text of this standard is based on the following documents:

FDIS	Report on voting
62C/206/FDIS	62C/215/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

In this standard, the following print types are used:

- TERMS DEFINED IN CLAUSE 2 OF THIS STANDARD OR LISTED IN ANNEX A: SMALL CAPITALS.

The requirements are followed by specifications for the relevant tests.

Annex A is for information only.

A bilingual version of this standard may be issued at a later date.

# RADIONUCLIDE IMAGING DEVICES – CHARACTERISTICS AND TEST CONDITIONS –

## Part 2: Single photon emission computed tomographs

### 1 General

#### 1.1 Scope and object

This part of IEC 61675 specifies terminology and test methods for describing the characteristics of Anger type rotational GAMMA CAMERA SINGLE PHOTON EMISSION COMPUTED TOMOGRAPHS (SPECT), equipped with parallel hole collimators. As these systems are based on Anger type GAMMA CAMERAS this part of IEC 61675 shall be used in conjunction with IEC 60789. These systems consist of a gantry system, single or multiple DETECTOR HEADS and a computer system together with acquisition, recording, and display devices.

The test methods specified in this part of IEC 61675 have been selected to reflect as much as possible the clinical use of Anger type rotational GAMMA CAMERA SINGLE PHOTON EMISSION COMPUTED TOMOGRAPHS (SPECT). It is intended that the test methods be carried out by manufacturers thereby enabling them to describe the characteristics of SPECT systems on a common basis.

No test has been specified to characterize the uniformity of reconstructed images because all methods known so far will mostly reflect the noise of the image.

#### 1.2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61675. At the time of publication, the editions indicated were valid. All normative documents are subject to revision, and parties to agreements based on this part of IEC 61675 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60788:1984, *Medical radiology – Terminology*

IEC 60789:1992, *Characteristics and test conditions of radionuclide imaging devices – Anger type gamma cameras*

IEC 61675-1, — *Radionuclide imaging devices – Characteristics and test conditions – Part 1: Positron emission tomographs*

### 2 Terminology and definitions

For the purpose of this part of IEC 61675 the definitions given in IEC 60788, IEC 60789 and IEC 61675-1 (see annex A), and the following definitions apply.

Defined terms are printed in small capital letters.