

TECHNICAL SPECIFICATION

Assessment of power quality - Characteristics of electricity supplied by public networks



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembeé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Recommended values for power quality indices.....	17
4.1 General.....	17
4.2 Frequency deviation.....	18
4.3 Supply voltage deviation	18
4.3.1 General	18
4.3.2 Low voltage systems	18
4.3.3 Medium voltage systems.....	19
4.3.4 High voltage systems.....	20
4.4 Voltage unbalance	20
4.5 Flicker.....	20
4.6 Harmonic and interharmonic voltage	21
4.6.1 General	21
4.6.2 Low voltage systems	21
4.6.3 Medium voltage systems.....	22
4.6.4 High voltage systems.....	23
4.7 Voltage dip	24
4.8 Voltage swell	25
4.9 Voltage interruption.....	25
4.10 Mains communicating voltage	26
4.11 Rapid voltage change	27
4.12 Transient overvoltage	27
4.12.1 Low voltage systems	27
4.12.2 Medium and high voltage systems	27
5 Objectives and methods for power quality assessment	28
5.1 General.....	28
5.2 Site power quality assessment.....	28
5.2.1 General	28
5.2.2 Continuous phenomena	28
5.2.3 For discontinuous phenomena (single event)	30
5.3 System aspect power quality assessment	31
5.3.1 General	31
5.3.2 For continuous phenomena.....	31
5.3.3 For discontinuous phenomena (events)	31
Annex A (informative) Examples of profiles for power quality specification.....	34
A.1 General.....	34
A.2 LV and MV public electricity networks in European countries	34
A.3 LV, MV and HV power supply system in China	36
A.4 Example of a transmission system in Canada	37
A.5 Examples of profiles in Australia	38
A.6 LV, MV and HV power supply system in Russia	39
Annex B (informative) Additional information on power quality assessments	41

B.1	Weekly percentile values assessed on a daily sliding basis.....	41
B.2	Example on system aspect continuous disturbance evaluation.....	42
B.3	Aggregation method used for events.....	42
B.3.1	General.....	42
B.3.2	Time aggregation.....	43
Annex C (informative)	Power quality issues related to distributed generation and micro-grids.....	45
C.1	General.....	45
C.2	Voltage deviation.....	45
C.3	Harmonics.....	45
C.4	DG magnetic bias (DC current injection).....	45
C.5	Voltage fluctuation and flicker.....	46
C.6	High frequency conducted disturbances.....	46
Annex D (informative)	Methods to maintain and improve power quality.....	47
D.1	General.....	47
D.2	Voltage deviation.....	47
D.3	Harmonics.....	48
D.4	Flicker.....	48
D.5	Voltage unbalance.....	48
D.6	Voltage dip, swell and short time interruption.....	49
Annex E (informative)	Relation between power quality and EMC.....	50
E.1	General.....	50
E.2	Differences between power quality and compatibility levels.....	50
E.3	Example of power quality level versus compatibility level.....	51
Annex F (informative)	Other phenomena.....	54
F.1	General.....	54
F.2	Level behaviour over time.....	54
F.3	Duration.....	54
F.4	Periodicity.....	54
F.5	Bandwidth.....	55
Annex G (informative)	Role of stakeholders for power quality management – Coordination of the parties involved.....	56
G.1	General.....	56
G.2	Network operator – Network user.....	56
G.3	Network user – Equipment supplier.....	56
G.4	Network operator – Equipment supplier.....	57
Bibliography	58
Figure 1	– Mains communicating voltages recommended values in percent of U_N used in public LV networks (or U_C in public MV networks).....	26
Figure 2	– Example for illustrating voltage <i>THD</i> assessment result trends.....	30
Figure 3	– Example showing information of single event assessment.....	31
Figure B.1	– Comparison of two methods of assessing weekly 95 th percentile values.....	41
Figure B.2	– Example for illustrating the differences resulted by time aggregation method.....	43
Figure B.3	– Example of time sequence of voltage dips that can be aggregated in two different ways.....	44

Figure E.1 – Application points in a LV system (example)	50
Figure E.2 – Relation between disturbance levels (schematic significance only)	51
Figure E.3 – Cumulative distribution of all <i>THD</i> values recorded at 30 points of supply of the LV system, during one week	52
Figure E.4 – Weekly 95 th percentile <i>THD</i> values evaluated at each monitored LV point of supply	53
Table 1 – Classification of electromagnetic phenomena addressed by power quality indices	7
Table 2 – Flicker severity P_{ft} recommended values	20
Table 3 – Recommended values of individual harmonic voltages at the low voltage points of supply for orders up to 40 given in percent of the fundamental voltage U_1	21
Table 4 – Recommended values of individual harmonic voltages at the medium voltage points of supply for orders up to 40 given in percent of the fundamental voltage U_1	22
Table 5 – Indicative values of individual harmonic voltages at the high voltage points of supply given in percent of the fundamental voltage U_1	24
Table 6 – Site power quality assessment methods	29
Table 7 – Example of single event assessment	30
Table 8 – List of individual events measured at a single monitoring site	32
Table 9 – SARFI-X indices coming out of Table 8	32
Table 10 – Magnitude-duration table format	33
Table A.1 – Examples of profiles in most European countries	34
Table A.2 – Examples of profiles in Spain	35
Table A.3 – Examples of profiles in China	36
Table A.4 – Examples of profiles in Canada	37
Table A.5 – Examples of profiles in Australia	38
Table A.6 – Examples of profiles in Russia	39
Table B.1 – Listing of system power quality evaluation	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Assessment of power quality - Characteristics of electricity supplied by public networks

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with can participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62749 has been prepared by IEC technical committee 8: System aspects of electrical energy supply. It is a Technical Specification.

This third edition cancels and replaces the second edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) clarification that harmonic orders recommended in this document are up to 40th;
4.6 is modified accordingly;
- b) iteration that this document does not apply for systems operated above 230 kV;
- c) deletion of Annex C;
- d) improvement of 4.10;

- e) update of profiles and addition of new profiles;
- f) modifications to align with EN 50160:2022 and EN 50160:2022/AMD1:2025.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
8/1779/DTS	8/1800/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

The description of electricity is of fundamental importance within electricity supply systems. In the past, its characteristics depended less on its generation than on the way in which it was transported by networks and being used by the equipment of the multiple users. Faults or other events such as short-circuit and lightning strikes occurring within users' installations or public networks also disturb or degrade it.

Nowadays, smart grid construction and massive deployment of renewable energy sources increase the complexity of power quality management. For more information about power quality issues related to distributed generation and micro-grids, refer to Annex C.

NOTE For more information about role of stakeholders for power quality management, see Annex G.

There is a need for a common set of power quality (PQ) indices and measurement methods in order to allow different system operators to measure and report power quality in a consistent manner.

Regarding the limits or levels of power quality, the situation differs. Historically, the electrical systems in different countries or regions have been designed in different ways to cater for national or regional variations like different geographic, climatic or commercial conditions, etc. It is thus essential that any set of internationally agreed power quality limits or levels also recognize these differences, which depends namely on the system configuration, the transfer characteristics between the different voltage levels (attenuation or amplification), the actual disturbance levels on the system, etc.

Also, the quality of power is not absolute. Optimizing power quality should be carried out in a cost-effective manner to balance network user power quality requirements and willingness to pay for it with power quality supply costs.

Therefore, some of the objectives recommended hereafter allow for a range of values, or options, while still ensuring the coordination of disturbance levels between different parts of the system or voltage levels.

Then, the requirements to be applied can be expressed by the association of the IEC power quality framework from the normative part of this document and profiles. Examples of profiles are given in Annex A.