

INTERNATIONAL STANDARD



**Industrial communication networks – Fieldbus specifications –
Part 4-12: Data-link layer protocol specification – Type 12 elements**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 61158-4-12

Edition 2.0 2010-08

INTERNATIONAL STANDARD



**Industrial communication networks – Fieldbus specifications –
Part 4-12: Data-link layer protocol specification – Type 12 elements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XG**

ICS 25.04.40; 35.100.20; 35.110

ISBN 978-2-88912-087-1

IEC 61158-4-12 Ed. 2.0 - Preview only Copy via ILNAS e-Shop

Withhold

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
1.1 General.....	10
1.2 Specifications.....	10
1.3 Procedures.....	10
1.4 Applicability.....	10
1.5 Conformance.....	10
2 Normative references.....	11
3 Terms, definitions, symbols and abbreviations.....	11
3.1 Reference model terms and definitions.....	11
3.2 Service convention terms and definitions.....	12
3.3 Common terms and definitions.....	13
3.4 Additional Type 12 definitions.....	13
3.5 Common symbols and abbreviations.....	16
3.6 Additional Type 12 symbols and abbreviations.....	17
3.7 Conventions.....	18
4 Overview of the DL-protocol.....	23
4.1 Operating principle.....	23
4.2 Topology.....	23
4.3 Frame processing principles.....	23
4.4 Data-link layer overview.....	24
4.5 Error detection overview.....	25
4.6 Node reference model.....	25
4.7 Operation overview.....	26
5 Frame structure.....	27
5.1 Frame coding principles.....	27
5.2 Data types and encoding rules.....	27
5.3 DLPDU structure.....	29
5.4 Type 12 DLPDU structure.....	32
5.5 Network variable structure.....	48
5.6 Type 12 mailbox structure.....	48
6 Attributes.....	50
6.1 Management.....	50
6.2 Statistics.....	66
6.3 Watchdogs.....	69
6.4 Slave information interface.....	72
6.5 Media independent interface (MII).....	77
6.6 Fieldbus memory management unit (FMMU).....	80
6.7 Sync manager.....	83
6.8 Distributed clock.....	89
7 DL-user memory.....	93
7.1 Overview.....	93
7.2 Mailbox access type.....	94
7.3 Buffered access type.....	97

8	Type 12: FDL protocol state machines.....	99
8.1	Overview of slave DL state machines	99
8.2	State machine description	99
	Annex A (informative) Type 12: Additional specifications on DL-Protocol state machines	107
	Bibliography.....	141
	Figure 1 – Type description example	19
	Figure 2 – Common structure of specific fields.....	20
	Figure 3 – Frame structure.....	24
	Figure 4 – Mapping of data in a frame.....	25
	Figure 5 – Slave node reference model.....	26
	Figure 6 – Type 12 PDUs embedded in Ethernet frame.....	27
	Figure 7 – Type 12 PDUs embedded in UDP/IP	27
	Figure 8 – DL information type description.....	51
	Figure 9 – Address type description	53
	Figure 10 – DL control type description.....	55
	Figure 11 – DL status type description	57
	Figure 12 – Successful write sequence to DL-user control register	59
	Figure 13 – Successful read sequence to the DL-user status register	60
	Figure 14 – RX error counter type description.....	67
	Figure 15 – Lost link counter type description	68
	Figure 16 – Additional counter type description.....	69
	Figure 17 – Sync configuration type description.....	70
	Figure 18 – Watchdog divider type description.....	70
	Figure 19 – Sync manager watchdog type description.....	71
	Figure 20 – Sync manager watchdog status type description	71
	Figure 21 – Watchdog counter type description.....	72
	Figure 22 – Slave information interface access type description	72
	Figure 23 – Slave information interface control/status type description	74
	Figure 24 – Slave information interface address type description	76
	Figure 25 – Slave information interface data type description	77
	Figure 26 – MII control/status type description	78
	Figure 27 – MII address type description	79
	Figure 28 – MII data type description	80
	Figure 29 – FMMU mapping example.....	80
	Figure 30 – FMMU entity type description	81
	Figure 31 – SyncM mailbox interaction.....	84
	Figure 32 – SyncM buffer allocation.....	84
	Figure 33 – SyncM buffer interaction	85
	Figure 34 – Handling of write/read toggle with read mailbox	85
	Figure 35 – Sync manager channel type description	87
	Figure 36 – Distributed clock local time parameter type description	91
	Figure 37 – Successful write sequence to mailbox	94

Figure 38 – Bad write sequence to mailbox.....	95
Figure 39 – Successful read sequence to mailbox.....	95
Figure 40 – Bad read sequence to mailbox	96
Figure 41 – Successful write sequence to buffer	97
Figure 42 – Successful read sequence to buffer.....	98
Figure 43 – Structuring of the protocol machines of an slave	99
Figure 44 – Slave information interface read operation	101
Figure 45 – Slave information interface write operation.....	102
Figure 46 – Slave information interface reload operation	103
Figure 47 – Distributed clock	105
Figure 48 – Delay measurement sequence	106
Table 1 – PDU element description example.....	19
Table 2 – Example attribute description	20
Table 3 – State machine description elements	21
Table 4 – Description of state machine elements	22
Table 5 – Conventions used in state machines	22
Table 6 – Transfer Syntax for bit sequences	28
Table 7 – Transfer syntax for data type Unsignedn	28
Table 8 – Transfer syntax for data type Integern.....	29
Table 9 – Type 12 frame inside an Ethernet frame.....	30
Table 10 – Type 12 frame inside an UDP PDU.....	30
Table 11 – Type 12 frame structure containing Type 12 PDUs	31
Table 12 – Type 12 frame structure containing network variables	31
Table 13 – Type 12 frame structure containing mailbox	32
Table 14 – Auto increment physical read (APRD).....	32
Table 15 – Configured address physical read (FPRD).....	33
Table 16 – Broadcast read (BRD)	34
Table 17 – Logical read (LRD)	35
Table 18 – Auto increment physical write (APWR)	37
Table 19 – Configured address physical write (FPWR).....	38
Table 20 – Broadcast write (BWR)	39
Table 21 – Logical write (LWR).....	40
Table 22 – Auto increment physical read write (APRW)	41
Table 23 – Configured address physical read write (FPRW).....	42
Table 24 – Broadcast read write (BRW)	43
Table 25 – Logical read write (LRW)	44
Table 26 – Auto increment physical read multiple write (ARMW).....	46
Table 27 – Configured address physical read multiple write (FRMW)	47
Table 28 – Network variable	48
Table 29 – Mailbox	49
Table 30 – Error Reply Service Data.....	49
Table 31 – DL information.....	52

Table 32 – Configured station address.....	54
Table 33 – DL control	55
Table 34 – DL status.....	58
Table 35 – DLS-user specific registers.....	60
Table 36 – DLS-user event	62
Table 37 – DLS-user event mask	64
Table 38 – External event.....	65
Table 39 – External event mask.....	66
Table 40 – RX error counter.....	67
Table 41 – Lost link counter.....	68
Table 42 – Additional counter	69
Table 43 – Watchdog divider.....	70
Table 44 – DLS-user watchdog	70
Table 45 – Sync manager channel watchdog	71
Table 46 – Sync manager watchdog Status	71
Table 47 – Watchdog counter	72
Table 48 – Slave information interface access	72
Table 49 – Slave information interface control/status	75
Table 50 – Actual slave information interface address	76
Table 51 – Actual slave information interface data	77
Table 52 – MII control/status.....	78
Table 53 – Actual MII address.....	79
Table 54 – Actual MII data	80
Table 55 – Fieldbus memory management unit (FMMU) entity	82
Table 56 – Fieldbus memory management unit (FMMU).....	83
Table 57 – Sync manager channel.....	87
Table 58 – Sync manager Structure.....	89
Table 59 – Distributed clock local time parameter	92
Table 60 – Distributed clock DLS-user parameter	93
Table A.1 – Primitives issued by DHSM to PSM.....	107
Table A.2 – Primitives issued by PSM to DHSM.....	107
Table A.3 – Parameters used with primitives exchanged between DHSM and PSM.....	107
Table A.4 – Identifier for the octets of a Ethernet frame	108
Table A.5 – DHSM state table.....	110
Table A.6 – DHSM function table	125
Table A.7 – Primitives issued by SYSM to DHSM.....	125
Table A.8 – Primitives issued by DHSM to SYSM.....	126
Table A.9 – Primitives issued by DL-User to SYSM.....	126
Table A.10 – Primitives issued by SYSM to DL-User.....	126
Table A.11 – Parameters used with primitives exchanged between SYSM and DHSM	126
Table A.12 – SYSM state table	128
Table A.13 – SYSM function table.....	137
Table A.14 – Primitives issued by RMSM to SYSM	137

Table A.15 – Primitives issued by SYSM to RSM	138
Table A.16 – Parameters used with primitives exchanged between RSM and SYSM	138
Table A.17 – RSM state table	139
Table A.18 – RSM function table	140

Withdrawn