

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 4-1: Data-link layer protocol specification – Type 1 elements**

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 61158-4-1

Edition 1.0 2007-12

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications –
Part 4-1: Data-link layer protocol specification – Type 1 elements

Withhold@LWN

IEC 61158-4-1 Ed. 1.0 - Preview only Copy via ILNAS e-Shop

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XH**

ICS 35.100.20; 25.040.40

ISBN 2-8318-9425-5

CONTENTS

FOREWORD.....	9
0 Introduction	11
0.1 General.....	11
0.2 Nomenclature for references within this standard	11
1 Scope.....	12
1.1 General.....	12
1.2 Specifications.....	12
1.3 Procedures.....	12
1.4 Applicability.....	13
1.5 Conformance.....	13
2 Normative references	13
3 Terms, definitions, symbols and abbreviations.....	13
3.1 Reference model terms and definitions.....	13
3.2 Service convention terms and definitions.....	15
3.3 Terms and definitions.....	16
3.4 Symbols and abbreviations.....	25
4 Overview of the DL-protocol	29
4.1 Three-level model of the DLL.....	29
4.2 Service provided by the DLL.....	31
4.3 Structure and definition of DL-addresses.....	38
4.4 Service assumed from the PhL.....	51
4.5 Functions of the DLL.....	54
4.6 Functional classes.....	56
4.7 Local parameters, variables, counters, timers and queues.....	58
5 General structure and encoding of PhIDUs and DLPDUs, and related elements of procedure.....	72
5.1 PhIDU structure and encoding.....	72
5.2 Common DLPDU structure, encoding and elements of procedure.....	72
6 DLPDU-specific structure, encoding and elements of procedure.....	83
6.1 Establish connection (EC) DLPDU.....	85
6.2 Disconnect connection (DC) DLPDU.....	87
6.3 Reset connection (RC) DLPDU.....	89
6.4 Compel acknowledgement (CA) DLPDU.....	91
6.5 Compel data (CD) DLPDU.....	98
6.6 Exchange data (ED) DLPDU.....	105
6.7 Data (DT) DLPDU.....	114
6.8 Status response (SR) DLPDU.....	121
6.9 Compel time (CT) DLPDU.....	124
6.10 Time distribution (TD) DLPDU.....	126
6.11 Round-trip-delay query (RQ) DLPDU.....	128
6.12 Round-trip-delay reply (RR) DLPDU.....	130
6.13 Probe node DL-address (PN) DLPDU.....	132
6.14 Probe response (PR) DLPDU.....	134
6.15 Pass token (PT) DLPDU.....	136
6.16 Execute sequence (ES) DLPDU.....	145
6.17 Return token (RT) DLPDU.....	151

6.18	Request interval (RI) DLPDU.....	153
6.19	Claim LAS (CL) DLPDU.....	154
6.20	Transfer LAS (TL) DLPDU.....	156
6.21	Wakeup (WK) DLPDU.....	159
6.22	Idle (IDLE) DLPDU.....	161
6.23	Spare DLPDUs.....	162
6.24	Reserved (not to be used) DLPDUs.....	163
7	DLPDU-parameter structure and encoding.....	164
7.1	Structure and encoding of EC-PARAMETERS.....	164
7.2	Structure and encoding of DC-PARAMETERS.....	169
7.3	Structure and encoding of RC-PARAMETERS.....	170
7.4	Structure and encoding of SD-Parameters.....	172
7.5	Structure and encoding of SR-parameters.....	179
7.6	Structure and encoding of TD-parameters.....	180
7.7	Structure and encoding of RQ-parameters.....	183
7.8	Structure and encoding of RR-parameters.....	183
7.9	Structure and encoding of PN-parameters.....	184
7.10	Structure and encoding of DD-parameters.....	186
8	DL-service elements of procedure.....	186
8.1	Operation of the DL(SAP)-address, buffer and queue management services.....	187
8.2	Operation of the connection-mode services.....	191
8.3	Operation of the connectionless-mode services.....	232
8.4	Operation of the scheduling guidance services.....	243
9	DL-support subprotocol.....	253
9.1	Scope.....	253
9.2	Overview of LAS operation.....	253
9.3	DL-support subprotocol definition.....	254
9.4	Elements of Procedures for receiving SPDUs.....	287
10	Other DLE elements of procedure.....	288
10.1	DLE initialization.....	289
10.2	LAS behavior and operation.....	293
10.3	DL-support operation.....	299
10.4	DL-bridge elements of procedure and bridge sub-protocol.....	305
10.5	DL-management-information.....	335
10.6	Implementation profiles.....	339
11	PICS proforma.....	345
11.1	Introduction.....	345
11.2	Scope.....	345
11.3	Normative references.....	345
11.4	Definitions.....	345
11.5	Abbreviations.....	345
11.6	Conformance.....	346
11.7	Instructions.....	346
11.8	Identification.....	346
11.9	Implementation profile.....	347
11.10	Major low-level capabilities.....	351
11.11	Major high-level capabilities.....	365
	Annex A (informative) – Exemplary FCS implementation.....	376

Annex B (informative) – Type 1: Formal protocol finite state machines.....	378
B.1 Basic reception and transmission FSMs	378
B.2 FSMs for DLCs.....	389
B.3 FSMs for scheduling.....	395
B.4 FSMs for bridges.....	395
Annex C (informative) – Type 1: DLPDU and DL-addressing short-form summaries	397
C.1 Fields used in short-form summaries	397
C.2 DLPDU short-form summary grouped by function	399
C.3 DLPDU short-form summary in alphabetic order of DLPDU names	401
C.4 DLPDU short-form summary in alphabetic order of DLPDU acronyms.....	402
C.5 DLPDU FC code-point assignment matrix – overview and detail.....	403
C.6 SD-parameters (status and data-description parameters) of CA, CD, ED and DT DLPDUs.....	406
C.7 EC parameters of EC DLPDUs	409
C.8 Parameters of DC and RC DLPDUs.....	411
C.9 Parameters of TD, RQ and RR DLPDUs	413
C.10 Parameters of PN, PT, ES and RI DLPDUs	415
C.11 Addressing summary extracted from figures and tables of 4.3	417
Bibliography.....	421
INDEX	422
Figure 1 – Relationships of DLSAPs, DLSAP-addresses, DLCEPs, DLCEP-addresses, DLSEP-addresses and group DL-addresses	19
Figure 2 – Basic structure of a DL-address	38
Figure 3 – Basic structure of a sublink selector.....	39
Figure 4 – DL-address alternative structures.....	39
Figure 5 – Basic structure of MAC-addresses	51
Figure 6 – Representation of a DL-address as a MAC-address	51
Figure 7 – Linear relationships of sending and receiving DLCEP sequence-number variables.....	63
Figure 8 – DL-address alternative structures.....	75
Figure 9 – SHORT DL-address field – alternative implicit structures.....	75
Figure 10 – NODE DL-address field – implicit structure	76
Figure 11 – State transition diagram for a DLCEP.....	191
Figure 12 – Projection of the sending and receiving DLCEP sequence-number variables of Figure 7 onto the cyclic sequence-number parameters of CA, CD, DT, ED and RC DLPDUs, with consequent determination of required actions.....	208
Figure 13 – State transitions of a DLE	289
Figure 14 – Bridged network topology.....	306
Figure 15 – Spanning tree representation	306
Figure 16 – DLSDU transit delay, DLPDU lifetime and bridge forwarding delay	311
Figure 17 – Forwarding and delivering a received DLPDU	315
Figure 18 – Forwarding a locally-originated DLPDU	315
Figure 19 – Republishing a DLSDU received from another link	316
Figure 20 – Bridge architecture.....	318
Figure 21 – Replacement for [IL] Fig 3-2 Bridge ports	327
Figure 22 – Replacement for [IL] Fig 3-3 Bridge architecture	327

Figure A.1 – Example of FCS generation	376
Figure A.2 – Example of FCS syndrome checking on reception.....	376
Figure B.1 – Gross structure of FC code points.....	403
Figure B.2 [Figure 2] – Basic structure of a DL-address	417
Figure B.3 [Figure 3] – Basic structure of a sublink selector.....	417
Figure B.4 [Figure 4] – DL-address alternative structures	417
Figure B.5 [Figure 5] – Basic structure of MAC-addresses	417
Figure B.6 [Figure 6] – Representation of a DL-address as a MAC-address	417
Table 1 – Link node selector addressing	42
Table 2 – Link-local node selector addressing.....	44
Table 3 – Link-local node designators.....	46
Table 4 – Node-local selector addressing	48
Table 5 – Predefined flat non-local DL-addresses	49
Table 6 – Predefined flat link-local DL-addresses	50
Table 7 – Predefined node-local DL-addresses	50
Table 8 – Correlation of DLPDUs with functional classes.....	56
Table 9 – FCS length, polynomial and expected residual	77
Table 10 – Summary structure of DLPDUs.....	84
Table 11 – DLPDU restrictions based on dominant token.....	85
Table 12 – Structure of EC DLPDUs	85
Table 13 – Structure of DC DLPDUs	88
Table 14 – Structure of RC DLPDUs	90
Table 15 – Structure of CA DLPDUs	92
Table 16 – Structure of CD DLPDUs	98
Table 17 – Structure of ED DLPDUs	106
Table 18 – Structure of DT DLPDUs	114
Table 19 – Structure of SR DLPDUs	122
Table 20 – Structure of CT DLPDUs	124
Table 21 – Structure of TD DLPDUs	126
Table 22 – Structure of RQ DLPDUs.....	128
Table 23 – Structure of RR DLPDUs	130
Table 24 – Structure of PN DLPDUs	132
Table 25 – Structure of PR DLPDUs	135
Table 26 – Structure of PT DLPDUs.....	136
Table 27 – Structure of ES DLPDUs	145
Table 28 – Structure of RT DLPDUs	151
Table 29 – Structure of RI DLPDUs.....	153
Table 30 – Structure of CL DLPDUs.....	154
Table 31 – Structure of TL DLPDUs	156
Table 32 – Structure of WK DLPDUs.....	159
Table 33 – Structure of IDLE DLPDUs.....	161
Table 34 – Assumed structure of undefined (spare) DLPDUs	162

Table 35 – Assumed structure of RESERVED (NOT TO BE USED) DLPDUs	164
Table 36 – Structure of an EC DLPDU's parameters	165
Table 37 – EC-parameters: 1st octet.....	165
Table 38 – EC-parameters: 2nd octet.....	165
Table 39 – EC-parameters: 3rd and 4th octets	166
Table 40 – EC-parameters: 5th and 6th octets	166
Table 41 – EC-parameters: 7th octet	167
Table 42 – EC-parameters: 8th octet	167
Table 43 – EC-parameters: 9th and 10th octets	168
Table 44 – EC-parameters: 11th octet.....	168
Table 45 – EC-parameters: 12th octet.....	169
Table 46 – EC-parameters: 13th and 14th octets	169
Table 47 – DC-parameters and RC-parameters: 1st octet.....	169
Table 48 – DC-parameters and RC-parameters: 2nd octet.....	170
Table 49 – Disconnect reasons.....	171
Table 50 – Reset reasons	172
Table 51 – RC-parameters: 3rd octet.....	172
Table 52 – RC-parameters: 4th octet.....	172
Table 53 – Structure of connectionless-mode CA, CD, DT and ED DLPDUs.....	173
Table 54 – Short format SD-parameters for connectionless transaction initiators	174
Table 55 – Short format SD-parameters for connectionless responders	174
Table 56 – Reply status for unitdata-acknowledgment and exchange-unitdata-reply DT DLPDUs.....	175
Table 57 – Structure of connection-oriented CA, CD, DT and ED DLPDUs.....	177
Table 58 – Short format SD-parameters for DLCEP state.....	178
Table 59 – Long format SD-parameters for DLCEP state: 1st octet.....	178
Table 60 – Long format SD-parameters for DLCEP state: 2nd octet.....	178
Table 61 – Long format SD-parameters for DLCEP state: 3rd octet.....	179
Table 62 – Reply status for SR DLPDUs	180
Table 63 – Short format SR-parameters.....	180
Table 64 – Structure of TD-parameters	181
Table 65 – Structure and encoding of the DL-time-quality measures	181
Table 66 – Approximate numeric significance of the bits of seven-octet DL-time	182
Table 67 – Approximate numeric significance of the bits of three-octet short time	183
Table 68 – Structure of RQ-parameters	183
Table 69 – Structure of RR-parameters.....	184
Table 70 – Structure and encoding of the RR-time-quality measures	184
Table 71 – Structure of PN-parameters.....	185
Table 72 – PN-parameters: 1st octet.....	185
Table 73 – PN-parameters: 2nd octet.....	185
Table 74 – PN-parameters: 3rd and 4th octets	186
Table 75 – PN-parameters: 5th octet	186
Table 76 – PN-parameters: 6th octet	186