

# INTERNATIONAL STANDARD



**Industrial communication networks – Fieldbus specifications –  
Part 4-2: Data-link layer protocol specification – Type 2 elements**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00



IEC 61158-4-2

Edition 2.0 2010-08

# INTERNATIONAL STANDARD



**Industrial communication networks – Fieldbus specifications –  
Part 4-2: Data-link layer protocol specification – Type 2 elements**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE **XH**

ICS 25.04.40; 35.100.20; 35.110

ISBN 978-2-88912-084-0

IEC 61158-4-2 Ed. 2.0 - Preview only Copy via ILNAS e-Shop

Without a name

## CONTENTS

FOREWORD.....	9
INTRODUCTION.....	11
1 Scope.....	13
1.1 General.....	13
1.2 Specifications.....	13
1.3 Procedures.....	13
1.4 Applicability.....	14
1.5 Conformance.....	14
2 Normative references.....	14
3 Terms, definitions, symbols and abbreviations.....	15
3.1 Reference model terms and definitions.....	15
3.2 Service convention terms and definitions.....	17
3.3 Common terms and definitions.....	18
3.4 Additional Type 2 definitions.....	20
3.5 Type 2 symbols and abbreviations.....	27
4 Overview of the data-link protocol.....	28
4.1 General.....	28
4.2 Services provided by the DL.....	30
4.3 Structure and definition of DL-addresses.....	31
4.4 Services assumed from the PhL.....	33
4.5 Functional classes.....	36
5 General structure and encoding of PhPDUs and DLPDUs and related elements of procedure.....	36
5.1 Overview.....	36
5.2 Media access procedure.....	36
5.3 DLPDU structure and encoding.....	40
5.4 Lpacket components.....	44
5.5 DLPDU procedures.....	46
5.6 Summary of DLL support services and objects.....	47
6 Specific DLPDU structure, encoding and procedures.....	49
6.1 Modeling language.....	49
6.2 DLS user services.....	51
6.3 Generic tag Lpacket.....	57
6.4 Moderator Lpacket.....	58
6.5 Time distribution Lpacket.....	59
6.6 UCMM Lpacket.....	61
6.7 Keeper UCMM Lpacket.....	62
6.8 TUI Lpacket.....	62
6.9 Link parameters Lpacket and tMinus Lpacket.....	63
6.10 I'm-alive Lpacket.....	65
6.11 Ping Lpackets.....	66
6.12 WAMI Lpacket.....	68
6.13 Debug Lpacket.....	68
6.14 IP Lpacket.....	69
6.15 Ethernet Lpacket.....	69
7 Objects for station management.....	69

7.1	General .....	69
7.2	ControlNet object .....	70
7.3	Keeper object .....	80
7.4	Scheduling object .....	102
7.5	TCP/IP Interface object .....	113
7.6	Ethernet link object .....	122
7.7	DeviceNet object .....	130
7.8	Connection configuration object (CCO) .....	139
7.9	DLR object .....	160
7.10	QoS object .....	169
8	Other DLE elements of procedure .....	171
8.1	Network attachment monitor (NAM) .....	171
8.2	Calculating link parameters .....	178
9	Detailed specification of DL components .....	186
9.1	General .....	186
9.2	Access control machine (ACM) .....	186
9.3	TxLLC .....	203
9.4	RxLLC .....	207
9.5	Transmit machine (TxM) .....	210
9.6	Receive machine (RxM) .....	213
9.7	Serializer .....	219
9.8	Deserializer .....	220
9.9	DLL management .....	221
10	Device Level Ring (DLR) protocol .....	223
10.1	General .....	223
10.2	Supported topologies .....	223
10.3	Overview of DLR operation .....	225
10.4	Classes of DLR implementation .....	227
10.5	DLR behavior .....	228
10.6	Implementation requirements .....	233
10.7	Using non-DLR nodes in the ring network .....	235
10.8	DLR messages .....	238
10.9	State diagrams and state-event-action matrices .....	243
10.10	Performance analysis .....	264
Annex A	(normative) Indicators and switches .....	268
Bibliography	.....	281
Figure 1	– Relationships of DLSAPs, DLSAP-addresses and group DL-addresses .....	19
Figure 2	– Data-link layer internal architecture .....	29
Figure 3	– Basic structure of a MAC ID address .....	31
Figure 4	– Basic structure of a generic tag address .....	32
Figure 5	– Basic structure of a fixed tag address .....	32
Figure 6	– M_symbols and Manchester encoding at 5 MHz .....	34
Figure 7	– NUT structure .....	37
Figure 8	– Media access during scheduled time .....	38
Figure 9	– Media access during unscheduled time .....	39
Figure 10	– DLPDU format .....	40

Figure 11 – Aborting a DLPDU during transmission .....	43
Figure 12 – Lpacket format .....	44
Figure 13 – Generic tag Lpacket format .....	45
Figure 14 – Fixed tag Lpacket format .....	46
Figure 15 – Goodness parameter of TimeDist_Lpacket .....	60
Figure 16 – Example I'm alive processing algorithm .....	66
Figure 17 – Keeper CRC algorithm .....	87
Figure 18 – Keeper object power-up state diagram .....	98
Figure 19 – Keeper object operating state diagram .....	99
Figure 20 – Synchronized network change processing .....	102
Figure 21 – State transition diagram for TCP/IP Interface object .....	122
Figure 22 – Connection configuration object edit flowchart .....	160
Figure 23 – NAM state machine .....	172
Figure 24 – DLR rings connected to switches .....	224
Figure 25 – Normal operation of a DLR network .....	225
Figure 26 – Beacon and Announce frames .....	225
Figure 27 – Link failure .....	226
Figure 28 – Network reconfiguration after link failure .....	227
Figure 29 – Neighbor Check process .....	233
Figure 30 – Unsupported topology – example 1 .....	237
Figure 31 – Unsupported topology – example 2 .....	237
Figure 32 – State transition diagram for Beacon frame based non-supervisor ring node .....	243
Figure 33 – State transition diagram for Announce frame based non-supervisor ring node .....	248
Figure 34 – State transition diagram for ring supervisor .....	251
Figure A.1 – Non redundant network status indicator labeling .....	272
Figure A.2 – Redundant network status indicator labeling .....	273
Table 1 – Data-link layer components .....	29
Table 2 – MAC ID addresses allocation .....	32
Table 3 – Fixed tag service definitions .....	33
Table 4 – Data encoding rules .....	34
Table 5 – M Data symbols .....	35
Table 6 – Truth table for ph_status_indication .....	35
Table 7 – FCS length, polynomials and constants .....	41
Table 8 – DLL support services and objects .....	48
Table 9 – Elementary data types .....	51
Table 10 – DLL events .....	55
Table 11 – Time distribution priority .....	60
Table 12 – Format of the TUI Lpacket .....	63
Table 13 – ControlNet object class attributes .....	71
Table 14 – ControlNet object instance attributes .....	71
Table 15 – TUI status flag bits .....	75

Table 16 – Channel state bits .....	76
Table 17 – ControlNet object common services.....	78
Table 18 – ControlNet object class specific services .....	79
Table 19 – Keeper object revision history .....	81
Table 20 – Keeper object class attributes .....	81
Table 21 – Keeper object instance attributes .....	82
Table 22 – Keeper operating state definitions .....	84
Table 23 – Port status flag bit definitions .....	85
Table 24 – TUI status flag bits .....	86
Table 25 – Keeper attributes.....	88
Table 26 – Memory requirements (in octets) for the Keeper attributes.....	89
Table 27 – Keeper object common services .....	89
Table 28 – Keeper object class specific services .....	90
Table 29 – Service error codes .....	91
Table 30 – Wire order format of the TUI Lpacket.....	95
Table 31 – Service error codes .....	96
Table 32 – Keeper object operating states .....	96
Table 33 – Keeper object state event matrix .....	100
Table 34 – Scheduling object class attributes .....	103
Table 35 – Scheduling object instance attributes .....	104
Table 36 – Scheduling object common services .....	104
Table 37 – Status error descriptions for Create.....	105
Table 38 – Status error descriptions for Delete and Kick_Timer .....	106
Table 39 – Scheduling object class specific services .....	106
Table 40 – Status error descriptions for Read .....	108
Table 41 – Status error descriptions for Conditional_Write .....	109
Table 42 – Status error descriptions for Forced_Write .....	109
Table 43 – Status error descriptions for Change_Start.....	110
Table 44 – Status error descriptions for Break_Connections .....	110
Table 45 – Status error descriptions for Change_Complete.....	111
Table 46 – Status error descriptions for Restart_Connections .....	112
Table 47 – TCP/IP Interface object class attributes.....	113
Table 48 – TCP/IP Interface object instance attributes.....	114
Table 49 – Status bits .....	116
Table 50 – Configuration capability bits .....	116
Table 51 – Configuration control bits.....	117
Table 52 – Example path .....	117
Table 53 – Interface configuration components .....	118
Table 54 – Alloc control values .....	119
Table 55 – TCP/IP Interface object common services .....	120
Table 56 – Get_Attribute_All reply format .....	120
Table 57 – Ethernet link object revision history .....	122
Table 58 – Ethernet link object class attributes .....	123

Table 59 – Ethernet link object instance attributes .....	124
Table 60 – Interface flags bits .....	127
Table 61 – Control bits .....	128
Table 62 – Interface type .....	128
Table 63 – Interface state .....	129
Table 64 – Admin state .....	129
Table 65 – Ethernet Link object common services .....	129
Table 66 – Ethernet Link object class specific services .....	130
Table 67 – DeviceNet object revision history .....	131
Table 68 – DeviceNet object class attributes .....	131
Table 69 – DeviceNet object instance attributes .....	132
Table 70 – Bit rate attribute values .....	134
Table 71 – BOI attribute values .....	135
Table 72 – Diagnostic counters bit description .....	136
Table 73 – DeviceNet object common services .....	137
Table 74 – Reset service parameter .....	138
Table 75 – Reset service parameter values .....	138
Table 76 – DeviceNet object class specific services .....	139
Table 77 – Connection configuration object revision history .....	140
Table 78 – Connection configuration object class attributes .....	141
Table 79 – Format number values .....	142
Table 80 – Connection configuration object instance attributes .....	143
Table 81 – Originator connection status values .....	145
Table 82 – Target connection status values .....	146
Table 83 – Connection flags .....	146
Table 84 – I/O mapping formats .....	148
Table 85 – Connection configuration object common services .....	149
Table 86 – Get_Attribute_All error codes .....	149
Table 87 – Get_Attribute_All response .....	150
Table 88 – Set_Attribute_All error codes .....	151
Table 89 – Set_Attribute_All request .....	152
Table 90 – Create request parameters .....	153
Table 91 – Create error codes .....	154
Table 92 – Delete error codes .....	154
Table 93 – Restore error codes .....	154
Table 94 – Connection configuration object class specific services .....	155
Table 95 – Kick_Timer error codes .....	155
Table 96 – Open_Connection error codes .....	156
Table 97 – Close_Connection error codes .....	156
Table 98 – Stop_Connection error codes .....	156
Table 99 – Change_Start error codes .....	157
Table 100 – Get_Status service parameter .....	157
Table 101 – Get_Status service response .....	157