

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 5-7: Application layer service definition – Type 7 elements**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 61158-5-7

Edition 1.0 2007-12

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 5-7: Application layer service definition – Type 7 elements**

IEC 61158-5-7 Ed. 1.0 - Preview only Copy via ILNAS e-Shop

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XK**

ICS 35.100.70; 25.040.40

ISBN 2-8318-9455-7

CONTENTS

| | |
|---|-----|
| FOREWORD..... | 7 |
| INTRODUCTION..... | 9 |
| 1 Scope..... | 10 |
| 1.1 Overview..... | 10 |
| 1.2 Specifications..... | 11 |
| 1.3 Conformance..... | 11 |
| 2 Normative references..... | 11 |
| 3 Terms, definitions, symbols, abbreviations and conventions..... | 12 |
| 3.1 ISO/IEC 7498-1 terms..... | 12 |
| 3.2 ISO/IEC 8822 terms..... | 12 |
| 3.3 ISO/IEC 9545 terms..... | 12 |
| 3.4 ISO/IEC 8824 terms..... | 12 |
| 3.5 Fieldbus data-link layer terms..... | 12 |
| 3.6 Fieldbus application layer specific definitions..... | 14 |
| 3.7 Abbreviations and symbols..... | 21 |
| 3.8 Conventions..... | 22 |
| 4 Concepts..... | 26 |
| 5 Data type ASE..... | 26 |
| 5.1 Overview..... | 26 |
| 5.2 Formal definition of data type objects..... | 26 |
| 5.3 FAL defined data types..... | 26 |
| 6 Communication model specification..... | 28 |
| 6.1 Concepts..... | 28 |
| 6.2 ASEs..... | 45 |
| 6.3 ARs..... | 215 |
| Bibliography..... | 236 |
| Figure 1 – Organisation of the ASEs and ARs..... | 29 |
| Figure 2 – Object model of the MPS ASE..... | 49 |
| Figure 3 – Time-out evaluation net..... | 61 |
| Figure 4 – Asynchronous promptness status evaluation net..... | 65 |
| Figure 5 – Synchronous promptness status evaluation net..... | 66 |
| Figure 6 – Punctual promptness status evaluation net..... | 68 |
| Figure 7 – Asynchronous refreshment status evaluation net..... | 71 |
| Figure 8 – Synchronous refreshment status evaluation net..... | 72 |
| Figure 9 – Punctual refreshment status evaluation net..... | 74 |
| Figure 10 – A_Readloc service procedure..... | 77 |
| Figure 11 – A_Writeloc service procedure..... | 79 |
| Figure 12 – A_Update service procedure..... | 81 |
| Figure 13 – A_Readfar service procedure..... | 83 |
| Figure 14 – A_Writefar service procedure..... | 85 |
| Figure 15 – A_Sent service procedure..... | 86 |
| Figure 16 – A_Received service procedure..... | 87 |
| Figure 17 – A_Read service procedure..... | 89 |

| | |
|--|-----|
| Figure 18 – A_Read service state machine | 90 |
| Figure 19 – A_Write service procedure | 91 |
| Figure 20 – A_Write service state machine | 92 |
| Figure 21 – Model of a resynchronised variable | 95 |
| Figure 22 – Principles for resynchronisation of a produced variable | 96 |
| Figure 23 – Resynchronisation mechanism state machine for a produced variable..... | 98 |
| Figure 24 – Asynchronous refreshment private mechanism evaluation net | 99 |
| Figure 25 – Asynchronous refreshment public mechanism evaluation net | 100 |
| Figure 26 – Synchronous refreshment private mechanism evaluation net..... | 101 |
| Figure 27 – Synchronous refreshment public mechanism evaluation net | 102 |
| Figure 28 – Punctual refreshment private mechanism evaluation net | 103 |
| Figure 29 – Punctual refreshment public mechanism evaluation net..... | 104 |
| Figure 30 – Principles for the resynchronisation of a consumed variable..... | 105 |
| Figure 31 – Resynchronisation mechanism state machine for consumed variable | 107 |
| Figure 32 – Asynchronous promptness public mechanism evaluation net..... | 108 |
| Figure 33 – Asynchronous promptness private mechanism evaluation net | 109 |
| Figure 34 – Synchronous promptness public mechanism evaluation net | 110 |
| Figure 35 – Synchronous promptness private mechanism evaluation net | 111 |
| Figure 36 – Punctual promptness public mechanism evaluation net | 113 |
| Figure 37 – Punctual promptness private mechanism evaluation net..... | 114 |
| Figure 38 – Spatial consistency list variables interchange mechanism | 116 |
| Figure 39 – Spatial consistency – consistency variable interchange mechanism | 117 |
| Figure 40 – Spatial consistency – list recovery mechanism | 117 |
| Figure 41 – Spatial consistency – validity of the spatial consistency status | 118 |
| Figure 42 – Object model of a variable list | 118 |
| Figure 43 – A_Readlist service procedure..... | 124 |
| Figure 44 – Consistency variable value evaluation net..... | 130 |
| Figure 45 – Consistency interchange timing diagram | 131 |
| Figure 46 – Recovery mechanism evaluation net | 132 |
| Figure 47 – Recovery interchange timing diagram..... | 132 |
| Figure 48 – Flowchart of the sub-MMS environment management state | 138 |
| Figure 49 – Domain management state chart..... | 169 |
| Figure 50 – Domain upload flowchart | 171 |
| Figure 51 – Domain download sequence diagram | 172 |
| Figure 52 – Domain upload sequence diagram | 172 |
| Figure 53 – Program invocation state chart..... | 185 |
| Figure 54 – A_Associate service procedure | 224 |
| Figure 55 – A_Release service procedure..... | 227 |
| Figure 56 – A_Abort service procedure | 228 |
| Figure 57 – A_Data service procedure | 230 |
| Figure 58 – A_Unidata service procedure | 233 |
| Figure 59 – Associated mode service state chart | 234 |
| Figure 60 – Non-associated mode service state chart | 235 |

| | |
|---|-----|
| Table 1 – Binary time coding..... | 27 |
| Table 2 – Access protection..... | 44 |
| Table 3 – Binary time coding..... | 60 |
| Table 4 – Asynchronous promptness events and actions | 65 |
| Table 5 – Synchronous promptness events and actions | 66 |
| Table 6 – Punctual promptness events and actions..... | 68 |
| Table 7 – Asynchronous refreshment events and actions..... | 71 |
| Table 8 – Synchronous refreshment events and actions..... | 72 |
| Table 9 – Punctual refreshment events and actions | 75 |
| Table 10 – A_Readloc service parameters..... | 76 |
| Table 11 – A_Writeloc service parameters..... | 78 |
| Table 12 – A_Update service parameters | 80 |
| Table 13 – A_Readfar service parameters | 82 |
| Table 14 – A_Writefar service parameters | 84 |
| Table 15 – A_Sent service parameters | 86 |
| Table 16 – A_Received service parameters | 87 |
| Table 17 – A_Read service parameters | 88 |
| Table 18 – A_Write service parameters | 90 |
| Table 19 – Asynchronous refreshment private mechanism events and actions..... | 99 |
| Table 20 – Asynchronous refreshment public mechanism events and actions | 100 |
| Table 21 – Synchronous refreshment private mechanism events and actions..... | 101 |
| Table 22 – Synchronous refreshment public mechanism events and actions | 102 |
| Table 23 – Punctual refreshment private mechanism events and actions | 104 |
| Table 24 – Punctual refreshment public mechanism events and actions..... | 105 |
| Table 25 – Asynchronous promptness public mechanism events and actions..... | 108 |
| Table 26 – Asynchronous promptness private mechanism events and actions | 109 |
| Table 27 – Synchronous promptness public mechanism events and actions | 110 |
| Table 28 – Synchronous promptness privatemechanism events and actions | 112 |
| Table 29 – Punctual promptness public mechanism events and actions | 113 |
| Table 30 – Punctual promptness privatemechanism events and actions..... | 114 |
| Table 31 – A_Readlist service parameters..... | 123 |
| Table 32 – Confirmed initiate service parameters..... | 143 |
| Table 33 – Detailed structure of the extension calling parameter | 144 |
| Table 34 – Detailed structure of the init request detail parameter..... | 145 |
| Table 35 – Detailed structure of the extension called parameter | 146 |
| Table 36 – Detailed structure of the init request detail parameter..... | 147 |
| Table 37 – Conclude service parameter..... | 148 |
| Table 38 – Unconfirmed abort service parameters | 150 |
| Table 39 – Unconfirmed reject service parameters..... | 151 |
| Table 40 – Confirmed status service parameters | 153 |
| Table 41 – Unconfirmed unsolicited status service parameter | 154 |
| Table 42 – Confirmed identify service parameters..... | 154 |

| | |
|--|-----|
| Table 43 – Confirmed get name list service paramaters | 155 |
| Table 44 – Access group attribute description for domain object | 158 |
| Table 45 – Access rights attribute description for domain object | 158 |
| Table 46 – Confirmed delete domain service parameters | 159 |
| Table 47 – Confirmed initiate download sequence service parameters..... | 160 |
| Table 48 – Confirmed download segment service parameters | 161 |
| Table 49 – Confirmed terminate download sequence service parameters..... | 162 |
| Table 50 – Confirmed initiate upload sequence service parameters | 164 |
| Table 51 – Confirmed upload segment service parameters | 165 |
| Table 52 – Confirmed terminate upload sequence service parameters..... | 166 |
| Table 53 – Confirmed get domain attributes service parameters | 167 |
| Table 54 – Access group attribute details for program invocation object | 174 |
| Table 55 – Access rights attribute details for program invocation object..... | 175 |
| Table 56 – Confirmed create program invocation service parameters..... | 176 |
| Table 57 – Confirmed delete program invocation service parameters..... | 178 |
| Table 58 – Confirmed start service parameters | 179 |
| Table 59 – Confirmed stop service parameters | 180 |
| Table 60 – Confirmed resume service parameters | 181 |
| Table 61 – Confirmed reset service parameters | 182 |
| Table 62 – Confirmed kill service parameters..... | 183 |
| Table 63 – Access group attribute details for variable object..... | 187 |
| Table 64 – Access rights attribute details for variable object | 188 |
| Table 65 – Access group attribute details for variable list object | 189 |
| Table 66 – Access right attribute details for variable list objects | 189 |
| Table 67 – Confirmed read service parameters | 190 |
| Table 68 – Confirmed write service parameters | 192 |
| Table 69 – Unconfirmed information report service parameters..... | 193 |
| Table 70 – Confirmed define variable-list service parameters | 194 |
| Table 71 – Confirmed delete variable-list service parameters | 196 |
| Table 72 – Confirmed get variable access attributes service parameters | 197 |
| Table 73 – Confirmed get variable-list attributes service parameters..... | 198 |
| Table 74 – Data type specification | 200 |
| Table 75 – Variable access specification | 201 |
| Table 76 – Variable access description attribute details | 201 |
| Table 77 – Path selection parameters | 202 |
| Table 78 – Access group attribute detail for event object | 205 |
| Table 79 – Access rights attribute details for event object..... | 206 |
| Table 80 – Unconfirmed event notification service parameters | 207 |
| Table 81 – Event type parameter details | 207 |
| Table 82 – Confirmed acknowledged event notification service parameter | 209 |
| Table 83 – Confirmed alter event condition monitoring service parameters | 210 |
| Table 84 – Confirmed get alarm summary service parameters | 212 |
| Table 85 – Confirmed get event condition attributes service parameters | 214 |

| | |
|---|-----|
| Table 86 – Classification of service quality parameters | 217 |
| Table 87 – Identification parameters | 221 |
| Table 88 – List of MCS AR ASE services | 222 |
| Table 89 – A_Associate service parameters..... | 222 |
| Table 90 – A_Release service parameters..... | 227 |
| Table 91 – A_Abort service parameters | 228 |
| Table 92 – A_Data service parameters | 229 |
| Table 93 – A_Unidata service parameters..... | 230 |