

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 5-1: Control circuit devices and switching elements – Electromechanical
control circuit devices**

**Appareillage à basse tension –
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –
Appareils électromécaniques pour circuits de commande**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 5-1: Control circuit devices and switching elements – Electromechanical
control circuit devices**

**Appareillage à basse tension –
Partie 5-1: Appareils et éléments de commutation pour circuits de commande –
Appareils électromécaniques pour circuits de commande**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.40; 29.130.20

ISBN 978-2-88910-340-9

CONTENTS

FOREWORD.....	5
1 General	7
1.1 Scope and object.....	7
1.2 Normative references	8
2 Definitions	10
2.1 Basic definitions	12
2.2 Control switches	12
2.3 Parts of control switches.....	15
2.4 Operation of control switches.....	17
3 Classification	20
3.1 Contact elements.....	20
3.2 Control switches	20
3.3 Control circuit devices	20
3.4 Time delay switching elements	20
3.5 Control switch mounting	20
4 Characteristics.....	20
4.1 Summary of characteristics.....	20
4.2 Type of control circuit device or switching element	21
4.3 Rated and limiting values for switching elements	22
4.4 Utilization categories for switching elements.....	23
4.5 Vacant.....	24
4.6 Vacant.....	24
4.7 Vacant.....	24
4.8 Vacant.....	24
4.9 Switching overvoltages	24
4.10 Electrically separated contact elements	24
4.11 Actuating quantities for pilot switches	24
4.12 Pilot switches having two or more contact elements.....	24
5 Product information	24
5.1 Nature of information	24
5.2 Marking	25
5.3 Instructions for installation, operation and maintenance.....	26
5.4 Additional information	26
6 Normal service, mounting and transport conditions	26
7 Constructional and performance requirements	28
7.1 Constructional requirements	28
7.2 Performance requirements.....	29
7.3 Electromagnetic compatibility (EMC)	30
8 Tests	32
8.1 Kinds of test	32
8.2 Compliance with constructional requirements	33
8.3 Performance.....	34

Annex A (normative) Electrical ratings based on utilization categories (see 3.1)	46
Annex B (normative) Example of inductive test loads for d.c. contacts	48
Annex C (normative) Special tests – Durability tests	50
Annex D Vacant.....	54
Annex E (normative) Items subject to agreement between manufacturer and user	55
Annex F (normative) Class II control circuit devices insulated by encapsulation Requirements and tests	56
Annex G (normative) Additional requirements for control circuit devices with integrally connected cables.....	60
Annex H (normative) Additional requirements for semiconductor switching elements for control circuit devices	63
Annex J (normative) Special requirements for indicator lights and indicating towers	72
Annex K (normative) Special requirements for control switches with direct opening action	78
Annex L (normative) Special requirements for mechanically linked contact elements	84
Annex M (normative) Terminal marking, distinctive number and distinctive letter for control circuit devices	87
Bibliography.....	92
Figure 1 – Examples of the recommended method for drawing an operating diagram of a rotary switch	39
Figure 2 – Operation of push-buttons.....	40
Figure 3 – Difference e between the over-travel of the actuator and that of the contact element	41
Figure 4 – Examples of contact elements (schematic sketches)	42
Figure 5 – Test circuits for multi-pole control switches – Contacts of same polarity, not electrically separated.....	43
Figure 6 – Test circuits for multi-pole control switches – Contacts of opposite polarity, and electrically separated	43
Figure 7 – Load L_d details for test conditions requiring different values of make and break current and/or power factor (time constant)	44
Figure 8 – Test circuit, conditional short-circuit current (see 8.3.4.2)	45
Figure 9 – Current/time limits for d.c. test loads (see 8.3.3.5.3)	45
Figure B.1 – Construction of load for d.c. contacts	49
Figure C.1 – Normal circuit (see C.3.2.1)	53
Figure C.2 – Simplified circuit (see C.3.2.1)	53
Figure F.1 – Insulation by encapsulation	57
Figure F.2 – Test apparatus	58
Figure H.1 – Relationship between U_e and U_B	64
Figure H.2 – Example of test circuit for the verification of voltage drop, minimum operational current and OFF-state current (see H.8.2, H.8.3 and H.8.4).....	66
Figure H.3 – Short-circuit testing (see H.8.6.1)	67
Figure K.1 – Verification of robustness of the actuating system.....	83

Figure L.1 – Example of representation of NO and NC contacts which are mechanically linked and NC non-linked contact..... 85

Figure L.2 – Symbol for device containing mechanically linked contacts 85

Table 1 – Utilization categories for switching elements 23

Table 2 – Mounting hole diameter and dimensions of the key recess (if any) 27

Table 3 – Preferred minimum distances between centres of mounting holes 27

Table 4 – Verification of making and breaking capacities of switching elements under normal conditions corresponding to the utilization categories 31

Table 5 – Verification of making and breaking capacities of switching elements under abnormal conditions corresponding to the utilization categories 32

Table A.1 – Examples of contact rating designation based on utilization categories 46

Table A.2 – Examples of semiconductors switching element ratings for 50 Hz and/or 60 Hz 47

Table A.3 – Examples of semiconductors switching element ratings for d.c. 47

Table B.1 – DC loads 49


Table C.1 – Making and breaking conditions for electrical durability 52

Table H.1 – Immunity tests 69

Table M.1 – Diagrams of control switches 89

Table M.2 – Diagrams of contactor relays designated by the distinctive letter E 90

Table M.3 – Diagrams of contactor relays designated by the distinctive letter Y 91



INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

**Part 5-1: Control circuit devices and switching elements
Electromechanical control circuit devices**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-5-1 has been prepared by subcommittee 17B: Low-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

This consolidated version of IEC 60947-5-1 consists of the third edition (2003) [documents 17B/1297/FDIS and 17B/1309/RVD] and its amendment 1 (2009) [documents 17B/1653/FDIS and 17B/1667/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 3.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This International Standard should be used in conjunction with IEC 60947-1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60947 series, under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Withdrawn

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices

1 General

The provisions of the general rules, IEC 60947-1, are applicable to this standard, where specifically called for. General rules, clauses and subclauses thus applicable, as well as tables, figures and annexes are identified by a reference to IEC 60947-1, for example 1.2.3, Table 4 or Annex A of IEC 60947-1.

1.1 Scope and object

This part of IEC 60947 applies to control circuit devices and switching elements intended for controlling, signalling, interlocking, etc., of switchgear and controlgear.

It applies to control circuit devices having a rated voltage not exceeding 1 000 V a.c. (at a frequency not exceeding 1 000 Hz) or 600 V d.c.

However, for operational voltages below 100 V a.c. or d.c., see note 2 of 4.3.1.1.

This standard applies to specific types of control circuit devices such as:

- manual control switches, for example pushbuttons, rotary switches, foot switches, etc.;
- electromagnetically operated control switches, either time-delayed or instantaneous, for example contactor relays;
- pilot switches, for example pressure switches, temperature sensitive switches (thermostats), programmers, etc.;
- position switches, for example control switches operated by part of a machine or mechanism;
- associated control circuit equipment, for example indicator lights, etc.

NOTE 1 A control circuit device includes (a) control switch(es) and associated devices such as (an) indicator light(s).

NOTE 2 A control switch includes (a) switching element(s) and an actuating system.

NOTE 3 A switching element may be a contact element or a semiconductor element.

It also applies to specific types of switching elements associated with other devices (whose main circuits are covered by other standards) such as:

- auxiliary contacts of a switching device (e.g. contactor, circuit breaker, etc.) which are not dedicated exclusively for use with the coil of that device;
- interlocking contacts of enclosure doors;
- control circuit contacts of rotary switches;
- control circuit contacts of overload relays.