

# INTERNATIONAL STANDARD

---

**Maritime navigation and radiocommunication equipment and systems –  
Shipborne radar – Performance requirements, methods of testing and required  
test results**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00



IEC 62388

Edition 1.0 2007-12

# INTERNATIONAL STANDARD

---

**Maritime navigation and radiocommunication equipment and systems –  
Shipborne radar – Performance requirements, methods of testing and required  
test results**

IEC 62388 Ed. 1.0 - Preview only Copy via ILNAS e-Shop

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**XK**

---

ICS 47.020.70

ISBN 2-8318-9409-3

## CONTENTS

FOREWORD.....	11
1 Scope.....	13
1.1 Purpose .....	13
1.2 Application of these standards.....	14
1.3 Equipment categories.....	14
2 Normative references .....	15
3 Terms and definitions .....	16
4 General .....	25
4.1 Establishing equipment type and status.....	25
4.2 Conditions of measurement and related definitions.....	26
4.3 Test sites and simulation .....	26
4.3.1 Environmental and RF testing.....	26
4.3.2 Over-sea radar performance tests .....	26
4.3.3 Test targets and target simulation for performance tests.....	27
4.4 Quality requirements .....	27
4.5 Test terminology and format.....	27
4.5.1 General .....	27
4.5.2 Test requirement terminology .....	27
4.5.3 Testing method terminology.....	28
5 Radar performance.....	28
5.1 General.....	28
5.2 Transmission and interference.....	28
5.2.1 Transmission frequency.....	28
5.2.2 Interference.....	29
5.3 Performance optimisation and monitoring.....	29
5.3.1 General .....	29
5.3.2 Optimum performance .....	29
5.4 Gain and anti-clutter functions.....	30
5.4.1 General .....	30
5.4.2 Gain function .....	30
5.4.3 Manual and automatic sea anti-clutter .....	31
5.4.4 Rain anti-clutter .....	31
5.5 Signal processing.....	31
5.5.1 General .....	31
5.5.2 Target enhancement.....	31
5.5.3 Radar signal correlation.....	32
5.5.4 Signal processing and radar image latency.....	32
5.5.5 Second-time-around echoes .....	33
5.5.6 Transmission format .....	33
5.5.7 Picture update .....	33
5.5.8 Additional processing .....	33
5.5.9 Signal processing description .....	34
5.6 Operation with SARTs, target enhancers (RTEs) and beacons .....	34
5.6.1 General .....	34
5.6.2 Radar beacons, SARTs and enhancers .....	34

5.7	Minimum range and range compensation .....	35
5.7.1	General .....	35
5.7.2	Range compensation .....	35
5.7.3	Minimum range .....	35
5.8	Range and bearing discrimination .....	36
5.8.1	General .....	36
5.8.2	Measurement conditions .....	36
5.8.3	Range discrimination .....	36
5.8.4	Bearing discrimination .....	37
5.8.5	Fundamental radar accuracy .....	37
5.9	Target detection performance assessment .....	37
5.9.1	General .....	37
5.9.2	Range of first detection in minimal clutter .....	38
5.9.3	Assessment of target detection with clutter .....	40
5.9.4	Radar performance documentation .....	46
5.10	Radar antenna (including pitch and roll) .....	47
5.10.1	General .....	47
5.10.2	Vertical radiation pattern/pitch and roll .....	47
5.10.3	Antenna horizontal pattern.....	47
5.10.4	Antenna side lobes .....	48
5.11	Radar availability.....	49
5.11.1	Standby and transmit.....	49
6	Display presentation.....	49
6.1	General.....	49
6.2	Performance standards .....	49
6.3	Presentation of information.....	50
6.3.1	Consistency of layout .....	50
6.3.2	Consistency of presentation.....	50
6.3.3	Separation of operational display area.....	51
6.3.4	Operational display area information .....	51
6.4	Readability .....	51
6.4.1	Readability under all ambient light conditions .....	51
6.4.2	Legibility of alphanumeric data, information and text.....	53
6.4.3	Presentation of text .....	54
6.4.4	Icons .....	54
6.5	Colours and intensity.....	54
6.5.1	Use and discrimination of colour .....	54
6.6	Symbols .....	56
6.6.1	Operational information .....	56
6.7	Coding of information .....	56
6.7.1	Colour coding of alarm-related information .....	56
6.7.2	Colour coding in combination with other attributes .....	56
6.7.3	Flashing of information .....	57
6.8	Integrity marking .....	57
6.8.1	Indication of source, validity and integrity status .....	57
6.8.2	Colour coding of validity and integrity .....	57
6.9	Alarms and indications .....	58
6.9.1	Operational status .....	58
6.9.2	List of alarms.....	58

6.9.3	Alarm related information from multiple sources .....	59
6.10	Presentation of radar information .....	59
6.10.1	Radar video images.....	59
6.10.2	Linearity and index delay.....	60
6.11	Physical requirements .....	61
6.11.1	Operational display area.....	61
6.11.2	Contrast and brightness adjustment.....	61
6.11.3	Temporal stability .....	62
6.11.4	Physical controls and status indicators .....	62
6.12	Colours .....	63
6.12.1	Requirement.....	63
6.12.2	Method of test and required results .....	63
6.13	Screen resolution .....	63
6.13.1	Requirement.....	63
6.13.2	Methods of test and required results.....	63
6.14	Screen viewing angle .....	64
6.14.1	Requirement.....	64
6.14.2	Methods of test and required results.....	64
6.15	Magnetic interference .....	64
6.15.1	Requirement.....	64
6.15.2	Methods of test and required results.....	64
7	CCRP and own ship .....	64
7.1	Consistent common reference point (CCRP) .....	64
7.1.1	CCRP position.....	64
7.1.2	Measurements.....	65
7.1.3	Antenna offset .....	65
7.2	Own ship .....	66
7.2.1	General .....	66
7.2.2	Own ship's outline and minimised symbol.....	66
7.2.3	Heading line .....	66
7.2.4	Stern line.....	67
8	Navigation tools.....	67
8.1	General.....	67
8.1.1	Units of measurement.....	67
8.1.2	Presentation .....	68
8.2	Display range scales .....	68
8.2.1	Mandatory range scales .....	68
8.3	Variable range marker (VRM).....	69
8.3.1	General .....	69
8.3.2	VRM measurements .....	69
8.4	Electronic bearing line (EBL) .....	70
8.4.1	General .....	70
8.4.2	EBL measurements .....	70
8.4.3	EBL origin position .....	70
8.5	Cursor.....	71
8.5.1	General .....	71
8.5.2	Cursor measurement .....	71
8.5.3	Selection by cursor.....	72
8.6	Offset measurement of range and bearing.....	72

8.6.1	General .....	72
8.6.2	Electronic range/bearing line (ERBL) .....	72
8.7	Parallel index lines (PI) .....	73
8.7.1	General .....	73
8.7.2	PI lines and positioning .....	73
8.8	Bearing scale .....	73
8.8.1	General .....	73
8.8.2	Bearing scale presentation .....	74
8.9	Range rings .....	74
8.9.1	General .....	74
8.9.2	Range ring presentation and measurement .....	74
8.10	Radar maps .....	75
8.10.1	General .....	75
8.10.2	Map functions and display simple user-defined maps .....	75
8.10.3	Map memory and transfer .....	76
8.10.4	Map presentation properties .....	76
8.11	Navigation routes .....	76
8.11.1	General .....	76
8.11.2	Route display and monitoring .....	76
9	Orientation, motion and stabilisation .....	77
9.1	General .....	77
9.2	Azimuth stabilisation .....	77
9.2.1	Accuracy of alignment .....	77
9.2.2	Heading readout and reference .....	78
9.2.3	Azimuth stabilisation update .....	79
9.3	Motion and orientation modes .....	79
9.3.1	General .....	79
9.3.2	True and relative motion .....	79
9.4	Off-centring .....	79
9.4.1	General .....	79
9.4.2	Manual and automatic off-centring .....	79
9.4.3	Automatic reset .....	80
9.4.4	Display orientation .....	80
9.5	Ground and sea stabilisation .....	81
9.5.1	Mode and source .....	81
9.5.2	Ground stabilisation .....	81
9.5.3	Sea stabilisation .....	82
10	Aids for collision avoidance .....	82
10.1	General .....	82
10.2	Target trails and past positions .....	83
10.2.1	General .....	83
10.2.2	Time and plot requirements .....	83
10.2.3	Trails/past position availability .....	84
10.3	Target tracking (TT) .....	84
10.3.1	General .....	84
10.3.2	Presentation of targets .....	85
10.3.3	Tracking calculations .....	85
10.3.4	Target tracking availability .....	86
10.3.5	Classification and tracked target capacity .....	86

10.3.6	Manual acquisition .....	87
10.3.7	Automatic acquisition .....	87
10.3.8	Motion trend.....	88
10.3.9	Visibility of 50 % .....	88
10.3.10	Tracking algorithm .....	88
10.3.11	Target swap .....	88
10.3.12	Cease tracking .....	89
10.3.13	Target tracking scenarios .....	89
10.3.14	Target motion and tracking accuracy.....	89
10.3.15	Tracker range and bearing accuracy .....	97
10.3.16	Reference target .....	98
10.4	Tracking limitations .....	99
10.4.1	Tracking warnings .....	99
10.4.2	Documentation .....	99
10.5	Automatic identification system .....	99
10.5.1	General .....	99
10.5.2	AIS target capacity .....	100
10.5.3	Filtering of AIS sleeping targets.....	101
10.5.4	Activation and deactivation of AIS targets.....	101
10.5.5	AIS functionality and presentation .....	102
10.6	Radar and AIS target data .....	104
10.6.1	General .....	104
10.6.2	Bow crossing range and time (BCR/BCT) .....	105
10.7	Operational target alarms .....	105
10.7.1	General .....	105
10.7.2	CPA and TCPA.....	105
10.7.3	New target alarm .....	106
10.7.4	Lost tracked radar target .....	106
10.7.5	Lost AIS target criteria .....	107
10.8	Target association.....	108
10.8.1	General .....	108
10.8.2	Association and priority .....	108
10.9	Trial manoeuvre .....	112
10.9.1	General .....	112
10.9.2	Trial functions.....	112
11	Chart radar (optional classification) .....	113
11.1	General.....	113
11.1.1	Chart operation and source .....	114
11.1.2	Chart elements and availability.....	114
11.1.3	Chart reference .....	115
11.1.4	Primary chart information set.....	115
11.1.5	Chart stabilisation and chart redraw .....	116
11.1.6	Chart position and latency.....	117
11.1.7	Matching and adjustment .....	117
11.1.8	Chart symbols, colours, and size .....	118
11.1.9	Chart display size.....	119
11.1.10	Chart alarms and indications .....	119
11.1.11	Chart malfunction .....	119
11.1.12	Chart radar malfunction.....	120